

Contains data from C:\DropBox\DATA\NHIS\NEW_1997-2018\nhis_0021rev_v13.dta

obs: 2,061,980

vars: 559

17 May 2020 12:04

size: 1,754,744,980

variable name	storage type	display format	value label	variable label
year	int	%8.0g		Survey year
serial	long	%12.0g		Sequential Serial Number, Household Record
numprec	int	%8.0g		Number of person records in household
quarter	byte	%9.0g	quarter_lbl	Sample quarter, household record
strata	int	%8.0g		Stratum for variance estimation
psu	int	%8.0g		Primary sampling unit (PSU) for variance estimation
nhishid	str14	%14s		NHIS Unique identifier, household
hhweight	long	%12.0g		Household weight, final annual
procyear	int	%8.0g		Processing year
noniview	byte	%36.0g	noniview_lbl	Noninterview reason, Type A
famnumtot	byte	%8.0g	famnumtot_lbl	Number of families in hh (from reformatting)
famacptno	byte	%8.0g	famacptno_lbl	Number of families in household responding
assignwk	byte	%16.0g	assignwk_lbl	Sampling week within quarter
region	byte	%21.0g	region_lbl	Region of residence
msasize	byte	%19.0g	msasize_lbl	Size of MSA
msaname	int	%43.0g	msaname_lbl	Name of identified MSA
livingqtr	byte	%61.0g	livingqtr_lbl	Type of living quarters
pernum	byte	%8.0g		Person number within family (from reformatting)
nhispid	str16	%16s		NHIS Unique Identifier, person
hhx	str6	%9s		Household number (from NHIS)
fmh	str2	%9s		Family number (from NHIS)
px	str2	%9s		Person number of respondent (from NHIS).
pernumhh	byte	%8.0g		Person number within hh (from reformatting)
perweight	double	%12.0g		Final basic annual weight
sampweight	double	%9.0g		Sample Person Weight
fweight	long	%12.0g		Final annual family weight
supplwt	double	%9.0g		Supplemental Person Weight 1
supp2wt	double	%9.0g		Supplemental Person Weight 2
supp3wt	double	%9.0g		Supplemental Person Weight 3
supp4wt	long	%12.0g		Supplemental Person Weight 4
intervwmo	byte	%23.0g	intervwmo_lbl	

			Month of NHIS interview
intervwyr	int	%8.0g	Year of NHIS interview
astatflg	byte	%35.0g	astatflg_lbl
			Sample adult flag
cstatflg	byte	%31.0g	cstatflg_lbl
			Sample child flag
screspond	byte	%38.0g	screspond_lbl
			Relationship of respondent to sample child
proxysa	byte	%54.0g	proxysa_lbl
			Sample adult needs proxy to answer questions
astatqcflag	byte	%50.0g	astatqcflag_lbl
			Quality control flag for sample adult
cstatqcflag	byte	%62.0g	cstatqcflag_lbl
			Quality control flag for sample child
famrespflag	byte	%23.0g	famrespflag_lbl
			Family respondent flag
hhrefflag	byte	%23.0g	hhrefflag_lbl
			Household reference person flag
saproxyavail	byte	%8.0g	saproxyavail_lbl
			Knowledgeable proxy available for sample adult
saproxyrel	byte	%26.0g	saproxyrel_lbl
			Relationship of sample adult proxy
telephone	byte	%23.0g	telephone_lbl
			Household has telephone
telcel	byte	%25.0g	telcel_lbl
			Member of a family with a working cellular telephone
telcelno	byte	%23.0g	telcelno_lbl
			Number of working cell phones family has
telnoncel	byte	%25.0g	telnoncel_lbl
			Family has 1+ currently working, non-cell phones inside home
agecorflag	byte	%40.0g	agecorflag_lbl
			Indication of age correction due to data entry error
distestflg	byte	%54.0g	distestflg_lbl
			Disability questions tests flag
qol10flag	byte	%43.0g	qol10flag_lbl
			Quality of Life 2010 supplement flag
qolcomplet	byte	%45.0g	qolcomplet_lbl
			Quality of Life supplement completion status
mamq10via	byte	%14.0g	mamq10via_lbl
			Mammogram questions asked in person or over phone
age	byte	%8.0g	Age
sex	byte	%8.0g	sex_lbl Sex
sexorien	byte	%37.0g	sexorien_lbl
			Sexual orientation
marstat	byte	%37.0g	marstat_lbl
			Legal marital status
marst	byte	%37.0g	marst_lbl
			Current marital status

marstcohab	byte	%36.0g	marstcohab_lbl	Marital status, including living with partner
cohabmarst	byte	%23.0g	cohabmarst_lbl	Legal marital status of cohabiting person
cohabevmar	byte	%23.0g	cohabevmar_lbl	Cohabiting person ever married
birthmo	byte	%23.0g	birthmo_lbl	Month of birth
birthyr	int	%8.0g		Year of birth
relate	byte	%54.0g	relate_lbl	Relationship to householder
famsize	byte	%21.0g	famsize_lbl	Number of persons in family
famtypefrec	byte	%28.0g	famtypefrec_lbl	Family type, as reported on family record
famkidno	byte	%8.0g	famkidno_lbl	Number of family members under 18 (fam record)
famoldno	byte	%8.0g	famoldno_lbl	Number of family members age 65+ (family record)
parenthere	byte	%25.0g	parenthere_lbl	Parent(s) present in the family (reported)
momed	byte	%42.0g	momed_lbl	Education of mother
daded	byte	%41.0g	daded_lbl	Education of father
relsib	byte	%30.0g	relsib_lbl	Degree of sib relationship to householder
racea	int	%57.0g	racea_lbl	Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
hispeth	byte	%45.0g	hispeth_lbl	Hispanic ethnicity
raccsr	int	%43.0g	raccsr_lbl	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards)
yrsinus	byte	%30.0g	yrsinus_lbl	Number of years spent in the U.S.
hispyyn	byte	%29.0g	hispyyn_lbl	Hispanic ethnicity, dichotomous
hispflag	byte	%46.0g	hispflag_lbl	Hispanic imputation flag
usborn	byte	%42.0g	usborn_lbl	Born in the United States
citizen	byte	%24.0g	citizen_lbl	U.S. citizenship
racenew	byte	%30.0g	racenew_lbl	Self-reported Race (Post-1997 OMB standards)
racebr	byte	%40.0g	racebr_lbl	Race Bridge Variable (Pre-1997 OMB standards to Post-1997 OMB standards)
raceimpute	byte	%40.0g	raceimpute_lbl	

regionbr	byte	%42.0g	regionbr_lbl	Race imputation flag
hisptypeflag	byte	%46.0g	hisptypeflag_lbl	Global region of birth
racethflag	byte	%30.0g	racethflag_lbl	Type of Hispanic origin imputation flag
intervlang	byte	%23.0g	intervlang_lbl	Ethnicity/race imputation flag
langspeak	byte	%27.0g	langspeak_lbl	Language of interview
nowaf	byte	%24.0g	nowaf_lbl	Language generally speak
armfds	byte	%23.0g	armfds_lbl	Currently in armed forces
armfev	byte	%23.0g	armfev_lbl	Was active duty in U.S. Armed Forces in Desert Storm between Aug 1990 to Apr 199
armftim1	byte	%23.0g	armftim1_lbl	Ever served in U.S. Armed Forces, Reserves, or National Guard
armftim2	byte	%23.0g	armftim2_lbl	Was active-duty in U.S. Armed Forces in September 2001 or later
armftim5	byte	%23.0g	armftim5_lbl	Was active-duty in U.S. Armed Forces in August 1990 to 2001 (Persian Gulf War)
armftim8	byte	%23.0g	armftim8_lbl	Was active-duty in U.S. Armed Forces in August 1964 to April 1975 (Vietnam era)
hondscg	byte	%29.0g	hondscg_lbl	Was active-duty in U.S. Armed Forces in July 1950 to Jan 1955 (Korean War)
educrec2	byte	%35.0g	educrec2_lbl	Honorable discharge from armed forces active duty
educrec1	byte	%33.0g	educrec1_lbl	Educational attainment recode, intervalled
educ	int	%44.0g	educ_lbl	Educational attainment recode, nonintervalled
schoolyr	byte	%25.0g	schoolyr_lbl	Educational attainment
empstat	byte	%48.0g	empstat_lbl	Attended any kind of school, past 12 months
hourswrk	byte	%24.0g	hourswrk_lbl	Employment status in past 1 to 2 weeks
monthwrk	byte	%47.0g	monthwrk_lbl	Total hours worked last week or usually
numemps	byte	%23.0g	numemps_lbl	Months in last year had one or more jobs
secondjob	byte	%30.0g	secondjob_lbl	Number of employees at work
usualft	byte	%24.0g	usualft_lbl	Have more than one job or business
empstatwkyr	byte	%31.0g	empstatwkyr_lbl	Usually work full time
				Work status: Last week, past 12 months

classwk2	byte	%37.0g	classwk2_lbl Class of worker, current or longest job
workev	byte	%23.0g	workev_lbl Ever worked
yearsonjob	byte	%23.0g	yearsonjob_lbl Years on main or longest or last job
mainlong	byte	%23.0g	mainlong_lbl Current or last job same as longest job
empstatsa	byte	%38.0g	empstatsa_lbl Corrected employment status last week (sample adults)
whynowk2	byte	%33.0g	whynowk2_lbl Corrected main reason not working last week (sample adults)
occupn104	byte	%78.0g	occupn104_lbl Detailed occupational classification (2004 forward)
occupn204	byte	%57.0g	occupn204_lbl Simple occupational classification (2004 forward)
indstrn104	byte	%98.0g	indstrn104_lbl Detailed industry classification (2004 forward, NAICS)
indstrn204	byte	%63.0g	indstrn204_lbl Simple industry classification (2004 forward, NAICS)
pooryn	byte	%29.0g	pooryn_lbl Above or below poverty threshold
incfam97on2	byte	%28.0g	incfam97on2_lbl Total combined family income (1997+ w. 2007 categories)
welfmo	byte	%23.0g	welfmo_lbl Months received welfare income, previous calendar year
gotwelf	byte	%23.0g	gotwelf_lbl Received income from welfare/public assistance, previous calendar year
gotnewelf	byte	%23.0g	gotnewelf_lbl Received other (new welfare reform) assistance from government program
gotssi	byte	%28.0g	gotssi_lbl Received income from SSI, previous calendar year
gotssiwhy	byte	%23.0g	gotssiwhy_lbl Received SSI due to disability
gotss	byte	%23.0g	gotss_lbl Received income from Social Security/RRR, previous calendar year
gotssdis	byte	%23.0g	gotssdis_lbl Received SS/RR as disability benefit, previous calendar year
gotssdiswhy	byte	%23.0g	gotssdiswhy_lbl Received SS/RR disability benefit income because disabled
gotwage	byte	%23.0g	gotwage_lbl Received income from wages/salary, previous calendar year
gotwic	byte	%23.0g	gotwic_lbl Received WIC benefits during last calendar year
wiceligible	byte	%41.0g	wiceligible_lbl Anyone in family age-eligible for WIC program
stampmo	byte	%23.0g	stampmo_lbl Months received food stamps, last calendar year

gotstamp	byte	%23.0g	gotstamp_lbl	Authorized to receive Food Stamps, last calendar year
poverty	byte	%31.0g	poverty_lbl	Ratio of family income to poverty threshold
poverty2	byte	%14.0g	poverty2_lbl	Ratio of family income to poverty threshold (4 categories)
fsateless	byte	%56.0g	fsateless_lbl	Ever ate less than felt should because not enough money, last 30 days
fsbalanc	byte	%23.0g	fsbalanc_lbl	Family could not afford to eat balanced meals, last 30 days
fshungry	byte	%56.0g	fshungry_lbl	Ever hungry but did not eat because not enough money, last 30 days
fsnoteat	byte	%23.0g	fsnoteat_lbl	Any family members not eat for a whole day because not enough money for food, la
fsnoteatno	byte	%23.0g	fsnoteatno_lbl	Number of days any family member did not eat due to lack of money, last 30 days
fsnotlast	byte	%23.0g	fsnotlast_lbl	Food did not last until family had money to get more, last 30 days
ownership	byte	%24.0g	ownership_lbl	Family's home owned or rented
lowrent	byte	%23.0g	lowrent_lbl	Family pays lower rent due to government program
health	byte	%23.0g	health_lbl	Health status
height	byte	%28.0g	height_lbl	Height in inches without shoes
weight	int	%8.0g		Weight in pounds without clothes or shoes
bmicalc	double	%4.1f		Body Mass Index, calculated from publicly released height and weight variables
bmi	double	%4.2f		Body mass index
heightkid	byte	%23.0g	heightkid_lbl	Height in inches of child
weightkid	int	%8.0g		Weight in pounds of child
bmikid	int	%8.0g		Body mass index of child
bedayr2	byte	%12.0g	bedayr2_lbl	Bed disability days in past 12 months, intervalled
bedayr	int	%23.0g	bedayr_lbl	Bed disability days, past 12 months
hystev	byte	%23.0g	hystev_lbl	Ever had a hysterectomy
bcpilnow	byte	%23.0g	bcpilnow_lbl	Currently taking birth control pills/implants/shots
hysterag	byte	%23.0g	hysterag_lbl	Age had hysterectomy
bwgtgram	int	%8.0g		Birth weight, in grams (corrected 2004-2010 values)
usualpl	byte	%29.0g	usualpl_lbl	Has usual place for medical care
typplsick	byte	%45.0g	typplsick_lbl	Kind of usual place for medical care

routcare	byte	%23.0g	routcare_lbl Goes to same place for routine care as for sick care
delaycost	byte	%43.0g	delaycost_lbl Medical care delayed due to cost, past 12 months
famdelaycono	byte	%8.0g	famdelaycono_lbl Number of family members who delayed seeking medical care due to cost, past 12 m
famdelaycost	byte	%23.0g	famdelaycost_lbl Any family member delayed seeking medical care due to cost, past 12 months
famybarcar	byte	%23.0g	famybarcar_lbl Any family member need and not get medical care (due to cost),past 12 months
famybarcarno	byte	%8.0g	famybarcarno_lbl Number of family members who needed and did not get medical care (due to cost) ,
ybarcare	byte	%23.0g	ybarcare_lbl Needed but couldn't afford medical care, past 12 months
ybardental	byte	%23.0g	ybardental_lbl Needed but couldn't afford dental care, past 12 months
ybarglass	byte	%23.0g	ybarglass_lbl Needed but couldn't afford eyeglasses, past 12 months
ybarmeds	byte	%23.0g	ybarmeds_lbl Needed but couldn't afford prescription medicines, past 12 months
ybarmental	byte	%23.0g	ybarmental_lbl Needed but couldn't afford mental health care, past 12 months
worredbill	byte	%23.0g	worredbill_lbl Worried about paying medical bills
ydelaymedyr	byte	%23.0g	ydelaymedyr_lbl Delayed refilling prescription to save money, past 12 months
yformmedyr	byte	%23.0g	yformmedyr_lbl Bought medication from other country to save money, past 12 months
yskimpmedyr	byte	%23.0g	yskimpmedyr_lbl Took less medication to save money, past 12 months
yskipmedyr	byte	%23.0g	yskipmedyr_lbl Skipped medication doses to save money, past 12 months
nonewpatyr	byte	%23.0g	nonewpatyr_lbl Told not accepted as new patient, past 12 months
nohctakeyr	byte	%23.0g	nohctakeyr_lbl Told health care coverage not accepted, past 12 months
hipaymedbil	byte	%23.0g	hipaymedbil_lbl Currently paying medical bills over time
hipconafford	byte	%23.0g	hipconafford_lbl Confidence in affording private health insurance plan
hipconaffordr	byte	%23.0g	hipconaffordr_lbl Confidence in affording private health insurance plan (recode)
hiprobpayr	byte	%23.0g	hiprobpayr_lbl Problems paying or unable to pay medical bills, past 12 months
hiunablepay	byte	%23.0g	hiunablepay_lbl Unable to pay medical bills
erdcopay	byte	%23.0g	erdcopay_lbl Why delayed ER care: No copay money

shotpnuev	byte	%23.0g	shotpnuev_lbl Ever had pneumonia shot
shothepbev	byte	%23.0g	shothepbev_lbl Ever received hepatitis B vaccine
shothepbno	byte	%26.0g	shothepbno_lbl Number doses hepatitis B vaccine received
shotet10y	byte	%23.0g	shotet10y_lbl Had tetanus shot, past 10 years
addev	byte	%23.0g	addev_lbl Ever told had ADHD/ADD
anemiayr	byte	%23.0g	anemiayr_lbl Had anemia, past 12 months
arthglupeg	byte	%23.0g	arthglupeg_lbl Ever told had arthritis/rheumatoid arthritis/gout/lupus/fibromyalgia
arthritev	byte	%23.0g	arthritev_lbl Ever told had arthritis
asthmaev	byte	%23.0g	asthmaev_lbl Ever told had asthma
asthmastil	byte	%23.0g	asthmastil_lbl Still have asthma
autismev	byte	%23.0g	autismev_lbl Ever told had autism
blind	byte	%23.0g	blind_lbl Blind or unable to see at all
cancerev	byte	%23.0g	cancerev_lbl Ever told had cancer
cerebpalev	byte	%23.0g	cerebpalev_lbl Ever told had cerebral palsy
cheartdiev	byte	%24.0g	cheartdiev_lbl Ever told had coronary heart disease
conghartev	byte	%23.0g	conghartev_lbl Ever told had congenital heart disease
diabeticev	byte	%23.0g	diabeticev_lbl Ever told had diabetes
heartattev	byte	%24.0g	heartattev_lbl Ever told had heart attack
heartcovev	byte	%23.0g	heartcovev_lbl Ever told had heart condition/disease
hepatev	byte	%23.0g	hepatev_lbl Ever had hepatitis
hypertenev	byte	%23.0g	hypertenev_lbl Ever told had hypertension
kidneywkyr	byte	%23.0g	kidneywkyr_lbl Told had weak/failing kidneys, past 12 months
liverconyr	byte	%23.0g	liverconyr_lbl Told had liver condition, past 12 months
migrain3mo	byte	%23.0g	migrain3mo_lbl Had severe headaches/migraine, past 3 months

strokev	byte	%23.0g	strokev_lbl Ever told had a stroke
asthatakыр	byte	%24.0g	asthatakыр_lbl Had asthma attack/episode, past 12 months
astherыр	byte	%24.0g	astherыр_lbl Visited ER for asthma, past 12 months
diabeticage	byte	%43.0g	diabeticage_lbl Age first diagnosed with diabetes
insulin	byte	%23.0g	insulin_lbl Now taking insulin
diapills	byte	%23.0g	diapills_lbl Now taking diabetic pills
diayrsago	byte	%34.0g	diayrsago_lbl Years since first diagnosed with diabetes
diatestlong	byte	%48.0g	diatestlong_lbl Time since last had blood test for high blood sugar/diabetes
diaborder	byte	%23.0g	diaborder_lbl Ever been told you have borderline diabetes
diahisugar	byte	%23.0g	diahisugar_lbl Ever been told you have high blood sugar
diaimpfast	byte	%23.0g	diaimpfast_lbl Ever been told you have impaired fasting glucose
diaimpgtol	byte	%23.0g	diaimpgtol_lbl Ever been told you have impaired glucose tolerance
diapre	byte	%23.0g	diapre_lbl Ever been told you have prediabetes
diaprecond	byte	%23.0g	diaprecond_lbl Ever told had prediabetic condition
diarisk	byte	%23.0g	diarisk_lbl Ever been told you have risk for diabetes
diagestonly	byte	%23.0g	diagestonly_lbl Ever been told you have gestational diabetes (only during pregnancy)
diagestonage	int	%23.0g	diagestonage_lbl Age first diagnosed with gestational diabetes (only diabetic during pregnancy)
diagestalso	byte	%23.0g	diagestalso_lbl Ever been told you have gestational diabetes (also during pregnancy)
diagestalage	int	%23.0g	diagestalage_lbl Age first diagnosed with gestational diabetes (also diabetic when not pregnant)
diadiagpreg	byte	%23.0g	diadiagpreg_lbl First told had diabetes, sugar diabetes, or gestational diabetes during pregnancy
diapregwt	byte	%23.0g	diapregwt_lbl Ever had a baby that weighed 9 lbs. or more
diagnosyr	byte	%18.0g	diagnosyr_lbl Diabetes diagnosed in past 12 months
diagnosyrmo	byte	%36.0g	diagnosyrmo_lbl Months ago, within year, diabetes diagnosed
diatest3yr	byte	%23.0g	diatest3yr_lbl Tested for high blood sugar/diabetes, past 3 years

dialcexamyr	byte	%23.0g	dialcexamyr_lbl Number exams for A1C hemoglobin, past 12 months
dialcknow	byte	%23.0g	dialcknow_lbl Ever heard of hemoglobin A1C
dialclevel	byte	%31.0g	dialclevel_lbl Last A1C hemoglobin level
dialcsafe	byte	%23.0g	dialcsafe_lbl Safe A1C hemoglobin level, according to doctor
diaclass	byte	%23.0g	diaclass_lbl Ever took class in diabetes management
diadryrno	int	%23.0g	diadryrno_lbl Number times saw doctor for diabetes, past 12 months
diaeyexamev	byte	%23.0g	diaeyexamev_lbl Ever had pupils dilated in eye exam
diaeyexamyr	byte	%33.0g	diaeyexamyr_lbl Years since last eye exam with pupils dilated
diaeyexamo	byte	%23.0g	diaeyexamo_lbl Months since last eye exam with pupils dilated
diaftexamno	int	%8.0g	diaftexamno_lbl How often check feet for sores: Number of units
diaftexamtp	byte	%31.0g	diaftexamtp_lbl How often check feet for sores: Time period
diaftexamwk	byte	%31.0g	diaftexamwk_lbl Times per week check feet for sores
diaftexamyr	byte	%23.0g	diaftexamyr_lbl Number exams for foot sores, past 12 months
diaglucday	byte	%26.0g	diaglucday_lbl Times per day check blood for glucose
diaglucno	int	%8.0g	diaglucno_lbl How often check blood for glucose: Number of units
diagluctp	byte	%26.0g	diagluctp_lbl How often check blood for glucose: Time period
dianursyrno	int	%23.0g	dianursyrno_lbl Number times saw nurse/dietician for diabetes, past 12 months
diaonedr	byte	%23.0g	diaonedr_lbl Seeing one doctor for diabetes
diadiagfam	byte	%23.0g	diadiagfam_lbl Has mother, father, brother, or sister ever been told by a doctor or other health
diainsllong	byte	%29.0g	diainsllong_lbl Length of time before started insulin after diagnosed w/diabetes
diainslstop	byte	%23.0g	diainslstop_lbl Stopped taking insulin for more than 6 months
diainslstop1s~r	byte	%23.0g	diainslstop1styr_lbl Stopped taking insulin for more than 6 months during the first year after diabetes
diaprogev	byte	%23.0g	diaprogev_lbl Ever participated in year-long program to prevent Type 2 diabetes
diaprogdrev	byte	%23.0g	diaprogdrev_lbl Ever referred to program to prevent Type 2 diabetes
diaprogint	byte	%23.0g	diaprogint_lbl Interested in beginning year-long program to prevent Type 2 diabetes

hyp2time	byte	%23.0g	hyp2time_lbl Ever told had hypertension on 2+ visits
hypmednow	byte	%23.0g	hypmednow_lbl Now taking prescribed medicine to lower blood pressure
hypmedev	byte	%23.0g	hypmedev_lbl Ever prescribed medicine to lower blood pressure
hypchek1yr	byte	%23.0g	hypchek1yr_lbl Had blood pressure checked by health professional, past 12 months
hypcheckno	byte	%8.0g	Duration since last blood pressure check: Number of units
hypcheckyrs	byte	%46.0g	hypcheckyrs_lbl Duration since last blood pressure check: Years
hpvachad	byte	%25.0g	hpvachad_lbl Ever received HPV vaccine
stdloc5yr	byte	%23.0g	stdloc5yr_lbl Location of non-HIV STD check, past 5 years
stdsawdr5yr	byte	%23.0g	stdsawdr5yr_lbl Saw doctor or health professional for non-HIV STD, past 5 years
std5yr	byte	%23.0g	std5yr_lbl Had non-HIV STD, past 5 years
alc1yr	byte	%25.0g	alc1yr_lbl Ever had 12+ drinks in any one year
alclife	byte	%25.0g	alclife_lbl Had 12+ drinks in entire life
alc5upyr	int	%23.0g	alc5upyr_lbl Days had 5+ drinks, past year
alcamt	int	%25.0g	alcamt_lbl Average number of drinks on days drank
alcstat1	byte	%41.0g	alcstat1_lbl Alcohol drinking status: Recode
alcstat2	byte	%45.0g	alcstat2_lbl Current alcohol drinking status: Recode
alcanyno	int	%23.0g	alcanyno_lbl Frequency drank alcohol in past year: Number of units
alcanytp	byte	%23.0g	alcanytp_lbl Frequency drank alcohol in past year: Time period
alcdayswk	byte	%26.0g	alcdayswk_lbl Frequency drank alcohol in past year: Days per week
alcdaysyr	int	%23.0g	alcdaysyr_lbl Frequency drank alcohol in past year: Days in past year
alc5upno	int	%23.0g	alc5upno_lbl Days had 5+ drinks, past year: Number of units
alc5uptp	byte	%23.0g	alc5uptp_lbl Days had 5+ drinks, past year: Time period
smokev	byte	%23.0g	smokev_lbl Ever smoked 100 cigarettes in life
smokagereg	byte	%28.0g	smokagereg_lbl Age first smoked fairly regularly
cigdaymo	byte	%23.0g	cigdaymo_lbl

				Number days smoked in past 30 days (some day smokers)
cigsday	byte	%29.0g	cigsday_lbl	
				Number cigarettes per day (current smokers)
cigsday1	byte	%23.0g	cigsday1_lbl	
				Number cigarettes per day (daily smokers)
cigsday2	byte	%23.0g	cigsday2_lbl	
				Number cigarettes per day (some day smokers)
smokestatus2	byte	%42.0g	smokestatus2_lbl	
				Cigarette smoking recode 2: Current detailed/former/never
smokfreqnow	byte	%23.0g	smokfreqnow_lbl	
				Smoke every day, some days, or not at all
mod10dmin	int	%8.0g		Duration of moderate activity 10+ minutes: Minutes
mod10dno	int	%8.0g		Duration of moderate activity 10+ minutes: Number of units
mod10dtp	byte	%23.0g	mod10dtp_lbl	
				Duration of moderate activity 10+ minutes: Time period
mod10fno	int	%8.0g		Frequency of moderate activity 10+ minutes: Number of units
mod10ftp	byte	%26.0g	mod10ftp_lbl	
				Frequency of moderate activity 10+ minutes: Time period
mod10fwk	byte	%8.0g		Frequency of moderate activity 10+ minutes: Times per week
vig10dmin	int	%8.0g		Duration of vigorous activity 10+ minutes: Minutes
vig10dno	int	%8.0g		Duration of vigorous activity 10+ minutes: Number of units
vig10dtp	byte	%23.0g	vig10dtp_lbl	
				Duration of vigorous activity 10+ minutes: Time period
vig10fno	int	%8.0g		Frequency of vigorous activity 10+ minutes: Number of units
vig10ftp	byte	%26.0g	vig10ftp_lbl	
				Frequency of vigorous activity 10+ minutes: Time period
vig10fwk	byte	%8.0g		Frequency of vigorous activity 10+ minutes: Times per week
strongfno	int	%8.0g		Frequency of strengthening activity: Number of units
strongftp	byte	%26.0g	strongftp_lbl	
				Frequency of strengthening activity: Time period
strongfwk	byte	%8.0g		Frequency of strengthening activity: Times per week
vig10d20min	byte	%23.0g	vig10d20min_lbl	
				Duration of vigorous activity 10+ minutes: Over/under 20 minutes
mod10d20min	byte	%23.0g	mod10d20min_lbl	
				Duration of moderate activity 10+ minutes: Over/under 20 minutes
exerup	byte	%23.0g	exerup_lbl	
				Increased exercise, past 12 months
exerclasyr	byte	%23.0g	exerclasyr_lbl	
				Took exercise class, past 12 months
exerclaspl	byte	%23.0g	exerclaspl_lbl	
				Location of exercise class
travldc95	byte	%23.0g	travldc95_lbl	
				Traveled outside U.S. and MDCs since 1995
lany	byte	%22.0g	lany_lbl	Has any activity limitation
impmob	byte	%23.0g	impmob_lbl	
				Impaired mobility
impmobyr	byte	%23.0g	impmobyr_lbl	
				Impairment limiting mobility lasts 12+ months

ladl	byte	%23.0g	ladl_lbl	Needs help with activities of daily living (ADL)
laiadl	byte	%23.0g	laiadl_lbl	Needs help with instrumental activities of daily living (IADL)
lanowork	byte	%23.0g	lanowork_lbl	Unable to work due to health problem
lamtwrk	byte	%27.0g	lamtwrk_lbl	Limited in kind/amount of work (health)
aeffort	byte	%23.0g	aeffort_lbl	Felt everything an effort, past 30 days (adults)
afeelintlmo	byte	%23.0g	afeelintlmo_lbl	Feelings interfered w. life, past 30 days (adults)
ahopeless	byte	%23.0g	ahopeless_lbl	How often felt hopeless, past 30 days (adults)
anervous	byte	%23.0g	anervous_lbl	How often felt nervous, past 30 days (adults)
arestless	byte	%23.0g	arestless_lbl	How often felt restless, past 30 days (adults)
asad	byte	%23.0g	asad_lbl	How often felt sad, past 30 days (adults)
aworthless	byte	%23.0g	aworthless_lbl	How often felt worthless, past 30 days (adults)
depfreq	byte	%23.0g	depfreq_lbl	How often feel depressed
deprx	byte	%23.0g	deprx_lbl	Take medication for depression
depfeelevl	byte	%32.0g	depfeelevl_lbl	Level of depression, last time depressed
ftodmhi	byte	%10.0g	ftodmhi_lbl	Female toddler mental health indicator (MHI) scale score
mtodmhi	byte	%10.0g	mtodmhi_lbl	Male toddler mental health indicator (MHI) scale score
toddepres	byte	%23.0g	toddepres_lbl	Toddler unhappy/depressed, past 2 months
webeml	byte	%23.0g	webeml_lbl	Send or receive emails
webmno	int	%8.0g		Email use frequency: number of time units
webmtp	byte	%25.0g	webmtp_lbl	Email use frequency: time units
webofno	int	%25.0g	webofno_lbl	Frequency of internet use: Number of units
weboftp	byte	%25.0g	weboftp_lbl	Internet use frequency: time units
webuse	byte	%25.0g	webuse_lbl	Internet use
aidrisk	byte	%32.0g	aidrisk_lbl	At least one behavioral question about HIV risk is true
aidchance	byte	%26.0g	aidchance_lbl	Chance of getting the AIDS virus
aidtev	byte	%23.0g	aidtev_lbl	

			Ever tested for HIV
aidtlsug	byte	%28.0g	aidtlsug_lbl
			Person suggesting last HIV test
atrlmain	int	%44.0g	atrlmain_lbl
			Main reason for last HIV test
atrlsexp	byte	%23.0g	atrlsexp_lbl
			Reason for last HIV test: Sexual relationship
colev	byte	%23.0g	colev_lbl
			Ever had colonoscopy
collesty	byte	%35.0g	collesty_lbl
			Time since last colonoscopy: Grouped year estimate
mamhad1yr	byte	%23.0g	mamhad1yr_lbl
			Had mammogram, past 12 months
namev	byte	%24.0g	namev_lbl
			Ever had a mammogram
mamltp	byte	%23.0g	mamltp_lbl
			Time since most recent mammogram: Time period
mamlgyre	byte	%43.0g	mamlgyre_lbl
			Time since most recent mammogram: Rough time estimate
mamly	byte	%49.0g	mamly_lbl
			Reason for most recent mammogram
mamlgyr	byte	%33.0g	mamlgyr_lbl
			Time since most recent mammogram: Grouped years
mamlyr	byte	%35.0g	mamlyr_lbl
			Time since most recent mammogram: Years
mamynoev2yr	byte	%37.0g	mamynoev2yr_lbl
			Reason why no mammogram ever/in past 2 years
paphad1yr	byte	%23.0g	paphad1yr_lbl
			Had Pap smear in past 12 months
papev	byte	%23.0g	papev_lbl
			Ever had Pap smear test
paplno	byte	%23.0g	paplno_lbl
			Time since most recent Pap test: Number of units
papltp	byte	%23.0g	papltp_lbl
			Time since Pap test: Time period
papab3yr	byte	%23.0g	papab3yr_lbl
			Had abnormal Pap results in past 3 years
mortelig	byte	%12.0g	mortelig_lbl
			Eligibility status for mortality follow-up
mortstat	byte	%16.0g	mortstat_lbl
			Final mortality status
mortdodq	byte	%16.0g	mortdodq_lbl
			Quarter of death
mortdody	int	%8.0g	mortdody_lbl
			Year of death
mortucod	int	%39.0g	mortucod_lbl
			Underlying cause of death (ICD-10)
mortwt	double	%8.0g	Weight adjusted for ineligible respondents in mortality analysis

mortdiab	byte	%8.0g	mortdiab_lbl	Diabetes flag from multiple cause of death (MCOD)
morthipfx	byte	%8.0g	morthipfx_lbl	Hip fracture flag from multiple cause of death (MCOD)
morthypr	byte	%8.0g	morthypr_lbl	Hypertension flag from multiple cause of death (MCOD)
mortcms	byte	%27.0g	mortcms_lbl	Mortality status obtained from Centers for Medicaid and Medicare Services
mortndi	byte	%8.0g	mortndi_lbl	Mortality match with National Death Index
mortssa	byte	%8.0g	mortssa_lbl	Mortality status obtained from Social Security Administration
mortwtsa	double	%8.0g		Sample adult weight adjusted for ineligible respondents in mortality analysis
pernumhh_mom	byte	%8.0g		Person number within hh (from reformatting) [of mother]
pernumhh_mom2	byte	%8.0g		Person number within hh (from reformatting) [of same sex mother]
pernumhh_pop	byte	%8.0g		Person number within hh (from reformatting) [of father]
pernumhh_pop2	byte	%8.0g		Person number within hh (from reformatting) [of same sex father]
pernumhh_sp	byte	%8.0g		Person number within hh (from reformatting) [of spouse]
supplwt_mom	double	%9.0g		Supplemental Person Weight 1 [of mother]
supplwt_mom2	double	%9.0g		Supplemental Person Weight 1 [of same sex mother]
supplwt_pop	double	%9.0g		Supplemental Person Weight 1 [of father]
supplwt_pop2	double	%9.0g		Supplemental Person Weight 1 [of same sex father]
supplwt_sp	double	%9.0g		Supplemental Person Weight 1 [of spouse]
supp2wt_mom	double	%9.0g		Supplemental Person Weight 2 [of mother]
supp2wt_mom2	double	%9.0g		Supplemental Person Weight 2 [of same sex mother]
supp2wt_pop	double	%9.0g		Supplemental Person Weight 2 [of father]
supp2wt_pop2	double	%9.0g		Supplemental Person Weight 2 [of same sex father]
supp2wt_sp	double	%9.0g		Supplemental Person Weight 2 [of spouse]
intervwmo_mom	byte	%23.0g	intervwmo_mom_lbl	Month of NHIS interview [of mother]
intervwmo_mom2	byte	%23.0g	intervwmo_mom2_lbl	Month of NHIS interview [of same sex mother]
intervwmo_pop	byte	%23.0g	intervwmo_pop_lbl	Month of NHIS interview [of father]
intervwmo_pop2	byte	%23.0g	intervwmo_pop2_lbl	Month of NHIS interview [of same sex father]
intervwmo_sp	byte	%23.0g	intervwmo_sp_lbl	Month of NHIS interview [of spouse]
intervwyr_mom	int	%8.0g		Year of NHIS interview [of mother]
intervwyr_mom2	int	%8.0g		Year of NHIS interview [of same sex mother]
intervwyr_pop	int	%8.0g		Year of NHIS interview [of father]
intervwyr_pop2	int	%8.0g		Year of NHIS interview [of same sex father]
intervwyr_sp	int	%8.0g		Year of NHIS interview [of spouse]
proxysa_mom	byte	%54.0g	proxysa_mom_lbl	Sample adult needs proxy to answer questions [of mother]
proxysa_mom2	byte	%54.0g	proxysa_mom2_lbl	Sample adult needs proxy to answer questions [of same sex mother]
proxysa_pop	byte	%54.0g	proxysa_pop_lbl	

			Sample adult needs proxy to answer questions [of father]
proxysa_pop2	byte	%54.0g	proxysa_pop2_lbl
			Sample adult needs proxy to answer questions [of same sex father]
proxysa_sp	byte	%54.0g	proxysa_sp_lbl
			Sample adult needs proxy to answer questions [of spouse]
age_mom	byte	%8.0g	Age [of mother]
age_mom2	byte	%8.0g	Age [of same sex mother]
age_pop	byte	%8.0g	Age [of father]
age_pop2	byte	%8.0g	Age [of same sex father]
age_sp	byte	%8.0g	Age [of spouse]
sex_mom	byte	%8.0g	sex_mom_lbl
			Sex [of mother]
sex_mom2	byte	%8.0g	sex_mom2_lbl
			Sex [of same sex mother]
sex_pop	byte	%8.0g	sex_pop_lbl
			Sex [of father]
sex_pop2	byte	%8.0g	sex_pop2_lbl
			Sex [of same sex father]
sex_sp	byte	%8.0g	sex_sp_lbl
			Sex [of spouse]
sexorien_mom	byte	%37.0g	sexorien_mom_lbl
			Sexual orientation [of mother]
sexorien_mom2	byte	%37.0g	sexorien_mom2_lbl
			Sexual orientation [of same sex mother]
sexorien_pop	byte	%37.0g	sexorien_pop_lbl
			Sexual orientation [of father]
sexorien_pop2	byte	%37.0g	sexorien_pop2_lbl
			Sexual orientation [of same sex father]
sexorien_sp	byte	%37.0g	sexorien_sp_lbl
			Sexual orientation [of spouse]
marstat_mom	byte	%37.0g	marstat_mom_lbl
			Legal marital status [of mother]
marstat_mom2	byte	%37.0g	marstat_mom2_lbl
			Legal marital status [of same sex mother]
marstat_pop	byte	%37.0g	marstat_pop_lbl
			Legal marital status [of father]
marstat_pop2	byte	%37.0g	marstat_pop2_lbl
			Legal marital status [of same sex father]
marstat_sp	byte	%37.0g	marstat_sp_lbl
			Legal marital status [of spouse]
momed_mom	byte	%42.0g	momed_mom_lbl
			Education of mother [of mother]
momed_mom2	byte	%42.0g	momed_mom2_lbl
			Education of mother [of same sex mother]
momed_pop	byte	%42.0g	momed_pop_lbl
			Education of mother [of father]
momed_pop2	byte	%42.0g	momed_pop2_lbl
			Education of mother [of same sex father]

momed_sp	byte	%42.0g	momed_sp_lbl Education of mother [of spouse]
daded_mom	byte	%41.0g	daded_mom_lbl Education of father [of mother]
daded_mom2	byte	%41.0g	daded_mom2_lbl Education of father [of same sex mother]
daded_pop	byte	%41.0g	daded_pop_lbl Education of father [of father]
daded_pop2	byte	%41.0g	daded_pop2_lbl Education of father [of same sex father]
daded_sp	byte	%41.0g	daded_sp_lbl Education of father [of spouse]
racea_mom	int	%57.0g	racea_mom_lbl Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
racea_mom2	int	%57.0g	racea_mom2_lbl Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
racea_pop	int	%57.0g	racea_pop_lbl Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
racea_pop2	int	%8.0g	Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
racea_sp	int	%8.0g	Main Racial Background (Pre-1997 Revised OMB Standards), self-reported or interv
hispeth_mom	byte	%8.0g	Hispanic ethnicity [of mother]
hispeth_mom2	byte	%8.0g	Hispanic ethnicity [of same sex mother]
hispeth_pop	byte	%8.0g	Hispanic ethnicity [of father]
hispeth_pop2	byte	%8.0g	Hispanic ethnicity [of same sex father]
hispeth_sp	byte	%8.0g	Hispanic ethnicity [of spouse]
racetr_mom	int	%8.0g	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards) [of mother]
racetr_mom2	int	%8.0g	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards) [of same s
racetr_pop	int	%8.0g	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards) [of father]
racetr_pop2	int	%8.0g	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards) [of same s
racetr_sp	int	%8.0g	Self-Reported Main Racial Background (Pre-1997 Revised OMB Standards) [of spouse]
yrsinus_mom	byte	%8.0g	Number of years spent in the U.S. [of mother]
yrsinus_mom2	byte	%8.0g	Number of years spent in the U.S. [of same sex mother]
yrsinus_pop	byte	%8.0g	Number of years spent in the U.S. [of father]
yrsinus_pop2	byte	%8.0g	Number of years spent in the U.S. [of same sex father]
yrsinus_sp	byte	%8.0g	Number of years spent in the U.S. [of spouse]
hispyn_mom	byte	%8.0g	Hispanic ethnicity, dichotomous [of mother]
hispyn_mom2	byte	%8.0g	Hispanic ethnicity, dichotomous [of same sex mother]
hispyn_pop	byte	%8.0g	Hispanic ethnicity, dichotomous [of father]
hispyn_pop2	byte	%8.0g	Hispanic ethnicity, dichotomous [of same sex father]
hispyn_sp	byte	%8.0g	Hispanic ethnicity, dichotomous [of spouse]
hispflag_mom	byte	%8.0g	Hispanic imputation flag [of mother]
hispflag_mom2	byte	%8.0g	Hispanic imputation flag [of same sex mother]
hispflag_pop	byte	%8.0g	Hispanic imputation flag [of father]
hispflag_pop2	byte	%8.0g	Hispanic imputation flag [of same sex father]
hispflag_sp	byte	%8.0g	Hispanic imputation flag [of spouse]
usborn_mom	byte	%8.0g	Born in the United States [of mother]
usborn_mom2	byte	%8.0g	Born in the United States [of same sex mother]
usborn_pop	byte	%8.0g	Born in the United States [of father]

usborn_pop2	byte	%8.0g	Born in the United States [of same sex father]
usborn_sp	byte	%8.0g	Born in the United States [of spouse]
citizen_sp	byte	%8.0g	U.S. citizenship [of spouse]
racenew_mom	byte	%8.0g	Self-reported Race (Post-1997 OMB standards) [of mother]
racenew_mom2	byte	%8.0g	Self-reported Race (Post-1997 OMB standards) [of same sex mother]
racenew_pop	byte	%8.0g	Self-reported Race (Post-1997 OMB standards) [of father]
racenew_pop2	byte	%8.0g	Self-reported Race (Post-1997 OMB standards) [of same sex father]
racenew_sp	byte	%8.0g	Self-reported Race (Post-1997 OMB standards) [of spouse]
educ_mom	int	%8.0g	Educational attainment [of mother]
educ_mom2	int	%8.0g	Educational attainment [of same sex mother]
educ_pop	int	%8.0g	Educational attainment [of father]
educ_pop2	int	%8.0g	Educational attainment [of same sex father]
educ_sp	int	%8.0g	Educational attainment [of spouse]
pooryn_mom	byte	%8.0g	Above or below poverty threshold [of mother]
pooryn_mom2	byte	%8.0g	Above or below poverty threshold [of same sex mother]
pooryn_pop	byte	%8.0g	Above or below poverty threshold [of father]
pooryn_pop2	byte	%8.0g	Above or below poverty threshold [of same sex father]
pooryn_sp	byte	%8.0g	Above or below poverty threshold [of spouse]
poverty_mom	byte	%8.0g	Ratio of family income to poverty threshold [of mother]
poverty_mom2	byte	%8.0g	Ratio of family income to poverty threshold [of same sex mother]
poverty_pop	byte	%8.0g	Ratio of family income to poverty threshold [of father]
poverty_pop2	byte	%8.0g	Ratio of family income to poverty threshold [of same sex father]
poverty_sp	byte	%8.0g	Ratio of family income to poverty threshold [of spouse]
poverty2_mom	byte	%8.0g	Ratio of family income to poverty threshold (4 categories) [of mother]
poverty2_mom2	byte	%8.0g	Ratio of family income to poverty threshold (4 categories) [of same sex mother]
poverty2_pop	byte	%8.0g	Ratio of family income to poverty threshold (4 categories) [of father]
poverty2_pop2	byte	%8.0g	Ratio of family income to poverty threshold (4 categories) [of same sex father]
poverty2_sp	byte	%8.0g	Ratio of family income to poverty threshold (4 categories) [of spouse]
health_mom	byte	%8.0g	Health status [of mother]
health_mom2	byte	%8.0g	Health status [of same sex mother]
health_pop	byte	%8.0g	Health status [of father]
health_pop2	byte	%8.0g	Health status [of same sex father]
health_sp	byte	%8.0g	Health status [of spouse]
bmi_mom	double	%4.2f	Body mass index [of mother]
bmi_mom2	double	%4.2f	Body mass index [of same sex mother]
bmi_pop	double	%4.2f	Body mass index [of father]
bmi_pop2	double	%4.2f	Body mass index [of same sex father]
bmi_sp	double	%4.2f	Body mass index [of spouse]
diabeticev_mom	byte	%8.0g	Ever told had diabetes [of mother]
diabeticev_mom2	byte	%8.0g	Ever told had diabetes [of same sex mother]
diabeticev_pop	byte	%8.0g	Ever told had diabetes [of father]
diabeticev_pop2	byte	%8.0g	Ever told had diabetes [of same sex father]
diabeticev_sp	byte	%8.0g	Ever told had diabetes [of spouse]
diabeticage_mom	byte	%8.0g	Age first diagnosed with diabetes [of mother]
diabeticage_m~2	byte	%8.0g	Age first diagnosed with diabetes [of same sex mother]
diabeticage_pop	byte	%8.0g	Age first diagnosed with diabetes [of father]
diabeticage_p~2	byte	%8.0g	Age first diagnosed with diabetes [of same sex father]
diabeticage_sp	byte	%8.0g	Age first diagnosed with diabetes [of spouse]

ladl_mom	byte	%8.0g	Needs help with activities of daily living (ADL) [of mother]
ladl_mom2	byte	%8.0g	Needs help with activities of daily living (ADL) [of same sex mother]
ladl_pop	byte	%8.0g	Needs help with activities of daily living (ADL) [of father]
ladl_pop2	byte	%8.0g	Needs help with activities of daily living (ADL) [of same sex father]
ladl_sp	byte	%8.0g	Needs help with activities of daily living (ADL) [of spouse]
laiadl_mom	byte	%8.0g	Needs help with instrumental activities of daily living (IADL) [of mother]
laiadl_mom2	byte	%8.0g	Needs help with instrumental activities of daily living (IADL) [of same sex moth
laiadl_pop	byte	%8.0g	Needs help with instrumental activities of daily living (IADL) [of father]
laiadl_pop2	byte	%8.0g	Needs help with instrumental activities of daily living (IADL) [of same sex fath
laiadl_sp	byte	%8.0g	Needs help with instrumental activities of daily living (IADL) [of spouse]
aeffort_mom	byte	%8.0g	Felt everything an effort, past 30 days (adults) [of mother]
aeffort_mom2	byte	%8.0g	Felt everything an effort, past 30 days (adults) [of same sex mother]
aeffort_pop	byte	%8.0g	Felt everything an effort, past 30 days (adults) [of father]
aeffort_pop2	byte	%8.0g	Felt everything an effort, past 30 days (adults) [of same sex father]
aeffort_sp	byte	%8.0g	Felt everything an effort, past 30 days (adults) [of spouse]
afeelintlmo_mom	byte	%8.0g	Feelings interfered w. life, past 30 days (adults) [of mother]
afeelintlmo_m~2	byte	%8.0g	Feelings interfered w. life, past 30 days (adults) [of same sex mother]
afeelintlmo_pop	byte	%8.0g	Feelings interfered w. life, past 30 days (adults) [of father]
afeelintlmo_p~2	byte	%8.0g	Feelings interfered w. life, past 30 days (adults) [of same sex father]
afeelintlmo_sp	byte	%8.0g	Feelings interfered w. life, past 30 days (adults) [of spouse]
ahopeless_mom	byte	%8.0g	How often felt hopeless, past 30 days (adults) [of mother]
ahopeless_mom2	byte	%8.0g	How often felt hopeless, past 30 days (adults) [of same sex mother]
ahopeless_pop	byte	%8.0g	How often felt hopeless, past 30 days (adults) [of father]
ahopeless_pop2	byte	%8.0g	How often felt hopeless, past 30 days (adults) [of same sex father]
ahopeless_sp	byte	%8.0g	How often felt hopeless, past 30 days (adults) [of spouse]
anervous_mom	byte	%8.0g	How often felt nervous, past 30 days (adults) [of mother]
anervous_mom2	byte	%8.0g	How often felt nervous, past 30 days (adults) [of same sex mother]
anervous_pop	byte	%8.0g	How often felt nervous, past 30 days (adults) [of father]
anervous_pop2	byte	%8.0g	How often felt nervous, past 30 days (adults) [of same sex father]
anervous_sp	byte	%8.0g	How often felt nervous, past 30 days (adults) [of spouse]
arestless_pop	byte	%8.0g	How often felt restless, past 30 days (adults) [of father]
arestless_pop2	byte	%8.0g	How often felt restless, past 30 days (adults) [of same sex father]
arestless_sp	byte	%8.0g	How often felt restless, past 30 days (adults) [of spouse]
asad_mom	byte	%8.0g	How often felt sad, past 30 days (adults) [of mother]
asad_mom2	byte	%8.0g	How often felt sad, past 30 days (adults) [of same sex mother]
asad_pop	byte	%8.0g	How often felt sad, past 30 days (adults) [of father]
asad_pop2	byte	%8.0g	How often felt sad, past 30 days (adults) [of same sex father]
asad_sp	byte	%8.0g	How often felt sad, past 30 days (adults) [of spouse]
aworthless_mom	byte	%8.0g	How often felt worthless, past 30 days (adults) [of mother]
aworthless_mom2	byte	%8.0g	How often felt worthless, past 30 days (adults) [of same sex mother]
aworthless_pop	byte	%8.0g	How often felt worthless, past 30 days (adults) [of father]
aworthless_pop2	byte	%8.0g	How often felt worthless, past 30 days (adults) [of same sex father]
aworthless_sp	byte	%8.0g	How often felt worthless, past 30 days (adults) [of spouse]
depfreq_mom	byte	%8.0g	How often feel depressed [of mother]
depfreq_mom2	byte	%8.0g	How often feel depressed [of same sex mother]
depfreq_pop	byte	%8.0g	How often feel depressed [of father]
depfreq_pop2	byte	%8.0g	How often feel depressed [of same sex father]
depfreq_sp	byte	%8.0g	How often feel depressed [of spouse]

webuse_mom	byte	%8.0g	Internet use [of mother]
webuse_mom2	byte	%8.0g	Internet use [of same sex mother]
webuse_pop	byte	%8.0g	Internet use [of father]
webuse_pop2	byte	%8.0g	Internet use [of same sex father]
webuse_sp	byte	%8.0g	Internet use [of spouse]
nhisiid	str19	%19s	NHIS unique identifier, injury

Sorted by:

.