

C:\Dropbox\DATA\NATSAL-3\stata\Variables_SMALL_natsal_2010.wpd

name: <unnamed>
log: C:\Dropbox\DATA\NATSAL-3\stata\Variables_SMALL_natsal_2010.log
log type: text
opened on: 22 Aug 2020, 09:57:40

. use "C:\Dropbox\DATA\NATSAL-3\stata\SMALL_natsal_2010_for_archive.dta"

. des

Contains data from C:\Dropbox\DATA\NATSAL-3\stata\SMALL_natsal_2010_for_archive.dta

obs: 15,162
vars: 1,224
size: 20,847,750

variable name	storage type	display format	value label	variable label
sin2	long	%12.0g		Scrambled serial number
dateyoi	int	%8.0g		Year of interview
total_wt	double	%12.0g		Total weight for Natsal 2010(core and boost samples)
psu_scrm	int	%8.0g		Scrambled psu identifier
strata	int	%8.0g		Strata
stratagrp	int	%8.0g		Grouped strata, combining adjacent strata
stratagrp2	int	%8.0g		Grouped strata, combining 3 adjacent strata
stratagrp3	int	%8.0g		Grouped strata, combining 34 adjacent strata
dage	byte	%8.0g		Respondent's age at interview,years
dagegr	byte	%8.0g	dagegr	Respondent's age at interview, years, grouped (8 categories)
agrp	byte	%8.0g	agrp	Respondent's age at interview, years, grouped (6 categories)
agrp2	byte	%8.0g	agrp2	Respondent's age at interview, years, grouped (12 categories)
rdoby	int	%8.0g	rdoby	Respondent's year of birth
birthcohort	byte	%8.0g	birthcohort	Birth cohort (5yr groups)
rsex	byte	%8.0g	rsex	Respondent's sex
health	byte	%8.0g	health	respondent's opinion of own health
disabil	byte	%8.0g	disabil	Respondent has a disability
limit	byte	%8.0g	limit	Respondent's activities are limited by their disability
disabil2	byte	%8.0g	disabil2	Longstanding illness, disability or infirmity
medcona	byte	%8.0g	medcona	Respondent has had serious physical health problem listed on Card A
medwchal	byte	%8.0g	medwchal	Serious physical health cond: arthritis(orig: MedWchA, Health)

medwcha2	byte	%8.0g	medwcha2	Serious physical health cond: heart attack(orig: MedWchA, Health)
medwcha3	byte	%8.0g	medwcha3 *	Serious physical health cond: heart disease/angina/other form of heart disease(o
medwcha4	byte	%8.0g	medwcha4	Serious physical health cond: hypertension(orig: MedWchA, Health)
medwcha5	byte	%8.0g	medwcha5	Serious physical health cond: stroke(orig: MedWchA, Health)
medwcha6	byte	%8.0g	medwcha6	Serious physical health cond: diabetes(orig: MedWchA, Health)
medwcha7	byte	%8.0g	medwcha7	Serious physical health cond: chronic lung disease(orig: MedWchA, Health)
medwcha8	byte	%8.0g	medwcha8	Serious physical health cond: parkinson's disease(orig: MedWchA, Health)
medwcha9	byte	%8.0g	medwcha9	Serious physical health cond: epilepsy
drghheart	byte	%8.0g	drghheart	Currently taking medication for heart disease
drghyp	byte	%8.0g	drghyp	Currently taking medication for hypertension
drugins	byte	%8.0g	drugins	Currently injecting insulin
drildi	byte	%8.0g	drildi	Currently taking other medicines, tablets or pills for diabetes
drgpark	byte	%8.0g	drgpark	Currently taking medicine for parkinsons
drgepil	byte	%8.0g	drgepil	Currently taking medicine for epilepsy
medconb	byte	%8.0g	medconb	Respondent reports male genital health condition listed on Card B
medwchb1	byte	%8.0g	medwchb1	Male genital health cond: prostate enlargement(orig: MedWchB, Health)
medwchb2	byte	%8.0g	medwchb2	Male genital health cond: prostate cancer(orig: MedWchB, Health)
medwchb3	byte	%8.0g	medwchb3	Male genital health cond: prostate surgery(orig: MedWchB, Health)
medwchb4	byte	%8.0g	medwchb4	Male genital health cond: bladder surgery(orig: MedWchB, Health)
medwchb5	byte	%8.0g	medwchb5	Male genital health cond: genital surgery(orig: MedWchB, Health)
medwchb6	byte	%8.0g	medwchb6	Male genital health cond: abdominal surgery(orig: MedWchB, Health)
medwchb7	byte	%8.0g	medwchb7	Male genital health cond: broken hip or pelvis bone(orig: MedWchB, Health)
medwchb8	byte	%8.0g	medwchb8	Male genital health cond: hip replacement(orig: MedWchB, Health)
drgpros	byte	%8.0g	drgpros	Currently taking medicine from doctor for prostate disease
medconc	byte	%8.0g	medconc	Respondent reports female genital health condition listed on Card C
medwchc1	byte	%8.0g	medwchc1	Female genital health cond: hysterectomy(orig: MedWchC, Health)
medwchc2	byte	%8.0g	medwchc2	Female genital health cond: bladder surgery(orig: MedWchC2, Health)
medwchc3	byte	%8.0g	medwchc3 *	Female genital health cond: genital or gynaecological surgery(orig: MedWchC3, He
medwchc4	byte	%8.0g	medwchc4	Female genital health cond: Caesarean section/C-section(orig: MedWchC4, Health)
medwchc5	byte	%8.0g	medwchc5	Female genital health cond: abdominal surgery(orig: MedWchC5, Health)
medwchc6	byte	%8.0g	medwchc6	Female genital health cond: broken hip or pelvis bone(orig: MedWchC6, Health)
medwchc7	byte	%8.0g	medwchc7	Female genital health cond: hip replacement(orig: MedWchC7, Health)
whnhystgpd	int	%8.0g	whnhystgpd	Age in years when had hysterectomy, grouped
medcond	byte	%8.0g	medcond *	Respondent reported treatment for a medical condition listed in Card D in the la
medwchd1	byte	%8.0g	medwchd1	Medical cond: back ache lasting for 3+ mths(orig: MedWchD, Health)
medwchd2	byte	%8.0g	medwchd2 *	Medical cond: other muscle/bone disease lasting for 3+ mths(orig: MedWchD, Healt

medwchd3	byte	%8.0g	medwchd3	Medical cond: depression(orig: MedWchD, Health)
medwchd4	byte	%8.0g	medwchd4	Medical cond: other mental health condition(orig: MedWchD, Health)
medwchd5	byte	%8.0g	medwchd5	Medical cond: other neurological condition(orig: MedWchD, Health)
medwchd6	byte	%8.0g	medwchd6	Medical cond: cancer(orig: MedWchD, Health)
medwchd7	byte	%8.0g	medwchd7	Medical cond: any thyroid condition(orig: MedWchD, Health)
medwchd8	byte	%8.0g	medwchd8	* Medical cond: any ovarian/testicular or pituitary condition(orig: MedWchD, Healt
medwchd9	byte	%8.0g	medwchd9	Medical cond: polycystic ovaries (women only) (orig: MedWchD, Health)
medwchd10	byte	%8.0g	medwchd10	* Medical cond: have received IVF/fertility treatment (Women only) (orig: MedWchD,
drgdep	byte	%8.0g	drgdep	Currently taking medication for depression
drgmh	byte	%8.0g	drgmh	* Currently taking medication for mental health condition other than depression(or
hefunc	byte	%8.0g	hefunc	How much difficulty walking up a flight of stairs because of a health problem
heatt1	byte	%8.0g	heatt1	Symptom: chest pain(orig: HeAtt, Health)
heatt2	byte	%8.0g	heatt2	Symptom: shortness of breath(orig: HeAtt, Health)
heatt3	byte	%8.0g	heatt3	Symptom: pain(orig: HeAtt, Health)
heatt4	byte	%8.0g	heatt4	Symptom: weakness or fatigue(orig: HeAtt, Health)
heatt5	byte	%8.0g	heatt5	Symptom: wheelchair user(orig: HeAtt, Health)
heatt6	byte	%8.0g	heatt6	Symptom: amputation(orig: HeAtt, Health)
heatt7	byte	%8.0g	heatt7	Symptom: visual problems(orig: HeAtt, Health)
heatt8	byte	%8.0g	heatt8	Symptom: tremor/balance problems(orig: HeAtt, Health)
heatt9	byte	%8.0g	heatt9	Symptom: unsteady on the feet(orig: HeAtt, Health)
heatt10	byte	%8.0g	heatt10	Symptom: fear of falling(orig: HeAtt, Health)
heatt11	byte	%8.0g	heatt11	Symptom: incontinence (or fear of) (orig: HeAtt, Health)
heatt12	byte	%8.0g	heatt12	Symptom: other(orig: HeAtt, Health)
drink	byte	%8.0g	drink	Ever drink alcohol nowadays
drinkoft	byte	%8.0g	drinkoft	Average frequency of alcohol consumption in last 12 months
manyalc2	byte	%8.0g	manyalc2	Average alcohol intake when do drink (excl. special occasions)
unitspw	float	%9.0g	unitspw	Average number of units of alcohol per week
alcohol2	byte	%8.0g	alcohol2	Average alcoholic consumption per week
alcohol3	byte	%8.0g	alcohol3	Average alcoholic consumption per week
alcoholn	byte	%8.0g	alcoholn	Average alcoholic consumption per week
drinknum	byte	%8.0g	drinknum	How often have >6/8 units on one occasion
smokenow	byte	%8.0g	smokenow	Smoke cigarets nowadays
nosmoke	byte	%8.0g	nosmoke	Number of cigarettes usually smoked a day
exsmoke	byte	%8.0g	exsmoke	Ever smoked cigarettes regularly (at least 1 a day)
smoking	byte	%8.0g	smoking	Current smoking status
smoker	byte	%8.0g	smoker	Smoking status
kgweight	int	%8.0g	kgweight	Weight in kilograms
cmheight	int	%8.0g	cmheight	Height in centimetres

bodymass	double	%12.0g	bodymass	BMI (Body Mass Index)
bmiwho	byte	%8.0g	bmiwho	BMI (Body Mass Index), grouped(WHO guidelines)
sibany1	byte	%8.0g	sibany1	Siblings: full brother
sibany2	byte	%8.0g	sibany2	Siblings: full sister
sibany3	byte	%8.0g	sibany3	Siblings: adopted brother
sibany4	byte	%8.0g	sibany4	Siblings: adopted sister
sibany5	byte	%8.0g	sibany5	Siblings: half brother
sibany6	byte	%8.0g	sibany6	Siblings: half sister
sibany7	byte	%8.0g	sibany7	Siblings: step brother
sibany8	byte	%8.0g	sibany8	Siblings: step sister
sibany9	byte	%8.0g	sibany9	Siblings: none
sibbro	byte	%8.0g	sibbro	no. of natural brothers
sibsis	byte	%8.0g	sibsis	no. of natural sisters
sibadbr	byte	%8.0g	sibadbr	no. of adopted brothers
sibadsis	byte	%8.0g	sibadsis	no. of adopted sisters
sibhabr	byte	%8.0g	sibhabr	no. of half brothers
sibhasis	byte	%8.0g	sibhasis	no. of half sisters
sibstbr	byte	%8.0g	sibstbr	no. of step brothers
sibstsis	byte	%8.0g	sibstsis	no. of step sisters
siblive	byte	%8.0g	siblive	live with siblings (natural,half,adopted or step) at any time when growing up
sibpos2	byte	%8.0g	sibpos2	position in family when growing up
bothmapa2	byte	%8.0g	bothmapa2	* lived more or less continuously to age 14 (previously 16) with both natural pare
ynotboth2	byte	%8.0g	ynotboth2	* why didn't live with both natural parents continuously to age 14 (previously 16)
wholive	byte	%8.0g	wholive	Who living with when aged 14
parents3	byte	%8.0g	parents3	Respondent's family structure at age 14 (3 groups)
parents4	byte	%8.0g	parents4	Family structure when aged 14, (5 groups)
talkmapa	byte	%8.0g	talkmapa	Ease with which discussed sex with parents around age 14
notalk	byte	%8.0g	notalk	Discussed sex with parents at 14
sexedudoc	byte	%8.0g	sexedudoc	Source: doctor/nurse/clinic(orig: LearnSex, LearnSex)
sexeduintad	byte	%8.0g	sexeduintad	Source: Internet-sexual advice websites(orig: LearnSe2, LearnSex)
sexedusch	byte	%8.0g	sexedusch	Source: lessons at school(orig: LearnSex, LearnSex)
sexeduinto	byte	%8.0g	sexeduinto	Source: Internet-other(orig: LearnSex, LearnSex)
sexedubmn	byte	%8.0g	sexedubmn	Source: books/magazines/newspapers(orig: LearnSex, LearnSex)

sexedufrn	byte	%8.0g	sexedufrn	Source: friends of about own age(orig: LearnSex, LearnSex)
sexedutvid	byte	%8.0g	sexedutvid	Source: TV/radio/DVDs/videos(orig: LearnSex, LearnSex)
sexedumum	byte	%8.0g	sexedumum	Source: mother (incl step/adoptive)(orig: LearnSex, LearnSex)
sexedudad	byte	%8.0g	sexedudad	Source: father (incl step/adoptive)(orig: LearnSex, LearnSex)
sexedufsp	byte	%8.0g	sexedufsp	Source: 1st girlfriend/boyfriend/sexual partner(orig: LearnSex, LearnSex)
sexeduintpn	byte	%8.0g	sexeduintpn	Source: Internet - pornographic websites(orig: LearnSex, LearnSex)
sexedupor	byte	%8.0g	sexedupor	Source: Pornographic magazines/films(orig: LearnSex, LearnSex)
sexedubsis	byte	%8.0g	sexedubsis	Source: brother/sister (incl half/step/adopted)(orig: LearnSex, LearnSex)
sexeduoth	byte	%8.0g	sexeduoth	Source: Other(orig: LearnSex, LearnSex)
sexeduani	byte	%8.0g	sexeduani	Source: animals/growing up on a farm(orig: LearnSex, LearnSex)
sexedurel	byte	%8.0g	sexedurel	Source: other relative(s)(orig: LearnSex, LearnSex)
sexeduofri	byte	%8.0g	sexeduofri	Source: older friends(orig: LearnSex, LearnSex)
sexeduofrn	byte	%8.0g	sexeduofrn	Source: friends(age not specified)(orig: LearnSex, LearnSex)
sexeduexp	byte	%8.0g	sexeduexp	Source: through (own) experience(orig: LearnSex, LearnSex)
sexedufil	byte	%8.0g	sexedufil	Source: cinemas/film (other than TV or video)(orig: LearnSex, LearnSex)
sexeduedc	byte	%8.0g	sexeduedc	Source: lessons/courses(i.e. formal teaching)(orig: LearnSex, LearnSex)
lernmost	byte	%8.0g	lernmost	Main source of sex education(if more than one source reported)
mseddoc	byte	%8.0g	mseddoc	Main source of sex education was doctor/nurse/clinic
msedintad	byte	%8.0g	msedintad	Main source of sex education was Internet-sexualadvicewebsites
msedsch	byte	%8.0g	msedsch	Main source of sex education were lessons at school
msedinto	byte	%8.0g	msedinto	Main source of sex education was Internet-other
msedbmn	byte	%8.0g	msedbmn	Main source of sex education were books/magazines/newspapers
msedfrn	byte	%8.0g	msedfrn	Main source of sex education were friends of about own age
msedtvid	byte	%8.0g	msedtvid	Main source of sex education was TV/radio/DVDs/videos
msedmum	byte	%8.0g	msedmum	Main source of sex education was mother(inclstep/adoptive)
mseddad	byte	%8.0g	mseddad	Main source of sex education was father(incl step/adoptive)

msedfsp	byte	%8.0g	msedfsp	Main source of sex education was 1st girlfriend/boyfriend/sexualpartner
msedintpn	byte	%8.0g	msedintpn	Main source of sex education was Internet-pornographic websites
msedpor	byte	%8.0g	msedpor	Main source of sex education was Pornographicmagazines/films
msedbsis	byte	%8.0g	msedbsis	Main source of sex education was brother/sister(inclhalf/step/adopted)
msedoth	byte	%8.0g	msedoth	Main source of sex education was Other
msedani	byte	%8.0g	msedani	Main source of sex education was animals/growing up on a farm
msedrel	byte	%8.0g	msedrel	Main source of sex education was other relative(s)
msedofri	byte	%8.0g	msedofri	Main source of sex education was older friends
msedofrn	byte	%8.0g	msedofrn	Main source of sex education was friends(age not specified)
msedexp	byte	%8.0g	msedexp	Main source of sex education was through(own) experience
msedfil	byte	%8.0g	msedfil	Main source of sex education was cinemas/film(other thanTVorvideo)
msededc	byte	%8.0g	msededc	Main source of sex education was lessons/courses(i.e.formal teaching)
sexedsr	byte	%8.0g	sexedsr	Main source of sex education, 5 groups
sexedsr2	byte	%8.0g	sexedsr2	Main source of sex education, 9 groups
knowosp	int	%8.0g	knowosp	Known more: other sexual practices(orig: LearnMor, LearnSex)
knowall	int	%8.0g	knowall	Known more: all of them(orig: LearnMor, LearnSex)
knowgbd	int	%8.0g	knowgbd	Known more: how girls' bodies develop(orig: LearnMor, LearnSex)
knowstd	int	%8.0g	knowstd	Known more: STDs(orig: LearnMor, LearnSex)
knowsafe	int	%8.0g	knowsafe	Known more: safer sex(orig: LearnMor, LearnSex)
knowsex	int	%8.0g	knowsex	Known more: sexual intercourse(orig: LearnMor, LearnSex)
knowcond	int	%8.0g	knowcond	Known more: use a condom correctly(orig: LearnMor, LearnSex)
knowsati	int	%8.0g	knowsati	Known more: make sex more satisfying(orig: LearnMor, LearnSex)
knowhom	int	%8.0g	knowhom	Known more: homosexuality/lesbianism(orig: LearnMor, LearnSex)
knowfeel	int	%8.0g	knowfeel	Known more: sexual feelings/emotions/relationships(orig: LearnMor, LearnSex)
knowbbd	int	%8.0g	knowbbd	Known more: how boys' bodies develop(orig: LearnMor, LearnSex)
knowfp	int	%8.0g	knowfp	Known more: contraception/birth control(orig: LearnMor, LearnSex)
knowno	int	%8.0g	knowno	Known more: be able to say 'no'(orig: LearnMor, LearnSex)
knowmast	int	%8.0g	knowmast	Known more: masturbation(orig: LearnMor, LearnSex)
knowborn	int	%8.0g	knowborn	Known more: how a baby is born(orig: LearnMor, LearnSex)
knownsure	int	%8.0g	knownsure	Known more: not sure what(orig: LearnMor, LearnSex)
knownone	int	%8.0g	knownone	Known more: none,knew enough already(orig: LearnMor, LearnSex)
knownsex	int	%8.0g	knownsex	Known more: not ready for sex(orig: LearnMor, LearnSex)
lernmorg	byte	%8.0g	lernmorg	Type of information needed more before 1st sex
adeqinfo	byte	%8.0g	adeqinfo	Whether needed more information at 1st sex, grouped
docadfp	byte	%8.0g	docadfp	* Learned additional info. about sex from doctor/nurse/clinic(orig: WhoLern, Learn)
intadadfp	byte	%8.0g	intadadfp	* Learned additional info. about sex from internet-sexual advice websites(orig: Wh
schadfp	byte	%8.0g	schadfp	* Learned additional info. about sex from lessons at school(orig: WhoLern,

				LearnSe
intoadfp	byte	%8.0g	intoadfp	Learned additional info. about sex from internet-other(orig: WhoLern, LearnSex)
bmndfp	byte	%8.0g	bmndfp	* Learned additional info. about sex from books/magazines/newspapers(orig: WhoLern)
frieadfp	byte	%8.0g	frieadfp	* Learned additional info. about sex from friends of about own age(orig: WhoLern,
tvidadfp	byte	%8.0g	tvidadfp	* Learned additional info. about sex from TV/radio/DVDs/videos(orig: WhoLern, Lear
mumadfp	byte	%8.0g	mumadfp	* Learned additional info. about sex from mother (incl step/adoptive)(orig: WhoLer
dadadfp	byte	%8.0g	dadadfp	* Learned additional info. about sex from father (incl step/adoptive)(orig: WhoLer
fspadfp	byte	%8.0g	fspadfp	* Learned additional info. about sex from first girlfriend/boyfriend/sexual partne
intpnadfp	byte	%8.0g	intpnadfp	* Learned additional info. about sex from internet - pornographic websites(orig: W
poradfp	byte	%8.0g	poradfp	* Learned additional info. about sex from pornographic magazines/films(orig: WhoLe
bsisadfp	byte	%8.0g	bsisadfp	* Learned additional info. about sex from brother/sister (incl half/step/adopted) (
othadfp	byte	%8.0g	othadfp	Learned additional info. about sex from other(orig: WhoLern, LearnSex)
reladfp	byte	%8.0g	reladfp	Learned additional info. about sex from other relatives(orig: WhoLern, LearnSex)
afsex	byte	%8.0g	afsex	Age 1st het sex intercourse 13+ incl estimates
gafsex	byte	%8.0g	gafsex	Grouped age 1st het sex intercourse 13+ incl estimates
afsexgp	byte	%8.0g	afsexgp	Age at 1st het.sex. intercourse if aged 13+ (incl estimates), grouped
afsexall	byte	%8.0g	afsexall	Age 1st het sex intercourse not limited to age 13+ (incl estimates)
hetb416	byte	%8.0g	hetb416	Had het sex before 16? ('AFSexAll')
hetb416a	byte	%8.0g	hetb416a	Had het sex before 16? ('AFSex')
afexp	byte	%8.0g	afexp	Age 1st het sex experience incl estimates
zmodexp	byte	%8.0g	zmodexp	Interview mode for first sexual experiences, CAPI or CASI interview
zagelpart	byte	%8.0g	zagelpart	* Age of 1st person (previously partner) if 1st het. sex. intercourse aged 13+(CAP
zxagelprt	byte	%8.0g	zxagelprt	Estimated age of 1st partner if 1st het. sex. intercourse aged 13+(CAPI+CASI)
agefsp	byte	%8.0g	agefsp	Age of 1st het. sex. partner, incl. estimates
zpartslst	byte	%8.0g	zpartslst	* 1st het. sex. intercourse ever for partner too if 1st het. sex. intercourse

			age
zbothwill	byte	%8.0g	zbothwill * Respondent and partner both willing to have sex if 1st het. sex. intercourse age
zprtwill	byte	%8.0g	zprtwill * Partner was more willing to have sex if 1st het. sex. intercourse aged 13+ (CAPI+
partmwill	byte	%8.0g	partmwill At first sex, partner was more willing to have sex
forcond	byte	%8.0g	forcond * Used condom with partner at first het. sex, intercourse aged13+ if forced(orig:
forpill	byte	%8.0g	forpill * Used contraceptive pill with partner at first het. sex, intercourse aged13+ if f
forecont	byte	%8.0g	forecont * Used emergency contraception with partner at first het. sex, intercourse aged13+
foroth	byte	%8.0g	foroth * Used other contraception with partner at first het. sex, intercourse aged13+ if
fornone	byte	%8.0g	fornone * No contraception used with partner at first het. sex, intercourse aged13+ if for
fsprecfgp	byte	%8.0g	fsprecfgp Contraception used at 1st het. sex. intercourse aged 13+ if forced, grouped
contrameth	byte	%8.0g	contrameth Reliable contraception used at first sex, if first sex not forced
contramethall	byte	%8.0g	contramethall (D) reliable contraception used at first sex (orig: fsprecnfgp, fsprecfgp)
zforjmet	byte	%8.0g	zforjmet * Type of relationship with partner at 1st het. sex. intercourse aged 13+ if force
fscondom	byte	%8.0g	fscondom * Used condom with partner at first het. sex, intercourse aged13+ & not forced(ori
fspill	byte	%8.0g	fspill * Used contraceptive pill with partner at first het. sex, intercourse aged13+ & no
fsecont	byte	%8.0g	fsecont * Used emergency contraception with partner at first het. sex, intercourse aged13+
fsother	byte	%8.0g	fsother * 'Used other contraception with partner at first het. sex, intercourse aged13+ &
fswithdw	byte	%8.0g	fswithdw * Used withdrawal with partner at first het. sex, intercourse aged13+ & not forced
fsrhythm	byte	%8.0g	fsrhythm * Used rhythm method with partner at first het. sex, intercourse aged13+ & not for
fspartdk	byte	%8.0g	fspartdk * Didn't use contraception, but partner may have used some at first het. sex, inte
fsneithr	byte	%8.0g	fsneithr * Neither used any contraception with partner at first het. sex, intercourse aged1
fsprecnfgp	byte	%8.0g	fsprecnfgp

				Contraception used at 1st het. sex. intercourse aged 13+, not forced, grouped
fsprecnfg2	byte	%8.0g	fsprecnfg2	'Contraception used at 1st het. sex summary, not forced, grouped
zjustmet2	byte	%8.0g	zjustmet2	* Type of relationship with partner at 1st het. sex. intercourse aged 13+ & not fo
justmetn2	byte	%8.0g	justmetn2	Respondent had just met/recently met their 1st partner(not forced)
zfstmet	byte	%8.0g	zfstmet	* How respondent met 1st partner het. sex. intercourse aged 13+ & not forced(CAPI+
zrttime	byte	%8.0g	zrttime	Opinion now of timing of 1st het. sex. intercourse aged 13+ & not forced
fstcurious	byte	%8.0g	fstcurious	* Was curious at first het. Sex, intercourse aged13+ & not forced (orig: FstRes, F
fstfeel	byte	%8.0g	fstfeel	* Was carried away by feelings at first het. Sex, intercourse aged13+ & not forced
fstpeers	byte	%8.0g	fstpeers	* Peers doing it at first het. Sex, intercourse aged13+ peers doing it & not force
fstfollow	byte	%8.0g	fstfollow	* Natural 'follow on' in the relationship at first het. Sex, intercourse aged13+ &
fstdrunk	byte	%8.0g	fstdrunk	* Bit drunk at first het. Sex, intercourse aged13+ & not forced (orig: FstRes, Fir
fstcann	byte	%8.0g	fstcann	* Smoked some cannabis at first het. Sex, intercourse aged13+ & not forced (orig:
fstodrgs	byte	%8.0g	fstodrgs	* Taken some other drugs at first het. Sex, intercourse aged13+ & not forced (orig
fstlvirg	byte	%8.0g	fstlvirg	* Wanted to lose virginity at first het. Sex, intercourse aged13+ & not forced (or
fstlove	byte	%8.0g	fstlove	* Was in love at first het. Sex, intercourse aged13+ & not forced(orig: FstRes, Fi
fstothf	byte	%8.0g	fstothf	* Other particular factor at first het. Sex, intercourse aged13+ & not forced (ori
fstcrem	byte	%8.0g	fstcrem	* Can't remember reason at first het. Sex, intercourse aged13+ & not forced (orig:
zmainrea2	byte	%8.0g	zmainrea2	* Main reason for intercourse at the time of 1st het. sex. intercourse aged 13+ &
curious	byte	%8.0g	curious	Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): curious
feelings	byte	%8.0g	feelings	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): Carried a

peers	byte	%8.0g	peers	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): Peers doi
followon	byte	%8.0g	followon	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): Natural f
drunk	byte	%8.0g	drunk	Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): Bit drunk
smkcann	byte	%8.0g	smkcann	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): smoked so
othdrg	byte	%8.0g	othdrg	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): taken som
losevirg	byte	%8.0g	losevirg	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): wanted to
inlove	byte	%8.0g	inlove	Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): in love
othrfact	byte	%8.0g	othrfact	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): other par
cantrem	byte	%8.0g	cantrem	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): can't rem
cantchoo	byte	%8.0g	cantchoo	* Main reason 1st het. Sex, intercourse aged13+ & not forced(CAPI+CASI): can't cho
sexcomp2	byte	%8.0g	sexcomp2	Sexual competence at 1st het. sex, intercourse aged13+ & not forced(CAPI+CASI)
notused	byte	%8.0g	notused	Never used contraception(orig: EverUse2, Contraception)
fsterils	byte	%8.0g	fsterils	Ever used female sterilisation(orig: EverUse2, Contraception)
msterils	byte	%8.0g	msterils	Ever used male sterilisation(orig: EverUse2, Contraception)
conpill	byte	%8.0g	conpill	Ever used pill(orig: EverUse2, Contraception)
condom	byte	%8.0g	condom	Ever used male condom(orig: EverUse2, Contraception)
femidom	byte	%8.0g	femidom	Ever used female condom(orig: EverUse2, Contraception)
emcypill	byte	%8.0g	emcypill	Ever used morning after pill(orig: EverUse2, Contraception)
emcyiud	byte	%8.0g	emcyiud	Ever used emergency IUD(orig: EverUse2, Contraception)
coil	byte	%8.0g	coil	Ever used IUD(orig: EverUse2, Contraception)
mirena	byte	%8.0g	mirena	Ever used mirena(orig: EverUse2, Contraception)
cap	byte	%8.0g	cap	Ever used cap/diaphragm(orig: EverUse2, Contraception)
injectns	byte	%8.0g	injectns	Ever used injections(orig: EverUse2, Contraception)
gels	byte	%8.0g	gels	Ever used foams/gels/sprays/pessaries(orig: EverUse2, Contraception)
rhythm	byte	%8.0g	rhythm	Ever used rhythm method(orig: EverUse2, Contraception)
withdraw	byte	%8.0g	withdraw	Ever used withdrawal(orig: EverUse2, Contraception)
implants	byte	%8.0g	implants	Ever used implants(orig: EverUse2, Contraception)
otherfp	byte	%8.0g	otherfp	Ever used other(orig: EverUse2, Contraception)
conpatch	byte	%8.0g	conpatch	Ever used contraceptive patch(orig: EverUse2, Contraception)
emergncy	byte	%8.0g	emergncy	Ever used emergency contraception
ynotused	byte	%8.0g	ynotused	No method used in last yr(orig: UsedYr21, Contraception)
yfsteril	byte	%8.0g	yfsteril	In last year used female sterilisation(orig: UsedYr22, Contraception)

ymsteril	byte	%8.0g	ymsteril	In last year used male sterilisation(orig: UsedYr23, Contraception)
yconpill	byte	%8.0g	yconpill	In last year used pill(orig: UsedYr24, Contraception)
ycondom	byte	%8.0g	ycondom	In last year used male condom(orig: UsedYr25, Contraception)
yfemidom	byte	%8.0g	yfemidom	In last year used female condom(orig: UsedYr26, Contraception)
yemcypill	byte	%8.0g	yemcypill	In last year used morning after pill(orig: UsedYr27, Contraception)
yemcyiud	byte	%8.0g	yemcyiud	In last year used emergency IUD(orig: UsedYr28, Contraception)
ycoil	byte	%8.0g	ycoil	In last year used IUD(orig: UsedYr29, Contraception)
ymirena	byte	%8.0g	ymirena	In last year used mirena(orig: UsedYr30, Contraception)
ycap	byte	%8.0g	ycap	In last year used cap/diaphragm(orig: UsedYr31, Contraception)
yinjectn	byte	%8.0g	yinjectn	In last year used injections(orig: UsedYr32, Contraception)
ygels	byte	%8.0g	ygels	In last year used foams/gels/sprays/pessaries(orig: UsedYr33, Contraception)
yrhythm	byte	%8.0g	yrhythm	In last year used rhythm method(orig: UsedYr34, Contraception)
ywithdrw	byte	%8.0g	ywithdrw	In last year used withdrawal(orig: UsedYr35, Contraception)
yimplant	byte	%8.0g	yimplant	In last year used implants(orig: UsedYr36, Contraception)
yothrpf	byte	%8.0g	yothrpf	In last year used other(orig: UsedYr37, Contraception)
yconptch	byte	%8.0g	yconptch	In last year used Contraceptive patch(orig: UsedYr38, Contraception)
yemergncy	byte	%8.0g	yemergncy	Used emergency contraception in the last year
dblcon2	byte	%8.0g	dblcon2	Whether used contraceptive methods in combination in last year
usfsteril	byte	%8.0g	usfsteril	Usually use female sterilisation(orig: Usualco2, Contraception)
usmsteril	byte	%8.0g	usmsteril	Usually use male sterilisation(orig: Usualco2, Contraception)
usconpill	byte	%8.0g	usconpill	Usually use a contraceptive pill(orig: Usualco2, Contraception)
uscondom	byte	%8.0g	uscondom	Usually use male condom(orig: Usualco2, Contraception)
usfemidom	byte	%8.0g	usfemidom	Usually use femidom(orig: Usualco2, Contraception)
usemcpill	byte	%8.0g	usemcpill	Usually use morning after pill(orig: Usualco2, Contraception)
usemcyiud	byte	%8.0g	usemcyiud	Usually use emergency IUD(orig: Usualco2, Contraception)
uscoil	byte	%8.0g	uscoil	Usually use IUD(orig: Usualco2, Contraception)
usmirena	byte	%8.0g	usmirena	Usually use mirena(orig: Usualco2, Contraception)
uscap	byte	%8.0g	uscap	Usually use cap(orig: Usualco2, Contraception)
usinjectn	byte	%8.0g	usinjectn	Usually use contraceptive injections(orig: Usualco2, Contraception)
usgels	byte	%8.0g	usgels	Usually use foams/gels/sprays/pessaries(orig: Usualco2, Contraception)
usrhythm	byte	%8.0g	usrhythm	Usually use rhythm method(orig: Usualco2, Contraception)
uswithdrw	byte	%8.0g	uswithdrw	Usually use withdrawal(orig: Usualco2, Contraception)

usimplant	byte	%8.0g	usimplant	Usually use contraceptive implants(orig: Usualco2, Contraception)
usother	byte	%8.0g	usother	Usually use other contraception(orig: Usualco2, Contraception)
usconptch	byte	%8.0g	usconptch	Usually use Contraceptive patch(orig: Usualco2, Contraception)
usnotused	byte	%8.0g	usnotused	* Not had a usual contraceptive method in the last year(orig: Usualco2, Contracept
uemergcy	byte	%8.0g	uemergcy	Usually use emergency contraception
whycon21	byte	%8.0g	whycon21	Used condoms in last year to prevent pregnancy
whycon22	byte	%8.0g	whycon22	Used condoms in last year to protect against HIV
whycon23	byte	%8.0g	whycon23	Used condoms in last year to protect against other STIs
sownsurg	byte	%8.0g	sownsurg	* Source of contraceptive supplies in the last year is doctor/nurse at GPs surgery
sgumcl	byte	%8.0g	sgumcl	* Source of contraceptive supplies in the last year is GUM clinic(orig: FPSourc2,
sfprhcl	byte	%8.0g	sfprhcl	* Source of contraceptive supplies in the last year is FP/contraceptive/reproducti
snhsancmw	byte	%8.0g	snhsancmw	* Source of contraceptive supplies in the last year is NHS ante-natal clinic/midwi
sprivdoc	byte	%8.0g	sprivdoc	* Source of contraceptive supplies in the last year is private doctor/clinic(orig:
syoungecl	byte	%8.0g	syoungecl	* Source of contraceptive supplies in the last year is youth advisory clinic(orig:
schemist	byte	%8.0g	schemist	* Source of contraceptive supplies in the last year is pharmacy/chemist(orig: FPSo
swebsite	byte	%8.0g	swebsite	* Source of contraceptive supplies in the last year is internet website(orig: FPSo
seduserv	byte	%8.0g	seduserv	* Source of contraceptive supplies in the last year is school/college/university s
sothrshop	byte	%8.0g	sothrshop	* Source of contraceptive supplies in the last year is petrol station/supermarket/
svendmach	byte	%8.0g	svendmach	* Source of contraceptive supplies in the last year is vending machine(orig: FPSou
sthrupost	byte	%8.0g	sthrupost	* Source of contraceptive supplies in the last year is mail order(orig: FPSourc2,
saehosptl	byte	%8.0g	saehosptl	* Source of contraceptive supplies in the last year is emergency department at hos

sothrserv	byte	%8.0g	sothrserv	* Source of contraceptive supplies in the last year is other(orig: FPSourc2, Contr
snotgotfp	byte	%8.0g	snotgotfp	* Source of contraceptive supplies in the last year is haven't got contraception i
sfriendfp	byte	%8.0g	sfriendfp	* Source of contraceptive supplies in the last year is friend(orig: FPSourc2, Cont
sparrelfp	byte	%8.0g	sparrelfp	* Source of contraceptive supplies in the last year is parent/relative(orig: FPSou
sprtnerfp	byte	%8.0g	sprtnerfp	* Source of contraceptive supplies in the last year is partner(orig: FPSourc2, Con
fpsorcg	byte	%8.0g	fpsorcg	Source of contraceptive supplies, grouped
fppref2	byte	%8.0g	fppref2	Preferred source of contraception
periods2	byte	%8.0g	periods2	Age when started menstruating
periodgp	byte	%8.0g	periodgp	Age started menstruating, grouped
period13	byte	%8.0g	period13	Started menstruating before age 13
periods3	byte	%8.0g	periods3	First day of most recent period
perlst	byte	%8.0g	perlst	Age at most recent period
menopause	byte	%8.0g	menopause	Menopausal status
hrtever	byte	%8.0g	hrtever	Ever taken HRT
hrtstill	byte	%8.0g	hrtstill	Still on HRT
attscale	byte	%8.0g	attscale	Sexual attraction
expscale	byte	%8.0g	expscale	Heterosexual/homosexual sexual experience
het	byte	%8.0g	het	Summary variable: Had het. sex since age 13
sam	byte	%8.0g	sam	Summary variable: Had same sex experience (based on expscale)
scelign3	byte	%8.0g	scelign3	Eligible for self-completion questionnaire in Natsal 2010
scelign2	byte	%8.0g	scelign2	Eligible for self-completion questionnaire in Natsal 2000
scaccept	byte	%8.0g	scaccept	Eligible respondents accepted the CASI
xsccomp	byte	%8.0g	xsccomp	Reason for CASI Refusal: Didn't like computer(orig: XSCAcept, CASI)
xsceyes	byte	%8.0g	xsceyes	Reason for CASI Refusal: Eyesight problems(orig: XSCAcep2, CASI)
xscread	byte	%8.0g	xscread	Reason for CASI Refusal: Could not read/write(orig: XSCAcep3, CASI)
xscodisab	byte	%8.0g	xscodisab	Reason for CASI Refusal: Other disability(orig: XSCAcep4, CASI)
xscobject	byte	%8.0g	xscobject	Reason for CASI Refusal: Objected to subject(orig: XSCAcep5, CASI)
xscconfid	byte	%8.0g	xscconfid	Reason for CASI Refusal: Worried about confidentiality(orig: XSCAcep6, CASI)

xsclang	byte	%8.0g	xsclang	Reason for CASI Refusal: Language problems(orig: XSCAcep7, CASI)
xscrttime	byte	%8.0g	xscrttime	Reason for CASI Refusal: Ran out of time(orig: XSCAcep8, CASI)
xscboth	byte	%8.0g	xscboth	Reason for CASI Refusal: Couldn't be bothered(orig: XSCAcep9, CASI)
xscoth	byte	%8.0g	xscoth	Reason for CASI Refusal: Other reason
resultsc	byte	%8.0g	resultsc	Completeness of SC
scf2f1	byte	%8.0g	scf2f1	* CASI asked face-to-face because didn't like computers(orig: XSCF2F,SC Mood&WellB
scf2f2	byte	%8.0g	scf2f2	* CASI asked face-to-face because of eyesight problems(orig: XSCF2F,SC Mood&WellBe
scf2f3	byte	%8.0g	scf2f3	* CASI asked face-to-face because could not read /write(orig: XSCF2F,SC Mood&WellB
scf2f4	byte	%8.0g	scf2f4	* CASI asked face-to-face because of other disability(orig: XSCF2F,SC Mood&WellBei
scf2f5	byte	%8.0g	scf2f5	* CASI asked face-to-face because of language problems(orig: XSCF2F,SC Mood&WellBe
scf2f6	byte	%8.0g	scf2f6	* CASI asked face-to-face because asked interviewer to/not fussed/happy to talk ab
scf2f7	byte	%8.0g	scf2f7	* CASI asked face-to-face because attempted the computer but wanted face-to face w
askcasi	byte	%8.0g	askcasi	* Derived for routing: Ask all CASI questions? Excludes people who had not had sex
hetcheck	byte	%8.0g	hetcheck	Ever had het. sex in self completion (didn't report het sex aged 13+ in F2F)
everhet	byte	%8.0g	everhet	Ever had het.sex, since 13 yrs
lastvag	byte	%8.0g	lastvag	Last occasion of vaginal sex
oralyou	byte	%8.0g	oralyou	Last occasion of het. oral sex to partner
oralprt	byte	%8.0g	oralprt	Last occasion of het. oral sex from partner
analsex	byte	%8.0g	analsex	Last occasion of het. anal sex
gencont2	byte	%8.0g	gencont2	Last occasion of het. genital contact not involving intercourse
vagsxevr	byte	%8.0g	vagsxevr	Ever had vaginal sex
vagsxl5y	byte	%8.0g	vagsxl5y	Had vaginal sex in last 5years
vagsexyr	byte	%8.0g	vagsexyr	Had vaginal sex in last year
vagsexlm	byte	%8.0g	vagsexlm	Had vaginal sex in last month
orl2hevr	byte	%8.0g	orl2hevr	Ever given het. oral sex
orl2h15y	byte	%8.0g	orl2h15y	Gave het. oral sex in last 5years
orl2hyr	byte	%8.0g	orl2hyr	Gave het. oral sex in last year
orl2hlm	byte	%8.0g	orl2hlm	Gave het. oral sex in last month
orlfhevr	byte	%8.0g	orlfhevr	Ever received het. oral sex
orlfh15y	byte	%8.0g	orlfh15y	Received het. oral sex in last 5years
orlfhyr	byte	%8.0g	orlfhyr	Received het. oral sex in last year
orlfhlm	byte	%8.0g	orlfhlm	Received het. oral sex in last month
anyorevr	byte	%8.0g	anyorevr	Ever gave/received het. oral sex
anyorl5y	byte	%8.0g	anyorl5y	Gave/received het. oral sex in last 5 yrs

anyoraly	byte	%8.0g	anyoraly	Gave/received het. oral sex in last year
anyoral	byte	%8.0g	anyoral	Gave/received het. oral sex in last month
analhevr	byte	%8.0g	analhevr	Ever had het. anal sex
analh5yr	byte	%8.0g	analh5yr	Had het. anal sex in last 5 years
analh1yr	byte	%8.0g	analh1yr	Had het. anal sex in last year
analh1m	byte	%8.0g	analh1m	Had het. anal sex in last month
genhevr	byte	%8.0g	genhevr	Ever had het. genital contact without intercourse
genh15y	byte	%8.0g	genh15y	Had het. genital contact without intercourse in last 5 years
genh1yr	byte	%8.0g	genh1yr	Had het. genital contact without intercourse in last year
genh1m	byte	%8.0g	genh1m	Had het. genital contact without intercourse in last month
sex4wks	int	%8.0g	sex4wks	No. of occasions of het. sex in last 4 weeks
sex4wks1	int	%8.0g	sex4wks1	* No. of occasions of het. sex in last 4 wks (regardless of whether ever had het.
sex4wks2	int	%8.0g	sex4wks2	No. of occasions of het. sex in last 4 wks (if had het. sex at least once)
sexfreq	byte	%8.0g	sexfreq	Number of occasions of het. sex in past 4 weeks, grouped
no4wks	int	%8.0g	no4wks	No. of het. sex partners in last 4 weeks
new4wks	int	%8.0g	new4wks	No. of new het. sex partners in last 4 weeks
cond4wk	byte	%8.0g	cond4wk	Condom used on any occasion of het sex in last 4 weeks?
sex7day	int	%8.0g	sex7day	No. of het. sex occasions in last 7 days
yrcond	byte	%8.0g	yrcond	Had vaginal/het. anal sex without a condom in last year
yrcond2	byte	%8.0g	yrcond2	Had het. vaginal/anal sex without a condom in last year (grouped)
nonocon	int	%8.0g	nonocon	No. of vaginal/het. anal partners in last year without condom
nonocong	byte	%8.0g	nonocong	No. of vaginal/anal het. partners in last year without a condom (grouped)
masturb	byte	%8.0g	masturb	Last occasion of masturbation
mastbevr	byte	%8.0g	mastbevr	Ever masturbated
mastbl5y	byte	%8.0g	mastbl5y	Masturbated in last 5years
mastbyr	byte	%8.0g	mastbyr	Masturbated in last year
mastblm	byte	%8.0g	mastblm	Masturbated in last month
mastnum	int	%8.0g	mastnum	No. times masturbated in last week
eversam	byte	%8.0g	eversam	Ever had any sam. sex experience/contact
frstsam	byte	%8.0g	frstsam	Age at first sam. sex contact/experience
genisam	byte	%8.0g	genisam	Ever had sam. sex experience with genital contact
agegsam	byte	%8.0g	agegsam	Age at 1st sam. sex experience with genital contact
nextageg	byte	%8.0g	nextageg	Had sam. sex aged 13+ if 1st sam. sex age<13
nextasam	byte	%8.0g	nextasam	Age at next sam. sex intercourse if 1st sex age<13
afsam13	byte	%8.0g	afsam13	Age at first sam. sex, if aged 13+
afsam13a	byte	%8.0g	afsam13a	Age 1st sam. sex genital contact, aged 13+(includes age since 13yrs)
totafsex	byte	%8.0g	totafsex	Age at first het. intercourse or sam. experience with genital contact
totafsexgp	byte	%8.0g	totafsexgp	* (D) Grouped age at first het. intercourse or sam. experience with genital contac
samsex	byte	%8.0g	samsex	Same sex genital contact, based of age
samoyou	byte	%8.0g	samoyou	Last occasion of sam. sex oral sex to partner

samopar	byte	%8.0g	samopar	Last occasion of sam. sex oral sex from partner
samayou	byte	%8.0g	samayou	Last occasion of sam. sex anal sex to partner
samahim	byte	%8.0g	samahim	Last occasion of sam. sex anal sex from partner
anlhmevr	byte	%8.0g	anlhmevr	Ever had sam. anal sex
anlhml5y	byte	%8.0g	anlhml5y	Had sam. sex anal sex in last 5 years
anlhmlyr	byte	%8.0g	anlhmlyr	Had sam. sex anal sex in last year
anlhmlm	byte	%8.0g	anlhmlm	Had sam.sex anal sex in last month
samgen	byte	%8.0g	samgen	Last occasion of sam. sex genital contact not involving oral/anal sex
sam4wks	int	%8.0g	sam4wks	No. of occasions of sam. sex in last 4 weeks
occs4wk1	int	%8.0g	occs4wk1	No. of occasions of het. &/or sam sex, last 4 weeks (of all respondents)
occs4wk2	int	%8.0g	occs4wk2	No. of occasions of het. &/or sam. sex, last 4 weeks (if ever had het/sam sex)
occs4wkq	byte	%8.0g	occs4wkq	No. of occasions of het &/or sam. sex in the last 4 weeks, grouped
sex4xlm	byte	%8.0g	sex4xlm	Has had 4+ sex acts, in the past 4 weeks
anysex4wk	byte	%8.0g	anysex4wk	Any sex in past 4 weeks
samno4w	int	%8.0g	samno4w	No. of sam. sex partners in last 4 weeks
prts4wks	int	%8.0g	prts4wks	No. of het. &/or sam. sex partners in last 4 weeks
hlnew4w	byte	%8.0g	hlnew4w	Last sam. sex partner was a new partner (if 1 in last 4 weeks)
samnw4w	int	%8.0g	samnw4w	How many of same sex partners were new partners? (if >1 in last 4 weeks)
samnew4w	int	%8.0g	samnew4w	No. of new sam. sex partners in last 4 weeks
samco4w	byte	%8.0g	samco4w	Condom used for any sam. sex anal sex in last 4 weeks?
usecondm	byte	%8.0g	usecondm	Condom used for het/same sex in last 4 weeks
useco_gp	byte	%8.0g	useco_gp	Condom used for het./hom. sex in last 4 weeks (grouped)
sam7day	int	%8.0g	sam7day	No. of occasions of sam.sex in last 7 days
ancom	byte	%8.0g	ancom	Frequency of condom use for sam. sex anal sex in last year
noancom	byte	%8.0g	noancom	No. sam. sex anal sex partners without condom, last year
gaypub2	byte	%8.0g	gaypub2	Frequency go to gay pubs/clubs
hetlife	int	%8.0g	hetlife	No. of het. sex partners, life
hettot	byte	%8.0g	hettot	No. of het. sexual partners, life, grouped
hetcalc	byte	%8.0g	hetcalc	How arrived at an estimate for hetlife
het5yrs	int	%8.0g	het5yrs	No. of het. sex partners, last 5 years
het5yrg	byte	%8.0g	het5yrg	No. of het.sex partners, last 5 years, grouped
hetlyr	int	%8.0g	hetlyr	No. of het. sex partners, last year
hetlyrg	byte	%8.0g	hetlyrg	No. of het.sex partners, last year, grouped
usex	byte	%8.0g	usex	Had unsafe het. sex in last yr (2+ partners & no condom use in last yr)
totusex	byte	%8.0g	totusex	Had unsafe het/same sex in last yr (2+ partners & no condom use in last yr)
nonewpt	int	%8.0g	nonewpt	No. of new het. sex partners (if had >1 in last year)
hetnewp	byte	%8.0g	hetnewp	New het. sex partner, last year (if had 1 het. partner in last year)
hetnonew	int	%8.0g	hetnonew	No. of new het. sex partners in last year
hetnew2	byte	%8.0g	hetnew2	Had 1+ new het. sex partners in last year, 2 groups
hetnew3	byte	%8.0g	hetnew3	Had new het. sex partners in last year, 3 groups
intros	byte	%8.0g	intros	Any oral-sex only het. partners in last year?

oralon	int	%8.0g	oralon	No. of het. partners just had oral-sex with in last year
oralpre	byte	%8.0g	oralpre	* Did previous estimate of no. het. sex partners in last year include oral-only pa
hlyrtot	int	%8.0g	hlyrtot	No. of het. sex partners in last year including oral sex only partners
hlyrtot2	int	%8.0g	hlyrtot2	* No. of het. sex partners in last year, including oral-sex only partners (revised)
swing	byte	%8.0g	swing	Engaged in sex with other couples with a het. sex partner
het3mnt	int	%8.0g	het3mnt	No. of het. sex partners, last 3 months
het3mntg	byte	%8.0g	het3mntg	No. of het. sex partners, last 3 months, grouped
samlife	int	%8.0g	samlife	No. of same sex partners, life
samcalc	byte	%8.0g	samcalc	How arrived at an estimate for samlife
samtot	byte	%8.0g	samtot	No. of same sex sexual partners, life, grouped
sam5yrs	int	%8.0g	sam5yrs	No. of sam. sex partners, last 5 years
sam5yrg	byte	%8.0g	sam5yrg	No. of sam.sex partners, last 5 years, grouped
samlst5y	byte	%8.0g	samlst5y	Had 1+ sam. sex partners in last 5 years
samlyr	int	%8.0g	samlyr	No. of sam. sex partners, last year
samlyrg	byte	%8.0g	samlyrg	No. of sam.sex partners, last year, grouped
samlstly	byte	%8.0g	samlstly	Had 1+ sam. sex partners in last year
snonewp	int	%8.0g	snonewp	No. new same sex partners, (if had >1 in last year)
samnewp	byte	%8.0g	samnewp	New same sex partner, last year (if had 1 same sex partner in last year)
samnonew	int	%8.0g	samnonew	No. of new sam. sex partners in last year
samnew2	byte	%8.0g	samnew2	Had 1+ new sam. sex partners in last year, 2 groups
samnew3	byte	%8.0g	samnew3	Had new sam. sex partners in last year, 3 groups
sam3mnt	int	%8.0g	sam3mnt	No. same sex partners, last 3 months
sam3mntg	byte	%8.0g	sam3mntg	No. of sam. sex partners, last 3 months, grouped
overlp5y	byte	%8.0g	overlp5y	* Any overlap between partners (ie. Sex with one then another then the first again
netsex	byte	%8.0g	netsex	* Used internet to find sexual partner in last 12 months(if at least one partner e
totlife	int	%8.0g	totlife	Total number of sexual partners, lifetime
tottot	byte	%8.0g	tottot	No. of het. & sam. sex partners, lifetime, grouped
tot5yrs	int	%8.0g	tot5yrs	No. of het. and sam. partners, last 5 years
tot5yrg	byte	%8.0g	tot5yrg	No. of het. & sam. partners, last 5 years, grouped
tot5yrg2	byte	%8.0g	tot5yrg2	No. of het. & sam. partners, last 5 years, grouped(2)
totlyr	int	%8.0g	totlyr	No. of het. and sam. sex partners, last year
totlyrg	byte	%8.0g	totlyrg	No. of het. & sam. partners, last year, grouped
totnewyr	int	%8.0g	totnewyr	No. of new het. and sam. partners, last year
totnewy2	byte	%8.0g	totnewy2	Has 1+ new het.&/or sam. sex partners in last year, 2 groups
totnewy3	byte	%8.0g	totnewy3	Has 1+ new het.&/or sam. sex partners in last year, 3 groups
nocondom	int	%8.0g	nocondom	No. of het. &/or sam. sex partners without a condom, last year
nocondmg	byte	%8.0g	nocondmg	Number of het. &/or sam. sex partners without a condom, last year, grouped
dfoverlp1	byte	%8.0g	dfoverlp1	First sex with P1 occurred over 1 year ago

dfover1p2	byte	%8.0g	dfover1p2	First sex with P2 occurred over 1 year ago
dfover1p3	byte	%8.0g	dfover1p3	First sex with P3 occurred over 1 year ago
dfover1p4	byte	%8.0g	dfover1p4	First sex with P4 occurred over 1 year ago
dfover5p1	byte	%8.0g	dfover5p1	First sex with P1 occurred over 5 years ago
dfover5p2	byte	%8.0g	dfover5p2	First sex with P2 occurred over 5 years ago
dfover5p3	byte	%8.0g	dfover5p3	First sex with P3 occurred over 5 years ago
dfover5p4	byte	%8.0g	dfover5p4	First sex with P4 occurred over 5 years ago
dlover1p1	byte	%8.0g	dlover1p1	Most recent(last) sex with P1 occurred over 1 year ago
dlover1p2	byte	%8.0g	dlover1p2	Most recent(last) sex with P2 occurred over 1 year ago
dlover1p3	byte	%8.0g	dlover1p3	Most recent(last) sex with P3 occurred over 1 year ago
dlover1p4	byte	%8.0g	dlover1p4	Most recent(last) sex with P4 occurred over 1 year ago
dlover5p1	byte	%8.0g	dlover5p1	Most recent(last) sex with P1 occurred over 5 years ago
dlover5p2	byte	%8.0g	dlover5p2	Most recent(last) sex with P2 occurred over 5 years ago
dlover5p3	byte	%8.0g	dlover5p3	Most recent(last) sex with P3 occurred over 5 years ago
dlover5p4	byte	%8.0g	dlover5p4	Most recent(last) sex with P4 occurred over 5 years ago
rlrecm	int	%8.0g	rlrecm	* Number of months before interview most recent sex with most recent partner (wher
rlsex	byte	%8.0g	rlsex	Sex of most recent partner
rlcondl	byte	%8.0g	rlcondl	Condom used for most recent sex with most recent partner
rlrel	byte	%8.0g	rlrel	Relationship status at most recent sex with most recent partner
rlsexagn	byte	%8.0g	rlsexagn	Likely to have sex again with most recent partner
rlfirst	byte	%8.0g	rlfirst	Most recent occasion also first occasion with most recent partner
rlfirstm	int	%8.0g	rlfirstm	* Number of months before interview 1st occasion with most recent partner (where m
rlmtha	byte	%8.0g	rlmtha	* Time since first sex with most recent partner(orig: R1MonthA, SC Recent Partners
rlmthb	byte	%8.0g	rlmthb	* Time between first and last sex with most recent partner(orig: R1MonthB, SC Rece

rlcondf	byte	%8.0g	rlcondf	Condom used on 1st occasion with most recent partner
rlrells	byte	%8.0g	rlrells	* Relationship status at 1st sex with most recent partner(orig: RlRel1st, SC Recen
rlptage	int	%8.0g	rlptage	Age of most recent partner on 1st occasion
rlethni	byte	%8.0g	rlethni	Ethnic group of most recent partner(orig: RlEthnic, SC Recent Partners)
rllethbl	byte	%8.0g	rllethbl	Black ethnic group of most recent partner
rlmeet	byte	%8.0g	rlmeet	Where first met most recent partner
rllive	byte	%8.0g	rllive	Where most recent partner lived when 1st met
rlknown	byte	%8.0g	rlknown	Time between 1st meeting most recent partner and 1st sex
mrpos	byte	%8.0g	mrpos	Was this an oral sex only partner (most recent partner)
rlrecm2	int	%8.0g	rlrecm2	* Number of months before interview most recent sex with 2nd most recent partner i
rlsex2	byte	%8.0g	rlsex2	Sex of 2nd most recent partner in last five years
rlcondl2	byte	%8.0g	rlcondl2	Condom used for most recent sex with 2nd most recent partner in last five years
rlrel2	byte	%8.0g	rlrel2	* Relationship status at most recent sex with 2nd most recent partner in last five
rlsexagn2	byte	%8.0g	rlsexagn2	* Likely to have sex again with 2nd most recent partner in last five years(orig: R
rlfirst2	byte	%8.0g	rlfirst2	* Most recent occasion also first occasion with 2nd most recent partner in last fi
rlfirstm2	int	%8.0g	rlfirstm2	* Number of months before interview 1st occasion with 2nd most recent partner in l
rlmtha2	byte	%8.0g	rlmtha2	* Time since first sex with 2nd most recent partner in last five years(orig: RlMon
rlmthb2	byte	%8.0g	rlmthb2	* Time between first and last sex with 2nd most recent partner in last five years(
rlcondf2	byte	%8.0g	rlcondf2	Condom used on 1st occasion with 2nd most recent partner in last five years
rlrells2	byte	%8.0g	rlrells2	Relationship status at 1st sex with 2nd most recent partner in last five years
rlptage2	int	%8.0g	rlptage2	Age of 2nd most recent partner on 1st occasion in last five years
rllethni2	byte	%8.0g	rllethni2	Ethnic group of 2nd most recent partner in last five years
rllethbl2	byte	%8.0g	rllethbl2	Black ethnic group of 2nd most recent partner, in last five years
rlmeet2	byte	%8.0g	rlmeet2	Where first met 2nd most recent partner in last five years
rllive2	byte	%8.0g	rllive2	Where 2nd most recent partner lived when 1st met in last five years
rlknown2	byte	%8.0g	rlknown2	Time between 1st meeting 2nd most recent partner and 1st sex in last five years
mrpos2	byte	%8.0g	mrpos2	Was this an oral sex only partner (2nd most recent) in last five years
rlrecm3	int	%8.0g	rlrecm3	* Number of months before interview most recent sex with 3rd most recent partner i
rlsex3	byte	%8.0g	rlsex3	Sex of 3rd most recent partner in last five years

rlcondl3	byte	%8.0g	rlcondl3	Condom used for most recent sex with 3rd most recent partner in last five years
rlrel3	byte	%8.0g	rlrel3	* Relationship status at most recent sex with 3rd most recent partner in last five
rlsexagn3	byte	%8.0g	rlsexagn3	* Likely to have sex again with 3rd most recent partner in last five years(orig: R
rlfirst3	byte	%8.0g	rlfirst3	* Most recent occasion also first occasion with 3rd most recent partner in last fi
rlfirstm3	int	%8.0g	rlfirstm3	* Number of months before interview 1st occasion with 3rd most recent partner in 1
rlmtha3	byte	%8.0g	rlmtha3	* Time since first sex with 3rd most recent partner in last five years(orig: R1Mon
rlmthb3	byte	%8.0g	rlmthb3	* Time between first and last sex with 3rd most recent partner in last five years(
rlcondf3	byte	%8.0g	rlcondf3	Condom used on 1st occasion with 3rd most recent partner in last five years
rlrells3	byte	%8.0g	rlrells3	Relationship status at 1st sex with 3rd most recent partner in last five years
rlptage3	int	%8.0g	rlptage3	Age of 3rd most recent partner on 1st occasion in last five years
rllethni3	byte	%8.0g	rllethni3	Ethnic group of 3rd most recent partner in last five years
rllethbl3	byte	%8.0g	rllethbl3	Black ethnic group of 3rd most recent partner, in last five years
rlmeet3	byte	%8.0g	rlmeet3	Where first met 3rd most recent partner in last five years
rllive3	byte	%8.0g	rllive3	Where 3rd most recent partner lived when 1st met in last five years
rlknown3	byte	%8.0g	rlknown3	Time between 1st meeting 3rd most recent partner and 1st sex in last five years
mrpos3	byte	%8.0g	mrpos3	Was this an oral sex only partner (3rd most recent) in last five years
rlrecm4	int	%8.0g	rlrecm4	* Number of months before interview most recent sex with most recent other sexuali
rlsex4	byte	%8.0g	rlsex4	Sex of most recent other sexuality partner
rlcondl4	byte	%8.0g	rlcondl4	Condom used for most recent sex with most recent other sexuality partner
rlrel4	byte	%8.0g	rlrel4	Relationship status at most recent sex with most recent other sexuality partner
rlsexagn4	byte	%8.0g	rlsexagn4	* Likely to have sex again with most recent other sexuality partner(orig: R1SexAg4
rlfirst4	byte	%8.0g	rlfirst4	* Most recent occasion also first occasion with most recent other sexuality partne
rlfirstm4	int	%8.0g	rlfirstm4	* Number of months before interview 1st occasion with most recent other sexuality
rlmtha4	byte	%8.0g	rlmtha4	* Time since first sex with most recent other sexuality partner(orig: R1Month6, SC

rlmthb4	byte	%8.0g	rlmthb4	* Time between first and last sex with most recent other sexuality partner(orig: R
rlcondf4	byte	%8.0g	rlcondf4	Condom used on 1st occasion with most recent other sexuality partner
rlrells4	byte	%8.0g	rlrells4	Relationship status at 1st sex with most recent other sexuality partner
rlptage4	int	%8.0g	rlptage4	Age on 1st occasion of most recent other sexuality partner
rlethni4	byte	%8.0g	rlethni4	Ethnic group of most recent other sexuality partner
rlethbl4	byte	%8.0g	rlethbl4	Black ethnic group of other sexuality partner
rlmeet4	byte	%8.0g	rlmeet4	Where first met most recent other sexuality partner
rllive4	byte	%8.0g	rllive4	Where most recent other sexuality partner lived when 1st met
rlknown4	byte	%8.0g	rlknown4	Time between 1st meeting most recent other sexuality partner and 1st sex
mrpos4	byte	%8.0g	mrpos4	Was this an oral sex only partner of the most recent other sexuality' partner
mrpolap	byte	%8.0g	mrpolap	Any concurrency of partnerships
mrpconcl5y1	byte	%8.0g	mrpconcl5y1	Most recent & 2nd most recent partners were concurrent
mrpconcl5y2	byte	%8.0g	mrpconcl5y2	2nd most recent & 3rd most recent partners were concurrent
mrpconcl5y	byte	%8.0g	mrpconcl5y	Had a concurrent partnership in the last 5 years
15ypartn	byte	%8.0g	15ypartn	Partnership history in the last 5 years
mrpconcly1	byte	%8.0g	mrpconcly1	Most recent & 2nd most recent partners were concurrent, in the last year
mrpconcly2	byte	%8.0g	mrpconcly2	2nd most recent & 3rd most recent partners were concurrent, in the last year
mrpconcly	byte	%8.0g	mrpconcly	Had a concurrent partnership in the last year
lypartn	byte	%8.0g	lypartn	Partnership history in last year
lypartn2	byte	%8.0g	lypartn2	Concurrent partnerships in last year (if had 1+ partner in last year)
rafsmr	int	%8.0g	rafsmr	Respondent's age at 1st sex with most recent partner
rafs2mr	int	%8.0g	rafs2mr	Respondent's age at 1st sex with 2nd most recent partner
rafs3mr	int	%8.0g	rafs3mr	Respondent's age at 1st sex with 3rd most recent partner
rafs4mr	int	%8.0g	rafs4mr	Respondent's age at 1st sex with most recent 'other sex' partner
rlpcon1	byte	%8.0g	rlpcon1	Most recent partner, had sex with someone else
rlpcon2	byte	%8.0g	rlpcon2	2nd Most recent partner, had sex with someone else
rlpcon3	byte	%8.0g	rlpcon3	3rd Most recent partner, had sex with someone else
rlpcon4	byte	%8.0g	rlpcon4	Most recent other sex partner, had sex with someone else
ad_mrp	int	%8.0g	ad_mrp	Age difference between respondent & most recent partner
ad_2mrp	int	%8.0g	ad_2mrp	Age difference between respondent & 2nd most recent partner
ad_3mrp	int	%8.0g	ad_3mrp	Age difference between respondent & 3rd most recent partner
ad_4mrp	int	%8.0g	ad_4mrp	Age difference between respondent & most recent other sex partner
travel	byte	%8.0g	travel	Travelled outside of UK, last 5 years,
trvlsex	byte	%8.0g	trvlsex	Any new sex partners while outside UK, last 5 years

nosextl	int	%8.0g	nosextl	No. of new sex partners while outside UK, last 5 years
nosextl2	byte	%8.0g	nosextl2	No. of new partners while outside UK in last 5 yrs, grouped
uk1	byte	%8.0g	uk1	* origin of new sex partner(s) while outside UK, last 5 years :UK(orig: Cntry1, SC
othereu1	byte	%8.0g	othereu1	* origin of new sex partner(s) while outside UK, last 5 years: another EU country(
oznz1	byte	%8.0g	oznz1	* origin of new sex partner(s) while outside UK, last 5 years: Australia/New Zeala
northam1	byte	%8.0g	northam1	* origin of new sex partner(s) while outside UK, last 5 years: North America(orig:
southam1	byte	%8.0g	southam1	* origin of new sex partner(s) while outside UK, last 5 years: South America(orig:
caribbn1	byte	%8.0g	caribbn1	* origin of new sex partner(s) while outside UK, last 5 years: Caribbean(orig: Cnt
asia1	byte	%8.0g	asia1	* origin of new sex partner(s) while outside UK, last 5 years: Asia(orig: Cntry1,
mideast1	byte	%8.0g	mideast1	* origin of new sex partner(s) while outside UK, last 5 years: Middle East(orig: C
othafrical	byte	%8.0g	othafrical	* origin of new sex partner(s) while outside UK, last 5 years: African countries (
othercs1	byte	%8.0g	othercs1	* origin of new sex partner(s) while outside UK, last 5 years: Other country/regio
dkrctry1	byte	%8.0g	dkrctry1	* origin of new sex partner(s) while outside UK, last 5 years: Don't know which co
sexabsum	byte	%8.0g	sexabsum	New partners while outside UK in last 5 years?
sexabrd	byte	%8.0g	sexabrd	New partner in UK but from outside UK in last 5 years?
nosexab	int	%8.0g	nosexab	Number of new partners in UK but from outside UK, last 5 years
nosexab2	byte	%8.0g	nosexab2	No. of new sex partners in UK but from outside UK, last 5 yrs, grouped
othereu2	byte	%8.0g	othereu2	* origin of new sex partner(s) while in UK, last 5 years: another EU country(orig:
oznz2	byte	%8.0g	oznz2	* origin of new sex partner(s) while in UK, last 5 years: Australia/New Zealand(or
northam2	byte	%8.0g	northam2	* origin of new sex partner(s) while in UK, last 5 years: North America(orig: Cntr
southam2	byte	%8.0g	southam2	* origin of new sex partner(s) while in UK, last 5 years: South America(orig: Cntr
caribbn2	byte	%8.0g	caribbn2	* origin of new sex partner(s) while in UK, last 5 years: Caribbean(orig: Cntry2,
asia2	byte	%8.0g	asia2	* origin of new sex partner(s) while in UK, last 5 years: Asia(orig: Cntry2, SC Se
mideast2	byte	%8.0g	mideast2	* origin of new sex partner(s) while in UK, last 5 years: Middle East(orig: Cntry2

othafrica2	byte	%8.0g	othafrica2	* origin of new sex partner(s) while in UK, last 5 years: African countries (other
othercs2	byte	%8.0g	othercs2	* origin of new sex partner(s) while in UK, last 5 years: Other country/region(ori
dkrcrtry2	byte	%8.0g	dkrcrtry2	* origin of new sex partner(s) while in UK, last 5 years: Don't know which country
forsexsp	byte	%8.0g	forsexsp	New partner(s) in last 5 years from outside the UK, last 5 years
viotry	byte	%8.0g	viotry	Anyone tried to have sex with them against their will, aged 13+
viosuc	byte	%8.0g	viosuc	Anyone had sex with them against their will, aged 13+
viotry2	byte	%8.0g	viotry2	Experienced attempted non-volitional sex (binary)
viosuc2	byte	%8.0g	viosuc2	Experienced attempted non-volitional sex (binary)
viowhen	int	%8.0g	viowhen	Age when last had sex against will, aged 13+
viowho	byte	%8.0g	viowho	Relationship with person who had sex against will, aged 13+
viotalk	byte	%8.0g	viotalk	Talk to anyone about sex against will,aged 13+
viopol	byte	%8.0g	viopol	Talk to police about sex against will,aged 13+
everpd	byte	%8.0g	everpd	Ever paid for het. sex
lastpay	byte	%8.0g	lastpay	When last paid money for het.sex
nopaid	int	%8.0g	nopaid	Total no. of different women /men paid money to have sex with
payprev	byte	%8.0g	payprev	Het.sex partner total includes women/men paid for sex
sampaid	byte	%8.0g	sampaid	Ever paid money for sam.sex
samplst	byte	%8.0g	samplst	When last paid money for sam.sex
sampdno	int	%8.0g	sampdno	Total no. of different men paid money to have sex with
sampdp	byte	%8.0g	sampdp	Sam.sex partner total includes men paid for sex
payabrd	byte	%8.0g	payabrd	Ever paid money for sex outside the UK
pothereu	byte	%8.0g	pothereu	* Region paid for sex outside UK: another EU country(orig: PayAbWhr, SC Paying for
poznz	byte	%8.0g	poznz	* Region paid for sex outside UK: Australia/New Zealand(orig: PayAbWhr, SC Paying
pnortham	byte	%8.0g	pnortham	Region paid for sex outside UK: North America(orig: PayAbWhr, SC Paying for sex)
psoutham	byte	%8.0g	psoutham	Region paid for sex outside UK: South America(orig: PayAbWhr, SC Paying for sex)
pcaribbn	byte	%8.0g	pcaribbn	Region paid for sex outside UK: Caribbean(orig: PayAbWhr, SC Paying for sex)
pasia	byte	%8.0g	pasia	Region paid for sex outside UK: Asia(orig: PayAbWhr, SC Paying for sex)
pmideast	byte	%8.0g	pmideast	Region paid for sex outside UK: Middle East(orig: PayAbWhr, SC Paying for sex)
pothafrica	byte	%8.0g	pothafrica	* Region paid for sex outside UK: African countries (other than North Africa) (orig
pothercs	byte	%8.0g	pothercs	* Region paid for sex outside UK: Other country/region(orig: PayAbWhr, SC Paying f

pdkrcrtry	byte	%8.0g	pdkrcrtry	* Region paid for sex outside UK: Don't know which country/region(orig: PayAbWahr,
evrpdany	byte	%8.0g	evrpdany	Paid money for het/sam sex,ever (Men & women)
paid5yrs	byte	%8.0g	paid5yrs	Paid for het. &/or same sex in last 5 years(Men & women)
paidlyr	byte	%8.0g	paidlyr	Paid for het &/or same sex in last year (Men & women)
everpreg	byte	%8.0g	everpreg	Ever been pregnant
nopreg	byte	%8.0g	nopreg	Number of pregnancies
pregomisc	byte	%8.0g	pregomisc	Ever had a pregnancy that ended in miscarriage
prmiscagf	byte	%8.0g	prmiscagf	Age at first miscarriage (orig: PrgAge)
pregosb	byte	%8.0g	pregosb	Ever had a pregnancy that ended in a Stillbirth
pregoab	byte	%8.0g	pregoab	Ever had a pregnancy that ended in an abortion
prabagf	byte	%8.0g	prabagf	Age at first abortion
manyab2gp	byte	%8.0g	manyab2gp	Number of abortions, grouped
prabagl	byte	%8.0g	prabagl	Age at last abortion
abort18_2	byte	%8.0g	abort18_2	Had an abortion before age 18yrs (orig: prgage)
abort20_2	byte	%8.0g	abort20_2	Had an abortion before age 20yrs (orig: prgage)
abort15	byte	%8.0g	abort15	Abortion in the last 5 years (approximate)
agfstpreg	byte	%8.0g	agfstpreg	Age at first pregnancy outcome
pregob418	byte	%8.0g	pregob418	Pregnancy outcome before 18years
lastpreg	byte	%8.0g	lastpreg	Outcome of most recent pregnancy
dtlastpry	int	%8.0g	dtlastpry	Year of last pregnancy
antenat2	byte	%8.0g	antenat2	Ante-natal visit to hospital/GP surgery in last 5 years
pregyr	byte	%8.0g	pregyr	Pregnant in the last year
pregyrkw	byte	%8.0g	pregyrkw	Pregnancy with known outcome in past year, aged <45
lmupscr	byte	%8.0g	lmupscr	Been pregnant in last 12 months(if not clear from pregnancy questions)
lmup1	byte	%8.0g	lmup1	Contraception use in month became pregnant (in last year)
lmup2	byte	%8.0g	lmup2	Feelings about timing of pregnancy (in last year)
lmup3	byte	%8.0g	lmup3	Intentions to get pregnant just before became pregnant (in last year)
lmup4	byte	%8.0g	lmup4	Feelings about having a baby just before became pregnant (in last year)
lmup5	byte	%8.0g	lmup5	* Discussion about pregnancy with male partner before became pregnant (in last yea
lmupfolic	byte	%8.0g	lmupfolic	* Took folic acid to improve health before became pregnant(orig: LMUP6, SC Unplann
lmupsmok	byte	%8.0g	lmupsmok	* Stopped/cutdown smoking to improve health before became pregnant(orig:

lmupdrk	byte	%8.0g	LMUP6, SC lmupdrk * Stopped/cutdown drinking to improve health before became pregnant(orig: LMUP6, S
lmuphlth	byte	%8.0g	lmuphlth * Ate more healthily to improve health before became pregnant(orig: LMUP6, SC Unpl
lmupmad	byte	%8.0g	lmupmad * Sought medical/health advice to improve health before became pregnant(orig: LMUP
lmupoact	byte	%8.0g	lmupoact * Took other action to improve health before became pregnant(orig: LMUP6, SC Unpla
lmupnone	byte	%8.0g	lmupnone * Did nothing to improve health before became pregnant(orig: LMUP6, SC Unplanned P
lmupscore	byte	%8.0g	LMUP score (London Measure of Unplanned Pregnancy)
planstat	byte	%8.0g	planstat Pregnancy planning status
unplanned	byte	%8.0g	unplanned Unplanned pregnancy
pregrisk	byte	%8.0g	pregrisk Pregnancy risk
anychm	byte	%8.0g	anychm * Any natural children(male respondents only, excl stillborns) (orig: AnyChild, SC
anychall	byte	%8.0g	anychall Any natural children (excl stillbirths)
nochall	int	%8.0g	nochall Number of natural children (excl stillborn),All respondents
prevparity	byte	%8.0g	prevparity Women only: number of children before most recent pregnancy
dobcmy01	int	%8.0g	dobcmy01 * Year of birth of 1st born natural child (male respondents only, excl stillborns)
dobcmy02	int	%8.0g	dobcmy02 * Year of birth of 2nd born natural child (male respondents only, excl stillborns)
dobcmy03	int	%8.0g	dobcmy03 * Year of birth of 3rd born natural child (male respondents only, excl stillborns)
dobcmy04	int	%8.0g	dobcmy04 * Year of birth of 4th born natural child (male respondents only, excl stillborns)
dobcmy05	int	%8.0g	dobcmy05 * Year of birth of 5th born natural child (male respondents only, excl stillborns)
dobcmy06	int	%8.0g	dobcmy06 * Year of birth of 6th born natural child (male respondents only, excl stillborns)
dobcmy07	int	%8.0g	dobcmy07 * Year of birth of 7th born natural child (male respondents only, excl stillborns)
dobcmy08	int	%8.0g	dobcmy08 * Year of birth of 8th born natural child (male respondents only, excl stillborns)
dobcmy09	int	%8.0g	dobcmy09 * Year of birth of 9th born natural child (male respondents only, excl stillborns)
dobcmy10	int	%8.0g	dobcmy10 * Year of birth of 10th born natural child (male respondents only, excl stillborns)
dobcmy11	int	%8.0g	dobcmy11 * Year of birth of 11th born natural child (male respondents only, excl

Variable Name	Format	Length	Description
dobcmy12	int	%8.0g	dobcmy12 * Year of birth of 12th born natural child (male respondents only, excl stillborns)
agelch	byte	%8.0g	agelch Age of respondent at birth of 1st child
child18	byte	%8.0g	child18 Respondent had their first child before the age of 18 years
child20	byte	%8.0g	child20 Respondent had their first child before the age of 20 years
nochb435	byte	%8.0g	nochb435 Did not have any natural children by the age of 35 (those aged 35+ only)
samemfm	byte	%8.0g	samemfm Male respondents who have natural children with the same mother
adopchld	byte	%8.0g	adopchld Has adopted children
stepchld	byte	%8.0g	stepchld Has Step-children
fertint	byte	%8.0g	fertint How respondent feels about having (more) children
fertwhy	byte	%8.0g	fertwhy Main reason not currently trying to have (more) children
inftrtly	byte	%8.0g	inftrtly Pregnancy attempt, ever, for 12+ months
medhelp	byte	%8.0g	medhelp Sought medical/professional help about infertility
stdtrt	byte	%8.0g	stdtrt * Place would first go to seek diagnosis/treatment for a suspected STI (if had any)
stdclin	byte	%8.0g	stdclin Ever attended a sexual health (GUM) clinic (if had any lifetime partners)
whnclin	byte	%8.0g	whnclin When last attended a sexual health (GUM) clinic (if had any lifetime partners)
attendcl	byte	%8.0g	attendcl When (last) attended a sexual health (GUM) clinic
whnclin2	byte	%8.0g	whnclin2 When (last) attended a sexual health (GUM) clinic, grouped
whncl5yr	byte	%8.0g	whncl5yr Attended a sexual health (GUM) clinic, last 5 years
chlamydia	byte	%8.0g	chlamydia * Ever diagnosed with chlamydia (if had any lifetime partners) (orig: Diagnos, SC)
gonorrh	byte	%8.0g	gonorrh * Ever diagnosed with gonorrhoea (if had any lifetime partners) (orig: Diagnos, SC)
warts	byte	%8.0g	warts * Ever diagnosed with genital warts (venereal warts), (if had any lifetime partner)
syphilis	byte	%8.0g	syphilis * Ever diagnosed with syphilis, (if had any lifetime partners) (orig: Diagnos, SC)
trich	byte	%8.0g	trich * Ever diagnosed with trichomonas vaginalis (Trich, TV), (if had any lifetime part)
herpes	byte	%8.0g	herpes * Ever diagnosed with genital herpes, (if had any lifetime partners) (orig: Diagno)
plice crab	byte	%8.0g	plice crab * Ever diagnosed with pubic lice or crabs, (if had any lifetime partners) (orig: D)
hepatitis	byte	%8.0g	hepatitis * Ever diagnosed with hepatitis B, (if had any lifetime partners) (orig: Diagnos,
nsungu	byte	%8.0g	nsungu * Ever diagnosed with NSU (Non-Specific Urethritis), NGU (Non Gonococcal Urethriti)

epididy	byte	%8.0g	epididy	* Ever diagnosed with epididymitis, (if had any lifetime partners) (orig: Diagnos,
pid	byte	%8.0g	pid	* Ever diagnosed with pelvic inflammatory disease (PID, salpingitis), (if had any
thrush	byte	%8.0g	thrush	* Ever diagnosed with thrush (Candida, Yeast infection), (if had any lifetime part
bacvagin	byte	%8.0g	bacvagin	* Ever diagnosed with bacterial vaginosis, (if had any lifetime partners) (orig: D
dkstd	byte	%8.0g	dkstd	* Ever diagnosed with a STD but can't remember which one, (if had any lifetime par
nostd	byte	%8.0g	nostd	* No STDs ever diagnosed, (if had any lifetime partners) (orig: Diagnos, SC STIs &
eversti	byte	%8.0g	eversti	Ever diagnosed with a STI (Natsal-3 definition, including thrush as an STI)
eversti2	byte	%8.0g	eversti2	Ever diagnosed with a STI (Natsal-3 definition, coding thrush separately)
eversti3	byte	%8.0g	eversti3	Ever diagnosed with a STI (Natsal-3 definition, coding thrush as a NON-STI)
whnchlam	byte	%8.0g	whnchlam	When last diagnosed with chlamydia
chtstwh1	byte	%8.0g	chtstwh1	Where last tested for chlamydia (if diagnosed in last year and aged 16-44years)
chtstwy1	byte	%8.0g	chtstwy1	Why tested for chlamydia (if diagnosed in last year and aged 16-44years)
chtrtlgr	byte	%8.0g	chtrtlgr	Where last treated for chlamydia
chlmtest	byte	%8.0g	chlmtest	* Tested for chlamydia in last year (if not diagnosed in the last year, aged 16-44
cttestly	byte	%8.0g	cttestly	Chlamydia test in last year
chltstwh	byte	%8.0g	chltstwh	* Where offered a chlamydia test, when (last) tested (if not diagnosed in the last
chltstwy	byte	%8.0g	chltstwy	Why were you last tested for chlamydia
chlofref	byte	%8.0g	chlofref	Been offered but refused a chlamydia test (if not tested)
whngono	byte	%8.0g	whngono	When last diagnosed with Gonorrhoea
whergono	byte	%8.0g	whergono	Where last treated for Gonorrhoea, if aged <45 or diagnosed in last 5 yrs
whnwarts	byte	%8.0g	whnwarts	When last diagnosed with genital warts
wherwart	byte	%8.0g	wherwart	Where last treated for genital warts, if aged <45 or diagnosed in last 5 yrs
whnsyph1	byte	%8.0g	whnsyph1	When last diagnosed with syphilis
whersyph	byte	%8.0g	whersyph	Where last treated for syphilis, if aged <45 or diagnosed in last 5 yrs
whntric	byte	%8.0g	whntric	When last diagnosed with Trichomonas Vagilis
whertric	byte	%8.0g	whertric	Where last treated for Trichomonas, if aged <45 or diagnosed in last 5 yrs
whnherp	byte	%8.0g	whnherp	When last diagnosed with Herpes
wherherp	byte	%8.0g	wherherp	Where last treated for Herpes, if aged <45 or diagnosed in last 5 yrs
whnnsu	byte	%8.0g	whnnsu	When last diagnosed with NS/NG urethritis
whernsu	byte	%8.0g	whernsu	Where last treated for NS/NG urethritis, if aged <45 or diagnosed in last 5 yrs
ct5y	byte	%8.0g	ct5y	Diagnosed with chlamydia in last 5 years
gc5y	byte	%8.0g	gc5y	Diagnosed with gonorrhoea in last 5 years

warts5y	byte	%8.0g	warts5y	Diagnosed with genital warts in last 5 years
syph15y	byte	%8.0g	syph15y	Diagnosed with syphilis in last 5 years
tric5y	byte	%8.0g	tric5y	Diagnosed with trichomonas in last 5 years
herp5y	byte	%8.0g	herp5y	Diagnosed with herpes in last 5 years
nsu5y	byte	%8.0g	nsu5y	Diagnosed with NSU/NGU in last 5 years
ct1y	byte	%8.0g	ct1y	Diagnosed with chlamydia in last year
gc1y	byte	%8.0g	gc1y	Diagnosed with gonorrhoea in last year
any_15y2	byte	%8.0g	any_15y2	* Diagnosed with any STI (Natsal-3 definition) excl. thrush in 5 years before inte
warts1y	byte	%8.0g	warts1y	Diagnosed with genital warts in last year
syph11y	byte	%8.0g	syph11y	Diagnosed with syphilis in last year
tric1y	byte	%8.0g	tric1y	Diagnosed with trichomonas in last year
herp1y	byte	%8.0g	herp1y	Diagnosed with herpes in last year
nsuly	byte	%8.0g	nsuly	Diagnosed with NSU/NGU in last year
any_ly2	byte	%8.0g	any_ly2	* Diagnosed with any STI (Natsal-3 definition) excl. thrush in year before intervi
everpap	byte	%8.0g	everpap	When was last cervical smear (if female and aged >24)
hpvever	byte	%8.0g	hpvever	Ever been vaccinated against HPV (if female and <30)
hvpcomp	byte	%8.0g	hvpcomp	Intend to complete the other doses
hpvofref	byte	%8.0g	hpvofref	Ever offered the HPV vaccination
hpvwhere	byte	%8.0g	hpvwhere	Where offered/received the HPV vaccination
mstipainuri	byte	%8.0g	mstipainuri	* STI symptoms in the last month (men): pain, burning or stinging passing urine(o)
mstipassmor	byte	%8.0g	mstipassmor	* STI symptoms in the last month (men): more frequent urination(orig: STISympM, S
mstigenwart	byte	%8.0g	mstigenwart	* STI symptoms in the last month (men): genital wart/lump(orig: STISympM, SC STIs
mstigenulc	byte	%8.0g	mstigenulc	* STI symptoms in the last month (men): genital ulcer/sore(orig: STISympM, SC STI
mstipdisch	byte	%8.0g	mstipdisch	* STI symptoms in the last month (men): penal discharge (orig: STISympM, SC STIs
mstipaintest	byte	%8.0g	mstipaintest	* STI symptoms in the last month (men): painful testicles(orig: STISympM, SC STIs
mstinone	byte	%8.0g	mstinone	STI symptoms in the last month (men): none(orig: STISympM, SC STIs & HPV)
fstipainuri	byte	%8.0g	fstipainuri	* STI symptoms in the last month (women): pain, burning or stinging passing urine

fstipassmor	byte	%8.0g	fstipassmor	* STI symptoms in the last month (women): more frequent urination(orig: STISympF,
fstigenwart	byte	%8.0g	fstigenwart	* STI symptoms in the last month (women): genital wart/lump(orig: STISympF, SC ST
fstigenulc	byte	%8.0g	fstigenulc	* STI symptoms in the last month (women): genital ulcer/sore(orig: STISympF, SC S
fstivdisch	byte	%8.0g	fstivdisch	* STI symptoms in the last month (women): abnormal vaginal discharge(orig: STISym
fstiodour	byte	%8.0g	fstiodour	* STI symptoms in the last month (women): odourous vaginal discharge(orig: STISym
fstivpainsex	byte	%8.0g	fstivpainsex	* STI symptoms in the last month (women): vaginal pain in sex(orig: STISympF, SC
fstibleedper	byte	%8.0g	fstibleedper	* STI symptoms in the last month (women): bleeding between periods(orig: STISympF
fstibleedsex	byte	%8.0g	fstibleedsex	* STI symptoms in the last month (women): bleeding after sex(orig: STISympF, SC S
fstiabdopain	byte	%8.0g	fstiabdopain	* STI symptoms in the last month (women): lower abdominal / pelvic pain(orig: STI
fstinone	byte	%8.0g	fstinone	STI symptoms in the last month (women): none(orig: STISympF, SC STIs & HPV)
anystisympm	byte	%8.0g	anystisympm	Any STI symptoms in the last month (males only)
anystisympf	byte	%8.0g	anystisympf	Any STI symptoms in the last month (women only)
anystisymp	byte	%8.0g	anystisymp	Any STI symptoms in the last month
donblod2	byte	%8.0g	donblod2	Ever donated blood(orig: DonBlod, SC HIVTest)
whendon2	byte	%8.0g	whendon2	When last donated blood(orig: WhenDon, SC HIVTest)
hivtsty	byte	%8.0g	hivtsty	Ever had a blood test for HIV other than when giving blood
hivtstn	byte	%8.0g	hivtstn	Ever had a blood test for HIV (if never given blood)
hivtest	byte	%8.0g	hivtest	Ever had a blood test for HIV (excl. when giving blood)
testpreg	byte	%8.0g	testpreg	HIV test reason: pregnancy(orig: WhyTest, SC HIVTest)
testinsr	byte	%8.0g	testinsr	HIV test reason: travel/insurance/mortgage(orig: WhyTest, SC HIVTest)
testschk	byte	%8.0g	testschk	HIV test reason: sexual health check(orig: WhyTest, SC HIVTest)

testhchk	byte	%8.0g	testhchk	HIV test reason: general health check(orig: WhyTest, SC HIVTest)
testcond	byte	%8.0g	testcond	HIV test reason: stop condom use(orig: WhyTest, SC HIVTest)
testrisk	byte	%8.0g	testrisk	HIV test reason: concern of risk to self/partner(orig: WhyTest, SC HIVTest)
testdoc	byte	%8.0g	testdoc	HIV test reason: doctor's advice(orig: WhyTest, SC HIVTest)
testothr2	byte	%8.0g	testothr2	HIV test reason: other reason(orig: WhyTest, SC HIVTest)
testoth2	byte	%8.0g	testoth2	HIV test reason: Other (incl. health check & concern about risk)
whentest	byte	%8.0g	whentest	When was blood test for HIV (last one if more than one)
whntest2	byte	%8.0g	whntest2	When was blood test for HIV (last one if more than one)
hivtest5	byte	%8.0g	hivtest5	Had a HIV test in past 5 years?
hivtstly	byte	%8.0g	hivtstly	Had a blood test for HIV test in past year?
whertest	byte	%8.0g	whertest	Where had blood test for HIV (last one if more than one)
retest	byte	%8.0g	retest	Given result of blood test for HIV
sfscore	double	%12.0g		Sexual function score
lowerfuncofall	byte	%8.0g	lowerfuncofall	Lowest quintile of sexual function
hafsex	byte	%8.0g	hafsex	* Health condition/disability in last year that has affected your sexual activity
mafsex	byte	%8.0g	mafsex	Medications in last year that have limited your sexual activity or enjoyment
lackint3m	byte	%8.0g	lackint3m	* Lacked interest in having sex for 3+ months, last year(orig: SFPrb, SC Sexual Fu
lackenj3m	byte	%8.0g	lackenj3m	* Lacked enjoyment in having sex for 3+ months, last year(orig: SFPrb, SC Sexual F
anxsex3m	byte	%8.0g	anxsex3m	Anxiety during sex for 3+ months, last year(orig: SFPrb, SC Sexual Functn)
painsex3m	byte	%8.0g	painsex3m	* Physical pain as a result of sex for 3+ months, last year(orig: SFPrb, SC Sexua
nonarou3m	byte	%8.0g	nonarou3m	* No excitement/arousal during sex for 3+ months, last year(orig: SFPrb, SC Sexual
nolgorg3m	byte	%8.0g	nolgorg3m	* No orgasm or took a long time to reach orgasm despite arousal for3+ months, last
premorg3m	byte	%8.0g	premorg3m	* Reached orgasm more quickly that would have liked for 3+ months, last year(orig:
lubric3m	byte	%8.0g	lubric3m	Uncomfortable dry vagina for 3+ months, last year(orig: SFPrb, SC Sexual Functn)
erect3m	byte	%8.0g	erect3m	* Trouble achieving/maintaining erections for 3+ months, last year(orig: SFPrb, S

nosfprb3m	byte	%8.0g	nosfprb3m	* None of these problems experienced for 3+ months, last year(orig: SFPrb, SC Sexu
oneplus3m	byte	%8.0g	oneplus3m	Experienced one or more sexual response problems for 3+ months, in the past year
twoplus3m	byte	%8.0g	twoplus3m	Experienced two or more sexual response problems for 3+ months, in the past year
sfprlng	byte	%8.0g	sfprlng	How long experiencing lacking of interest
sfprfrq	byte	%8.0g	sfprfrq	Frequency experiencing lacking of interest
sfprbds	byte	%8.0g	sfprbds	Degree of distress about lacking of interest
sfprlng2	byte	%8.0g	sfprlng2	How long experiencing lack of enjoyment
sfprfrq2	byte	%8.0g	sfprfrq2	Frequency experiencing lack of enjoyment
sfprbds2	byte	%8.0g	sfprbds2	Degree of distress about lack of enjoyment
sfprlng3	byte	%8.0g	sfprlng3	How long experiencing anxiousness
sfprfrq3	byte	%8.0g	sfprfrq3	Frequency experiencing anxiousness
sfprbds3	byte	%8.0g	sfprbds3	Degree of distress about anxiousness
sfprlng4	byte	%8.0g	sfprlng4	How long experiencing physical pain
sfprfrq4	byte	%8.0g	sfprfrq4	Frequency experiencing physical pain
sfprbds4	byte	%8.0g	sfprbds4	Degree of distress about physical pain
sfprlng5	byte	%8.0g	sfprlng5	How long experiencing lack of excitement/arousal during sex
sfprfrq5	byte	%8.0g	sfprfrq5	Frequency experiencing lack of excitement/arousal during sex
sfprbds5	byte	%8.0g	sfprbds5	Degree of distress about lack of excitement/arousal during sex
sfprlng6	byte	%8.0g	sfprlng6	How long experiencing taking a long time to orgasm/not orgasming
sfprfrq6	byte	%8.0g	sfprfrq6	Frequency experiencing taking a long time to orgasm/not orgasming
sfprbds6	byte	%8.0g	sfprbds6	Degree of distress about taking a long time to orgasm/not orgasming
sfprlng7	byte	%8.0g	sfprlng7	How long experiencing orgasming too quickly
sfprfrq7	byte	%8.0g	sfprfrq7	Frequency experiencing orgasming too quickly
sfprbds7	byte	%8.0g	sfprbds7	Degree of distress about orgasming too quickly
sfprlng8	byte	%8.0g	sfprlng8	How long experiencing uncomfortable dry vagina
sfprfrq8	byte	%8.0g	sfprfrq8	Frequency experiencing uncomfortable dry vagina
sfprbds8	byte	%8.0g	sfprbds8	Degree of distress about uncomfortable dry vagina
sfprlng9	byte	%8.0g	sfprlng9	How long experiencing trouble getting/keeping erection
sfprfrq9	byte	%8.0g	sfprfrq9	Frequency experiencing trouble getting/keeping erection
sfprbds9	byte	%8.0g	sfprbds9	Degree of distress about trouble getting/keeping erection
sfrint	byte	%8.0g	sfrint	Share same level of interest in having sex as partner
sflikes	byte	%8.0g	sflikes	Share same sexual likes and dislikes as partner
sfrpdf	byte	%8.0g	sfrpdf	Partner experienced sexual difficulties, last year
sfrem	byte	%8.0g	sfrem	Emotionally close to partner when have sex
sfrint2	byte	%8.0g	sfrint2	Participant does not share same level of interest in sex as partner (binary)
sflikes2	byte	%8.0g	sflikes2	

sfrpdf2	byte	%8.0g	sfrpdf2	Participant does not share same sexual likes & dislikes as partner (binary)
sfrem2	byte	%8.0g	sfrem2	Partner experienced sexual difficulties in past year (binary)
relsat	byte	%8.0g	relsat	Does not feel emotionally close to partner when have sex (binary)
relsat2	byte	%8.0g	relsat2	How happy in relationship with partner
sffsatis	byte	%8.0g	sffsatis	Happy in relationship
sffdst	byte	%8.0g	sffdst	Feel satisfied with sex life
sffavoid	byte	%8.0g	sffavoid	Feel distressed/worried by sex life
sffsatis2	byte	%8.0g	sffsatis2	Avoided sex because of sexual difficulties - theirs or partner
				Dissatisfied with sex life (binary)
sffdst2	byte	%8.0g	sffdst2	Distressed or worried about sex life (binary)
sffavoid2	byte	%8.0g	sffavoid2	
				Avoided sex because of own or partner's sexual difficulties
avoilackint	byte	%8.0g	avoilackint	
				* Lack of interest in sex causing avoidance of sex 1(orig: SFavPrb, SC Sexual Func
avoilackenj	byte	%8.0g	avoilackenj	
				* Lack of enjoyment in sex causing avoidance of sex(orig: SFavPrb, SC Sexual Funct
avoianxsex	byte	%8.0g	avoianxsex	
				* Felt anxious during sex causing avoidance of sex(orig: SFavPrb, SC Sexual Functn
avoipainsex	byte	%8.0g	avoipainsex	
				* Felt/feared physical painful sex causing avoidance of sex(orig: SFavPrb, SC Sexu
avoionarou	byte	%8.0g	avoionarou	
				No excitement/arousal causing avoidance of sex(orig: SFavPrb, SC Sexual Functn)
avoinolgorg	byte	%8.0g	avoinolgorg	
				* No orgasm or took a long time to reach orgasm causing avoidance of sex(orig: SFa
avoipremorg	byte	%8.0g	avoipremorg	
				* Reached orgasm more quickly than would have liked causing avoidance of sex(orig:
avoilubric	byte	%8.0g	avoilubric	
				* Uncomfortable dry vagina causing avoidance of sex(orig: SFavPrb, SC Sexual Funct
avoierect	byte	%8.0g	avoierect	
				* Trouble achieving/maintaining erections causing avoidance of sex(orig: SFavPrb,
avoipartprb	byte	%8.0g	avoipartprb	
				* Partner had sexual difficulties causing avoidance of sex(orig: SFavPrb, SC Sexua

avoinone	byte	%8.0g	avoinone	None of these problems caused avoidance of sex(orig: SFavPrb, SC Sexual Functn)
spfamfr	byte	%8.0g	spfamfr	* Contacted family member/friend about sexual advice(orig: SFHWch, SC Sexual Funct
spinternet	byte	%8.0g	spinternet	* Got information and support from the internet about sexual advice(orig: SFHWch,
spbookslea	byte	%8.0g	spbookslea	* Got self-help books/information leaflets about sexual advice(orig: SFHWch, SC Se
spselfh	byte	%8.0g	spselfh	Contacted self-help groups about sexual advice(orig: SFHWch, SC Sexual Functn)
sphelp1	byte	%8.0g	sphelp1	Contacted helpline about sexual advice(orig: SFHWch, SC Sexual Functn)
spgp	byte	%8.0g	spgp	Contacted GP/Family doctor about sexual advice(orig: SFHWch, SC Sexual Functn)
spgumsti	byte	%8.0g	spgumsti	* Contacted Sexual health/GUM/STI CLINIC about sexual advice(orig: SFHWch, SC Sexu
sppsyh	byte	%8.0g	sppsyh	* Contacted psychiatrist/psychologist about sexual advice(orig: SFHWch, SC Sexual
sprelc	byte	%8.0g	sprelc	* Contacted relationship counsellor about sexual advice(orig: SFHWch, SC Sexual Fu
spothrgp	byte	%8.0g	spothrgp	* Contacted other type of clinic or doctor about sexual advice(orig: SFHWch, SC Se
spnohelp	byte	%8.0g	spnohelp	Not sought any help about sexual advice(orig: SFHWch, SC Sexual Functn)
sphelp	byte	%8.0g	sphelp	Sought help or advice for sex life, past year
frequent	byte	%8.0g	frequent	Preference of frequency of sex now
easyoua	byte	%8.0g	easyoua	How easy to talk about sex, 1 lifetime partner
easyoub	byte	%8.0g	easyoub	How easy to talk about sex, 2+ lifetime partners
easyou	byte	%8.0g	easyou	Always easy to talk about sex with partners
medper	byte	%8.0g	medper	Taken drugs to assist sexual performance
medpwhn	byte	%8.0g	medpwhn	Last time took drugs to assist in sexual performance
drcannabis	byte	%8.0g	drcannabis	Ever taken cannabis (non-injected) (orig: DrugUse, SC Drugs)
drampheta	byte	%8.0g	drampheta	Ever taken amphetamines (non-injected) (orig: DrugUse, SC Drugs)
drcocaine	byte	%8.0g	drcocaine	Ever taken cocaine (non-injected) (orig: DrugUse, SC Drugs)
drcrack	byte	%8.0g	drcrack	Ever taken crack (non-injected) (orig: DrugUse, SC Drugs)
drecstasy	byte	%8.0g	drecstasy	Ever taken ecstasy (non-injected) (orig: DrugUse, SC Drugs)
drnonihero	byte	%8.0g	drnonihero	Ever taken non-injected heroine (non-injected) (orig: DrugUse, SC Drugs)
dracidlsd	byte	%8.0g	dracidlsd	

drcrysmeth	byte	%8.0g	drcrysmeth	Ever taken acid/LSD (non-injected) (orig: DrugUse, SC Drugs)
dramylnit	byte	%8.0g	dramylnit	Ever taken crystal meth (non-injected) (orig: DrugUse, SC Drugs)
drothnonpre	byte	%8.0g	drothnonpre	Ever taken amyl nitrates (non-injected) (orig: DrugUse, SC Drugs)
drnone	byte	%8.0g	drnone	Ever taken other non-prescribed drugs (non-injected) (orig: DrugUse, SC Drugs)
drcan12m	byte	%8.0g	drcan12m	Never taken these drugs (non-injected) (orig: DrugUse, SC Drugs)
drcan4w	byte	%8.0g	drcan4w	Have you taken cannabis in the last 12 months? (QCASI.QSelf.QDrugUse.DrCan12m)
drg12m	byte	%8.0g	drg12m	Have you taken cannabis in the last 4 weeks? (QCASI.QSelf.QDrugUse.DrCan4w)
drg4w	byte	%8.0g	drg4w	Taken drugs other than cannabis, in the last 12 months
inject2	byte	%8.0g	inject2	Taken drugs other than cannabis, in the last 4 weeks
wheninj	byte	%8.0g	wheninj	Ever injected non-prescribed drugs/other substances
injectly	byte	%8.0g	injectly	Last time injected non-prescribed drugs/other substances
injagfst	byte	%8.0g	injagfst	Injected non-prescribed drugs or other substances in the last year
needle	byte	%8.0g	needle	Age when first injected non-prescribed drugs
drugsever	byte	%8.0g	drugsever	Ever shared a needle or other equipment used for injecting
drugsyr	byte	%8.0g	drugsyr	Ever taken drugs, including injected drugs (orig: drnone, inject2)
drugsyr2	byte	%8.0g	drugsyr2	* Taken drugs in last year, including injected drugs (orig: drcan12m, drg12m, inje inje drug use in last year
mood1	byte	%8.0g	mood1	* How frequent bothered by 'little interest or pleasure in doing things', in last
mood2	byte	%8.0g	mood2	How frequent bothered by 'feeling down, depressed and hopeless', in last 2 weeks
mscore	byte	%8.0g	mscore	Total score on PHQ-2 (mood)
depscr	byte	%8.0g	depscr	Screen positive for current depression(based on PHQ-2, mood)
circum	byte	%8.0g	circum	Circumcised (incl. cirum1 and circum2)
rwadult	byte	%8.0g	rwadult	Opinion about adultery when married : right/wrong
rwcasual	byte	%8.0g	rwcasual	Opinion about one night stands? right/wrong.
rwsamm	byte	%8.0g	rwsamm	Opinion about sexual relations between two adult men? right/wrong
rwsamf	byte	%8.0g	rwsamf	Opinion about sexual relations between two adult women? right/wrong
snnolov	byte	%8.0g	snnolov	Sex without love OK
snpres	byte	%8.0g	snpres	People are under pressure to have sex
snold	byte	%8.0g	snold	Natural for people to want sex less as they get older
snsexdrv	byte	%8.0g	snsexdrv	Men have a naturally higher sex drive than women
snmedia	byte	%8.0g	snmedia	Too much sex in the media
snearly	byte	%8.0g	snearly	Young people today start having sex too early
sngayadp	byte	%8.0g	sngayadp	Gay men should be able to adopt children
snlesadp	byte	%8.0g	snlesadp	Lesbians should be able to adopt children

snsexed	byte	%8.0g	snsexed	Sex Education encourages young people to have sex
Ch1625	byte	%8.0g	Ch1625	Have children aged 16-25 who had contact with when they were growing up
talkch	byte	%8.0g	talkch	Ease of talking to children about sexual matters when growing up
uagesex	byte	%8.0g	uagesex	Proportion of young people having sex before 16
rskyou	byte	%8.0g	rskyou	HIV /AIDS risk: to self
stirisk	byte	%8.0g	stirisk	Other STI risk: to self
hhszise	int	%8.0g	hhszise	No. of people who live regularly in household (incl. respondent)
spoushh	byte	%8.0g	spoushh	Spouse in the household
civpthh	byte	%8.0g	civpthh	Civil partnership in the household
coopphh	byte	%8.0g	coopphh	Cohabiting opposite sex partner in the household
cosamhh	byte	%8.0g	cosamhh	Cohabiting same sex partner in the household
partnerhh	byte	%8.0g	partnerhh	Respondent lives with spouse/civil partner/cohabiting partner
hhpartage	int	%8.0g	hhpartage	Age of spouse/civil partner/cohabiting partner
child112	byte	%8.0g	child112	Respondent lives with child aged <12y (incl adopted/step/fostered)
child1217	byte	%8.0g	child1217	* Respondent lives with child aged 12-17y (incl adopted/step/fostered/son/daughter)
childm17	byte	%8.0g	childm17	Respondent lives with child aged 18+ (incl adopted/step/fostered)
parenthh	byte	%8.0g	parenthh	Respondent lives with parent/s (incl step/foster/parents-in-law)
othrelhh	byte	%8.0g	othrelhh	Respondent lives with other relatives
nonrelhh	byte	%8.0g	nonrelhh	Respondent lives with other non-relatives
rhold	int	%8.0g	rhold	Respondent's household structure, at time of interview
marstat	byte	%8.0g	marstat	Marital status at present
ms	byte	%8.0g	ms	Marital status, grouped (7groups)
ms2	byte	%8.0g	ms2	Marital status at present, grouped (4 groups)
ms3	byte	%8.0g	ms3	Marital status at present, grouped (6 groups)
relstat	byte	%8.0g	relstat	Relationship status at the time of interview
relstatgp	byte	%8.0g	relstatgp	Relationship status, grouped
relstatgp2	byte	%8.0g	relstatgp2	Relationship status (grouped)
pplive	byte	%8.0g	pplive	Previously lived with someone as a couple(if single & never married)
ppnum	byte	%8.0g	ppnum	No.of times lived with someone as couple
pplystrt	int	%8.0g	pplystrt	* Year started living with most recent live-in partner(orig: PPYStrt, Hhold Classi
pplms	byte	%8.0g	pplms	* Most recent live-in partner:type of union at start of cohabitation(orig: PPMS, H
pplmar	byte	%8.0g	pplmar	* Later married/entered into a civil patnership with most recent live-in partner(o
agelcohb	int	%8.0g	agelcohb	Respondent's age when started living with first partner (June used as estimate)

cohab420	byte	%8.0g	cohab420	Lived with someone before age 20 years
pplymar	int	%8.0g	pplymar	* Year married/entered a civil partnership with most recent live-in partner (if li
pplsex	byte	%8.0g	pplsex	Sex of most recent live-in partner(orig: PPSex, Hhold Classification)
pplystop	int	%8.0g	pplystop	* Sex stopped living with most recent live-in partner (if ever did)(orig: PPYStop
pplmonths	byte	%8.0g	pplmonths	* No. of months lived with most recent partner for, if started and stopped cohab i
pplwhy1	byte	%8.0g	pplwhy1	* Reason why most recent live-in partnership ended: relationship has not ended(ori
pplwhy2	byte	%8.0g	pplwhy2	* Reason why most recent live-in partnership ended: death of partner(orig: PPWhy,
pplwhy3	byte	%8.0g	pplwhy3	* Reason why most recent live-in partnership ended: difficulties with sex life(ori
pplwhy4	byte	%8.0g	pplwhy4	* Reason why most recent live-in partnership ended: other(orig: PPWhy, Hhold Class
pplwhy5	byte	%8.0g	pplwhy5	* Reason why most recent live-in partnership ended: domestic violence(orig: PPWhy,
pplwhy6	byte	%8.0g	pplwhy6	* Reason why most recent live-in partnership ended: different interests/nothing in
pplwhy7	byte	%8.0g	pplwhy7	* Reason why most recent live-in partnership ended: unfaithfulness/adultery(orig:
pplwhy8	byte	%8.0g	pplwhy8	* Reason why most recent live-in partnership ended: arguments(orig: PPWhy, Hhold C
pplwhy9	byte	%8.0g	pplwhy9	* Reason why most recent live-in partnership ended: not having any children(orig:
pplwhy10	byte	%8.0g	pplwhy10	* Reason why most recent live-in partnership ended: grew apart(orig: PPWhy, Hhold
pplwhy11	byte	%8.0g	pplwhy11	* Reason why most recent live-in partnership ended: moved due to change in circums
pplwhy12	byte	%8.0g	pplwhy12	* Reason why most recent live-in partnership ended: lack of respect or appreciatio
pplwhy13	byte	%8.0g	pplwhy13	* Reason why most recent live-in partnership ended: not sharing household responsi
pplwhy14	byte	%8.0g	pplwhy14	* Reason why most recent live-in partnership ended: money problems(orig: PPWhy, Hh
pplwhy15	byte	%8.0g	pplwhy15	* Reason why most recent live-in partnership ended: drink/drugs/gambling problems (
pplwhy16	byte	%8.0g	pplwhy16	* Reason why most recent live-in partnership ended: mental health or related probl
pplwhy17	byte	%8.0g	pplwhy17	* Reason why most recent live-in partnership ended: problem with children(orig: PP

pp1why18	byte	%8.0g	pp1why18	* Reason why most recent live-in partnership ended: never at home(orig: PPWhy, Hho
pp1why19	byte	%8.0g	pp1why19	* Reason why most recent live-in partnership ended: problems with parents/in-laws/
pp1why20	byte	%8.0g	pp1why20	* Reason why most recent live-in partnership ended: age problem(orig: PPWhy, Hhold
pp1why21	byte	%8.0g	pp1why21	* Reason why most recent live-in partnership ended: another relationship involved(
pp1why22	byte	%8.0g	pp1why22	* Reason why most recent live-in partnership ended: lived/moved to a different cou
pp1why23	byte	%8.0g	pp1why23	* Reason why most recent live-in partnership ended: changed mind/feelings/personal
pp1why24	byte	%8.0g	pp1why24	* Reason why most recent live-in partnership ended: partner left without explainat
pp1why25	byte	%8.0g	pp1why25	* Reason why most recent live-in partnership ended: Widow(orig: PPWhy, Hhold Class
pp2ystrt	int	%8.0g	pp2ystrt	* Year started living with 2nd most recent live-in partner(orig: PPYStrt, Hhold Cl
pp2ms	byte	%8.0g	pp2ms	* 2nd most recent live-in partner:type of union at start of cohabitation(orig: PPM
pp2mar	byte	%8.0g	pp2mar	* Later married/entered into a civil patnership with 2nd most recent live-in partn
pp2ymar	int	%8.0g	pp2ymar	* Year married/entered a civil patnership with 2nd most recent live-in partner (i
pp2sex	byte	%8.0g	pp2sex	Sex of 2nd most recent live-in partner(orig: PPSex, Hhold Classification)
pp2ystop	int	%8.0g	pp2ystop	* Year stopped living with 2nd most recent live-in partner (if ever did) (orig: PPY
pp2months	byte	%8.0g	pp2months	* No. of months lived with 2nd most recent partner for, if started and stopped coh
pp2why1	byte	%8.0g	pp2why1	* Reason why 2nd most recent live-in partnership ended: relationship has not ended
pp2why2	byte	%8.0g	pp2why2	* Reason why 2nd most recent live-in partnership ended: death of partner(orig: PPW
pp2why3	byte	%8.0g	pp2why3	* Reason why 2nd most recent live-in partnership ended: difficulties with sex life
pp2why4	byte	%8.0g	pp2why4	* Reason why 2nd most recent live-in partnership ended: other(orig: PPWhy, Hhold C
pp2why5	byte	%8.0g	pp2why5	* Reason why 2nd most recent live-in partnership ended: domestic violence(orig: PP
pp2why6	byte	%8.0g	pp2why6	* Reason why 2nd most recent live-in partnership ended: different interests/nothin
pp2why7	byte	%8.0g	pp2why7	* Reason why 2nd most recent live-in partnership ended:

pp2why8	byte	%8.0g	pp2why8	* Reason why 2nd most recent live-in partnership ended: arguments(orig: PPWhy, Hho
pp2why9	byte	%8.0g	pp2why9	* Reason why 2nd most recent live-in partnership ended: not having any children(or
pp2why10	byte	%8.0g	pp2why10	* Reason why 2nd most recent live-in partnership ended: grew apart(orig: PPWhy, Hh
pp2why11	byte	%8.0g	pp2why11	* Reason why 2nd most recent live-in partnership ended: moved due to change in cir
pp2why12	byte	%8.0g	pp2why12	* Reason why 2nd most recent live-in partnership ended: lack of respect or appreci
pp2why13	byte	%8.0g	pp2why13	* Reason why 2nd most recent live-in partnership ended: not sharing household resp
pp2why14	byte	%8.0g	pp2why14	* Reason why 2nd most recent live-in partnership ended: money problems(orig: PPWhy
pp2why15	byte	%8.0g	pp2why15	* Reason why 2nd most recent live-in partnership ended: drink/drugs/gambling probl
pp2why16	byte	%8.0g	pp2why16	* Reason why 2nd most recent live-in partnership ended: mental health or related p
pp2why17	byte	%8.0g	pp2why17	* Reason why 2nd most recent live-in partnership ended: problem with children(orig
pp2why18	byte	%8.0g	pp2why18	* Reason why 2nd most recent live-in partnership ended: never at home(orig: PPWhy,
pp2why19	byte	%8.0g	pp2why19	* Reason why 2nd most recent live-in partnership ended: problems with parents/in-1
pp2why20	byte	%8.0g	pp2why20	* Reason why 2nd most recent live-in partnership ended: age problem(orig: PPWhy, H
pp2why21	byte	%8.0g	pp2why21	* Reason why 2nd most recent live-in partnership ended: another relationship invol
pp2why22	byte	%8.0g	pp2why22	* Reason why 2nd most recent live-in partnership ended: lived/moved to a different
pp2why23	byte	%8.0g	pp2why23	* Reason why 2nd most recent live-in partnership ended: changed mind/feelings/pers
pp2why24	byte	%8.0g	pp2why24	* Reason why 2nd most recent live-in partnership ended: partner left without expla
pp3ystrt	int	%8.0g	pp3ystrt	* Year started living with 3rd most recent live-in partner(orig: PPYStrt, Hhold C1
pp3ms	byte	%8.0g	pp3ms	* 3rd most recent live-in partner:type of union at start of cohabitation(orig: PPM
pp3mar	byte	%8.0g	pp3mar	* Later married/entered into a civil partnership with 3rd most recent live-in partn
pp3ymar	int	%8.0g	pp3ymar	* Year married/entered a civil patnership with 3rd most recent live-in partner (i

pp3sex	byte	%8.0g	pp3sex	Sex of 3rd most recent live-in partner(orig: PPSex, Hhold Classification)
pp3ystop	int	%8.0g	pp3ystop	* Year stopped living with 3rd most recent live-in partner (if ever did) (orig: PPY
pp3months	byte	%8.0g	pp3months	* No. of months lived with 3rd most recent partner for, if started and stopped coh
pp4ystrt	int	%8.0g	pp4ystrt	* Year started living with 4th most recent live-in partner(orig: PPYStrt, Hhold Cl
pp4ms	byte	%8.0g	pp4ms	* 4th most recent live-in partner:type of union at start of cohabitation(orig: PPM
pp4mar	byte	%8.0g	pp4mar	* Later married/entered into a civil patnership with 4th most recent live-in partn
pp4sex	byte	%8.0g	pp4sex	Sex of 4th most recent live-in partner(orig: PPSex, Hhold Classification)
pp4ystop	int	%8.0g	pp4ystop	* Year stopped living with 4th most recent live-in partner (if ever did) (orig: PPY
pp4months	byte	%8.0g	pp4months	* No. of months lived with 4th most recent partner for, if started and stopped coh
pp5ystrt	int	%8.0g	pp5ystrt	* Year started living with first ever live-in partner (if Pnum>4) (orig: PPYStrt, H
pp5ms	byte	%8.0g	pp5ms	* First ever live-in partner:type of union at start of cohabitation (if Pnum>4) (or
pp5mar	byte	%8.0g	pp5mar	* Later married/entered into a civil patnership with first ever live-in partner (i
pp5sex	byte	%8.0g	pp5sex	Sex of first ever live-in partner (if Pnum>4) (orig: PPSex, Hhold Classification)
pp5ystop	int	%8.0g	pp5ystop	* Year stopped living with first ever live-in partner (if ever did) (if Pnum>4) (or
pp5months	byte	%8.0g	pp5months	* No. of months lived with first ever partner for, if started and stopped cohab in
pp1strt_ind	byte	%8.0g	pp1strt_ind	Date known for most recent live-in partnership started
pp2strt_ind	byte	%8.0g	pp2strt_ind	Date known for 2nd most recent live-in partnership started
pp3strt_ind	byte	%8.0g	pp3strt_ind	Date known for 3rd most recent live-in partnership started
pp4strt_ind	byte	%8.0g	pp4strt_ind	Date known for 4th most recent live-in partnership started
pp5strt_ind	byte	%8.0g	pp5strt_ind	Date known for 1st ever live-in partnership started
tenure	byte	%8.0g	tenure	Own / rent accomodation
livehere	byte	%8.0g	livehere	Always lived in village / town / city

whenmove	byte	%8.0g	whenmove	Age when moved to present village / town / city
rfted	byte	%8.0g	rfted	Occupation last week: Full-time education(orig: Ractiv, Hhold Classification)
rjpdwork	byte	%8.0g	rjpdwork	* Occupation last week: Paid employment (incl self-employed)(orig: Ractiv, Hhold)
rgovtr	byte	%8.0g	rgovtr	* Occupation last week: Government scheme for employment training(orig: Ractiv, Hh)
rueunpaid	byte	%8.0g	rueunpaid	* Occupation last week: Unpaid work for a business that R or relative owns(orig: R)
rwaitwork	byte	%8.0g	rwaitwork	* Occupation last week: Waiting to take up paid work already obtained(orig: Ractiv)
ruelookn	byte	%8.0g	ruelookn	* Occupation last week: Unempoyed: looking for paid work / Government training sc
rtempsick	byte	%8.0g	rtempsick	* Occupation last week: Unemployed: Intending to look for work but prevented by te
rpermsick	byte	%8.0g	rpermsick	* Occupation last week: long term sickness or disability(orig: Ractiv, Hhold Class)
rretired	byte	%8.0g	rretired	Occupation last week: Retired(orig: Ractiv, Hhold Classification)
rhome	byte	%8.0g	rhome	* Occupation last week: Looking after home / family(orig: Ractiv, Hhold Classifica)
rother	byte	%8.0g	rother	Occupation last week: Doing something else(orig: Ractiv, Hhold Classification)
ractivhi2	byte	%8.0g	ractivhi2	Highest occupational code(orig: RActivHi, Hhold Classification)
ractivhi3	byte	%8.0g	ractivhi3	Respondent's Highest occupation code (comparable with Natsal-2 Ractivhi)
employed	byte	%8.0g	employed	Employment status at interview
hours	byte	%8.0g	hours	Hours worked per week, main job
revraway	byte	%8.0g	revraway	Ever away with job for 1+ night at a time?
rngtawaygpd	int	%8.0g	rngtawaygpd	No. of nights away with job in last year, grouped
rnights	byte	%8.0g	rnights	Usually work night shifts
rlastjob	byte	%8.0g	rlastjob	When last had a paid job of 10+ hours a week
rempstat	byte	%8.0g	rempstat	Employee/self-employed?
rnssecgp_6	byte	%8.0g	rnssecgp_6	Respondent's NSSEC code (8 groups)
rnssecgp_4	byte	%8.0g	rnssecgp_4	Respondent's NSSEC code (5 groups)
rsoc2000_9	byte	%8.0g	rsoc2000_9	

rsoc2000_7	byte	%8.0g	rsoc2000_7	Respondent's SOC2000 (9 major groups)
RSOC2000_4	byte	%8.0g	RSOC2000_4	Respondent's SOC2000 code (7 major grps)
rsoc2010_9	byte	%8.0g	rsoc2010_9	Respondent's SOC2000 code (4 groups)
rsoc2010_7	byte	%8.0g	rsoc2010_7	Respondent's SOC2010 (9 major groups)
rsoc2010_4	byte	%8.0g	rsoc2010_4	Respondent's SOC2010 (7 major groups)
pfted	byte	%8.0g	pfted	Respondent's SOC2010 code (4 groups)
pjpdwork	byte	%8.0g	pjpdwork	* Partner's occupation last week: Full-time education(orig: PActiv, Hhold Classifi
pgovtr	byte	%8.0g	pgovtr	* Partner's occupation last week: Paid employment(incl self-employed) (orig: PActiv
pueunpaid	byte	%8.0g	pueunpaid	* Partner's occupation last week: Government scheme for employment training(orig:
pwaitwork	byte	%8.0g	pwaitwork	* Partner's occupation last week: Unpaid work for a business that R or relative ow
puelookn	byte	%8.0g	puelookn	* Partner's occupation last week: Wwaiting to take up paid work already obtained(o
ptempsick	byte	%8.0g	ptempsick	* Partner's occupation last week: Unemployed:looking for paid work/Government train
ppermsick	byte	%8.0g	ppermsick	* Partner's occupation last week: Unemployed:Intending to look for work but preven
pretired	byte	%8.0g	pretired	* Partner's occupation last week: Long term sickness or disability(orig: PActiv, H
phome	byte	%8.0g	phome	Partner's occupation last week: Retired(orig: PActiv, Hhold Classification)
pother	byte	%8.0g	pother	* Partner's occupation last week: Looking after home/family(orig: PActiv, Hhold Cl
pactivhi2	byte	%8.0g	pactivhi2	* Partner's occupation last week: Doing something else(orig: PActiv, Hhold Classif
pactivhi3	byte	%8.0g	pactivhi3	Partner's Highest occupational code(orig: PActivHi, Hhold Classification)
phours	byte	%8.0g	phours	Partner's highest occupation code (comparable with Natsal-2 variable pactivhi)
pevraway	byte	%8.0g	pevraway	Hours worked per week by partner, main job
				Partner ever away with job for 1+ night at a time?

pngtawaygpd	int	%8.0g	pngtawaygpd	No. of nights partner away with job in last year, grouped
plastjob	byte	%8.0g	plastjob	When last had a paid job of 10+ hours a week
pempstat	byte	%8.0g	pempstat	Partner is employee/self-employed?
pnssecgp_6	byte	%8.0g	pnssecgp_6	Partner's NSSEC code (8 groups)
pnssecgp_4	byte	%8.0g	pnssecgp_4	Partner's NSSEC code (5 groups)
psoc2010_9	byte	%8.0g	psoc2010_9	Partner's SOC2010 (9 major groups)
psoc2010_7	byte	%8.0g	psoc2010_7	Partner's SOC2010 code (7 major groups)
psoc2010_4	byte	%8.0g	psoc2010_4	Partner's SOC2010 code (4 groups)
psoc2000_9	byte	%8.0g	psoc2000_9	Partner's SOC2010 (9 major groups)
psoc2000_7	byte	%8.0g	psoc2000_7	Partner's SOC2000 code (7 major grps)
psoc2000_4	byte	%8.0g	psoc2000_4	Partner's SOC2000 code (4 groups)
hhnsecgp_6	byte	%8.0g	hhnsecgp_6	Household NSSEC code (8 grps)
hhnsecgp_4	byte	%8.0g	hhnsecgp_4	Household NSSEC code (5 grps)
income	byte	%8.0g	income	Household income per year (incl benefits, pensions etc)
tedage	byte	%8.0g	tedage	Age completed continuous full-time education
anyexam	byte	%8.0g	anyexam	Passed any exams/got any qualifications
educ	byte	%8.0g	educ	Left school at 16 with/without passing any exams/gaining any qualifications
educ2	byte	%8.0g	educ2	* Left school at 16 with/without passing any exams/gaining any qualifications (ver
exams	byte	%8.0g	exams	Highest academic qualifiaction
exams2	byte	%8.0g	exams2	Highest academic qualification, grouped
anyqual	byte	%8.0g	anyqual	Passed any non-academic exams/qualifications
educ3	byte	%8.0g	educ3	Highest educational qualification (academic/non-academic), grouped
educ4	byte	%8.0g	educ4	Academic qualifications (age 17+ at interview)
typesch	byte	%8.0g	typesch	Last school was mixed/single-sex
singlsex	byte	%8.0g	singlsex	Last school was single-sex
boarder	byte	%8.0g	boarder	Any of secondary schooling as a boarder
parlocc	byte	%8.0g	parlocc	Parent's occupation when respondent was aged 14
par2occ	byte	%8.0g	par2occ	Was parent self-employed/employee?
par3occ	byte	%8.0g	par3occ	Parent responsible for supervising others
parsc3	byte	%8.0g	parsc3	Parent's social class grouped (orig: parlocc, par2occ, par3occ)
parsc_kw	byte	%8.0g	parsc_kw	Parents social class, grouped

ethnicgrp	byte	%8.0g	ethnicgrp	Ethnic group that respondent considers themselves belonging to, grouped
sexid	byte	%8.0g	sexid	Sexual identity
religimp	byte	%8.0g	religimp	Importance of religion and religious beliefs now
belrelig	byte	%8.0g	belrelig	Belong to any religion now
whirel	byte	%8.0g	whirel	Which religion belongs to
religion	byte	%8.0g	religion	Religion, grouped
religio2	byte	%8.0g	religio2	Religion, grouped (version 2)
oftrelig	byte	%8.0g	oftrelig	Frequency of attendance to religious services/meetings
netacc	byte	%8.0g	netacc	Does your household have access to the Internet from home? (QClass.NetAcc)
intagain	byte	%8.0g	intagain *	Would you be willing for a researcher from the study team to contact you again a
email	byte	%8.0g	email	Is there an email we can contact you on
outcome	int	%8.0g	outcome	FINAL OUTCOME FOR HOUSEHOLD INTERVIEW, = Computed OR UnOut (Admin.Outcome)
others	byte	%8.0g	others	Any other people in the household at all during the interview
whothere	byte	%8.0g	whothere *	Someone else present/passing through who could overhear any part of the interview
homespart	byte	%8.0g	homespart	Spouse/Partner was present/passing through during interview(orig: D63, Admin)
homepars	byte	%8.0g	homepars	Parents present/passing through during interview(orig: D64, Admin)
home0to5	byte	%8.0g	home0to5 *	Child(ren) aged 0-5yrs present/passing through during interview(orig: D65, Admin)
home6to15	byte	%8.0g	home6to15 *	Child(ren) aged 6-15yrs present/passing through during interview(orig: D66, Admi)
home16to21	byte	%8.0g	home16to21 *	Young adults aged 16-21yrs present/passing through during interview(orig: D67, A)
home22	byte	%8.0g	home22 *	Other adults aged 22yrs or more present/passing through during interview(orig: D
scseen	byte	%8.0g	scseen *	Someone in the household looked/discussed any part of the self-completion questi
langprob	byte	%8.0g	langprob	Respondent had difficulty during the interview because of language problems
litprob	byte	%8.0g	litprob	Respondent had difficulty during the interview because of literacy problems
cogprob	byte	%8.0g	cogprob *	Respondent had difficulty during the interview because of other problems in unde
readcard	byte	%8.0g	readcard	Interviewer had to read out some of the show cards
embarras	byte	%8.0g	embarras	Interviewer felt respondent was embarrassed
willing	byte	%8.0g	willing	Willingness to take part in the survey
adults	int	%8.0g	adults	DV: Number of adults in Hhld aged 16-74
gor	byte	%8.0g	gor	Government Office Region
gor2	byte	%8.0g	gor2	Grouped Government Office Region (3 groups)

gor_1	byte	%8.0g	gor_1	Government Office Region(inner & outer London specified)
london	byte	%8.0g	london	Respondent lives in Greater London (as defined by 'gor')
npopdens	byte	%8.0g	npopdens	England Population density (quintiles)
snpopdens	byte	%8.0g	snpopdens	Scotland Population density (quintiles)
wnpopdens	byte	%8.0g	wnpopdens	Wales Population density (quintiles)
adj_imd Quintile	byte	%8.0g	adj_imd Quintile	Quintile of adjusted IMD (For Great Britain)
qimd	byte	%8.0g	qimd	England: IMD score (2010) -Quintiles
qwimd	byte	%8.0g	qwimd	Wales: IMD score (2011) -Quintiles
qsimd	byte	%8.0g	qsimd	Scotland: IMD score (2009) -Quintiles
urindew	byte	%8.0g	urindew	Urban/Rural Indicator (England & Wales)
urindsc	byte	%8.0g	urindsc	Urban/Rural Indicator (Scotland)

* indicated variables have notes

Sorted by:

```
. log close
  name: <unnamed>
  log: C:\Dropbox\DATA\NATSAL-3\stata\Variables_SMALL_natsal_2010.log
  log type: text
  closed on: 22 Aug 2020, 09:58:33
```
