

2010 National Health Interview Survey (NHIS) 1
 Sample Adult Public Use File (samadult)
 IDN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

Continuous variables in the frequency report only show the range of valid numbers

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|------------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 27157 | 100.00 |
| 31 Sample Adult Cancer | 0 | 0.00 |
| 38 Quality of Life | 0 | 0.00 |
| 40 Sample Child | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 63 Disability Questions Tests 2010 | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 27157 | 100.00 |

IDN.000_04.000: Household Number

| HHX | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27157 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 7365 | 27.12 |
| 2 Quarter 2 | 6656 | 24.51 |
| 3 Quarter 3 | 6633 | 24.42 |
| 4 Quarter 4 | 6503 | 23.95 |

2010 National Health Interview Survey (NHIS) 2
 Sample Adult Public Use File (samadult)
 IDN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

IDN.000_30.000: Assignment Week

| ASSIGNWK | Frequency | Percent |
|------------|-----------|---------|
| 01 Week 1 | 1900 | 7.00 |
| 02 Week 2 | 1440 | 5.30 |
| 03 Week 3 | 2053 | 7.56 |
| 04 Week 4 | 2135 | 7.86 |
| 05 Week 5 | 2811 | 10.35 |
| 06 Week 6 | 2256 | 8.31 |
| 07 Week 7 | 2294 | 8.45 |
| 08 Week 8 | 2185 | 8.05 |
| 09 Week 9 | 2362 | 8.70 |
| 10 Week 10 | 2218 | 8.17 |
| 11 Week 11 | 2126 | 7.83 |
| 12 Week 12 | 1683 | 6.20 |
| 13 Week 13 | 1694 | 6.24 |

IDN.000_35.000: Family Number

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 27157 | 100.00 |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 27157 | 100.00 |

IDN.000_65.000: Weight - Interim Annual

| WTIA_SA | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27157 | 100.00 |

IDN.000_70.000: Weight - Final Annual

| WTFA_SA | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27157 | 100.00 |

UCF.000_00.000: Region

| REGION | Frequency | Percent |
|-------------|-----------|---------|
| 1 Northeast | 4369 | 16.09 |
| 2 Midwest | 5992 | 22.06 |
| 3 South | 9973 | 36.72 |
| 4 West | 6823 | 25.12 |

UCF.000_00.000: Pseudo-stratum for public use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| 001-300 | 27157 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| 01-02 | 27157 | 100.00 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Wednesday, May 25, 2011
 Unweighted Frequencies

HHC.110_00.000: Sex

| SEX | Frequency | Percent |
|----------|-----------|---------|
| 1 Male | 11986 | 44.14 |
| 2 Female | 15171 | 55.86 |

HHC.180_00.000: Hispanic subgroup detail

| HISPAN_I | Frequency | Percent |
|--|-----------|---------|
| 00 Multiple Hispanic | 104 | 0.38 |
| 01 Puerto Rico | 531 | 1.96 |
| 02 Mexican | 2006 | 7.39 |
| 03 Mexican-American | 1050 | 3.87 |
| 04 Cuban/Cuban American | 273 | 1.01 |
| 05 Dominican (Republic) | 197 | 0.73 |
| 06 Central or South American | 881 | 3.24 |
| 07 Other Latin American, type not specified | 9 | 0.03 |
| 08 Other Spanish | 107 | 0.39 |
| 09 Hispanic/Latino/Spanish, non-specific type | 0 | 0.00 |
| 10 Hispanic/Latino/Spanish, type refused | 0 | 0.00 |
| 11 Hispanic/Latino/Spanish, type not ascertained | 0 | 0.00 |
| 12 Not Hispanic/Spanish origin | 21999 | 81.01 |

HHC.200_01.000: OMB groups w/multiple race

| RACERPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White only | 20097 | 74.00 |
| 02 Black/African American only | 4587 | 16.89 |
| 03 AIAN only | 219 | 0.81 |
| 04 Asian only | 1768 | 6.51 |
| 05 Race group not releasable (See file layout) | 36 | 0.13 |
| 06 Multiple race | 450 | 1.66 |

HHC.200_01.000: Race coded to single/multiple race group

| MRACRPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White | 20285 | 74.70 |
| 02 Black/African American | 4688 | 17.26 |
| 03 Indian (American), Alaska Native | 262 | 0.96 |
| 09 Asian Indian | 311 | 1.15 |
| 10 Chinese | 366 | 1.35 |
| 11 Filipino | 435 | 1.60 |
| 15 Other Asian (See file layout) | 683 | 2.52 |
| 16 Primary race not releasable (See file layout) | 52 | 0.19 |
| 17 Multiple race, no primary race selected | 75 | 0.28 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Wednesday, May 25, 2011
 Unweighted Frequencies

HHC.200_01.000: Race coded to single/multiple race group

| MRACBPI2 | Frequency | Percent |
|---|-----------|---------|
| 01 White | 18373 | 67.65 |
| 02 Black/African American | 4562 | 16.80 |
| 03 Indian (American) (includes Eskimo, Aleut) | 205 | 0.75 |
| 06 Chinese | 364 | 1.34 |
| 07 Filipino | 403 | 1.48 |
| 12 Asian Indian | 310 | 1.14 |
| 16 Other race (See file layout) | 2821 | 10.39 |
| 17 Multiple race, no primary race selected | 119 | 0.44 |

HHC.420_00.000: Age

| AGE_P | Frequency | Percent |
|------------------|-----------|---------|
| 00 Under 1 year | 0 | 0.00 |
| 01-84 1-84 years | 26417 | 97.28 |
| 85 85+ years | 740 | 2.72 |

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
FID Variables Wednesday, May 25, 2011
Unweighted Frequencies

FID.250_00.000: Marital Status

| R_MARITL | Frequency | Percent |
|---|-----------|---------|
| 0 Under 14 years | 0 | 0.00 |
| 1 Married - spouse in household | 11598 | 42.71 |
| 2 Married - spouse not in household | 433 | 1.59 |
| 3 Married - spouse in household unknown | 0 | 0.00 |
| 4 Widowed | 2506 | 9.23 |
| 5 Divorced | 3585 | 13.20 |
| 6 Separated | 966 | 3.56 |
| 7 Never married | 6449 | 23.75 |
| 8 Living with partner | 1572 | 5.79 |
| 9 Unknown marital status | 48 | 0.18 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AID Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AID.005_00.000: Sample adult status

| PROXYSA | Frequency | Percent |
|---|-----------|---------|
| 1 Physical or mental condition prohibits responding | 382 | 1.41 |
| 2 Sample adult is able to respond | 25774 | 94.91 |
| 3 Unknown | 1001 | 3.69 |

AID.010_00.000: Knowledgeable proxy for Sample Adult available

| PROX1 | Frequency | Percent |
|-------|-----------|---------|
| 1 Yes | 378 | 98.95 |
| 2 No | 4 | 1.05 |

Frequency Missing = 26775

AID.015_00.000: Relationship of SA proxy to SA

| PROX2 | Frequency | Percent |
|--|-----------|---------|
| 1 Relative who lives in household | 317 | 83.86 |
| 2 Relative who doesn't live in household | 38 | 10.05 |
| 3 Other caregiver | 16 | 4.23 |
| 4 Other | 7 | 1.85 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26779

2010 National Health Interview Survey (NHIS) 8
Sample Adult Public Use File (samadult)
QOL Variables Wednesday, May 25, 2011
Unweighted Frequencies

QOL.001_00.000: Quality of life flag

| QOL_FLG | Frequency | Percent |
|---------------------------------------|-----------|---------|
| 1 Selected to receive QOL section | 6775 | 24.95 |
| 2 Not selected to receive QOL section | 20382 | 75.05 |

2010 National Health Interview Survey (NHIS) 9
Sample Adult Public Use File (samadult)
FDB Variables Wednesday, May 25, 2011
Unweighted Frequencies

FDB.001_00.000: Disability Questions Tests flag

| FDRN_FLG | Frequency | Percent |
|---------------------------------------|-----------|---------|
| 1 Not selected to receive FDB section | 13550 | 49.90 |
| 2 Selected to receive FDB section | 13607 | 50.10 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Frequency |
|---|-----------|
| 1 Working for pay at a job or business | 14805 |
| 2 With a job or business but not at work | 608 |
| 3 Looking for work | 1870 |
| 4 Working, but not for pay, at a family-owned job or business | 236 |
| 5 Not working at a job or business and not looking for work | 9625 |
| 7 Refused | 10 |
| 8 Not ascertained | 0 |
| 9 Don't know | 3 |

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Percent |
|---|---------|
| 1 Working for pay at a job or business | 54.52 |
| 2 With a job or business but not at work | 2.24 |
| 3 Looking for work | 6.89 |
| 4 Working, but not for pay, at a family-owned job or business | 0.87 |
| 5 Not working at a job or business and not looking for work | 35.44 |
| 7 Refused | 0.04 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.01 |

ASD.065_00.000: Main reason for not working last week

| WHYNOWKA | Frequency | Percent |
|--|-----------|---------|
| 01 Taking care of house or family | 1648 | 16.10 |
| 02 Going to school | 753 | 7.36 |
| 03 Retired | 4753 | 46.45 |
| 04 On a planned vacation from work | 259 | 2.53 |
| 05 On family or maternity leave | 69 | 0.67 |
| 06 Temporarily unable to work for health reasons | 239 | 2.34 |
| 07 Have job/contract and off-season | 169 | 1.65 |
| 08 On layoff | 174 | 1.70 |
| 09 Disabled | 1839 | 17.97 |
| 10 Other | 329 | 3.22 |
| 97 Refused | 1 | 0.01 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 16924

2010 National Health Interview Survey (NHIS) 11
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.066_00.000: Ever worked

| EVERWRK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9790 | 85.07 |
| 2 No | 1704 | 14.81 |
| 7 Refused | 11 | 0.10 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.03 |

Frequency Missing = 15649

ASD.080_00.000: Detailed industry classification
 (based on 2007 NAICS codes from Census)

| INDSTRN1 | Frequency | Percent |
|--|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 25439 | 100.00 |

Frequency Missing = 1718

ASD.080_00.000: Simple industry classification
 (based on 2007 NAICS Codes from Census)

| INDSTRN2 | Frequency | Percent |
|--|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 25439 | 100.00 |

Frequency Missing = 1718

ASD.090_00.000: Detailed occupation classification
 (based on 2010 SOC codes from Census)

| OCCUPN1 | Frequency | Percent |
|--|-----------|---------|
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 25439 | 100.00 |

Frequency Missing = 1718

ASD.090_00.000: Simple occupation classification
 (based on 2010 SOC codes from Census)

| OCCUPN2 | Frequency | Percent |
|--|-----------|---------|
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 25439 | 100.00 |

Frequency Missing = 1718

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.110_00.000: Class of worker

| WRKCATA | Frequency |
|--|-----------|
| ----- | |
| 1 Employee of a PRIVATE company for wages | 18688 |
| 2 A FEDERAL government employee | 951 |
| 3 A STATE government employee | 1689 |
| 4 A LOCAL government employee | 1804 |
| 5 Self-employed in OWN business, professional practice or farm | 2068 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 100 |
| 7 Refused | 67 |
| 8 Not ascertained | 0 |
| 9 Don't know | 72 |

ASD.110_00.000: Class of worker

| WRKCATA | Percent |
|--|---------|
| ----- | |
| 1 Employee of a PRIVATE company for wages | 73.46 |
| 2 A FEDERAL government employee | 3.74 |
| 3 A STATE government employee | 6.64 |
| 4 A LOCAL government employee | 7.09 |
| 5 Self-employed in OWN business, professional practice or farm | 8.13 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 0.39 |
| 7 Refused | 0.26 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.28 |

Frequency Missing = 1718

ASD.112_00.000: Current job an incorporated business

| BUSINC1A | Frequency | Percent |
|-------------------|-----------|---------|
| ----- | | |
| 1 Yes | 501 | 24.23 |
| 2 No | 1553 | 75.10 |
| 7 Refused | 6 | 0.29 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.39 |

Frequency Missing = 25089

2010 National Health Interview Survey (NHIS) 13
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.120_00.000: Number of employees at work

| LOCALL1A | Frequency | Percent |
|---------------------------|-----------|---------|
| 01 1-9 employees | 6268 | 24.64 |
| 02 10-24 employees | 3532 | 13.88 |
| 03 25-49 employees | 2753 | 10.82 |
| 04 50-99 employees | 2526 | 9.93 |
| 05 100-249 employees | 2981 | 11.72 |
| 06 250-499 employees | 1682 | 6.61 |
| 07 500-999 employees | 1237 | 4.86 |
| 08 1000 employees or more | 3204 | 12.59 |
| 97 Refused | 122 | 0.48 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1134 | 4.46 |

Frequency Missing = 1718

ASD.140_02.000: Number of years on the job

| YRSWRKPA | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 3699 | 14.54 |
| 01-34 years | 20511 | 80.63 |
| 35 35 or more years | 926 | 3.64 |
| 97 Refused | 147 | 0.58 |
| 98 Not ascertained | 1 | 0.00 |
| 99 Don't know | 155 | 0.61 |

Frequency Missing = 1718

ASD.146_00.000: Current/most recent job also longest held job

| WRKLONGH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13118 | 63.71 |
| 2 No | 7384 | 35.86 |
| 7 Refused | 60 | 0.29 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 29 | 0.14 |

Frequency Missing = 6566

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ASD Variables Wednesday, May 25, 2011
Unweighted Frequencies

ASD.150_00.000: Paid by the hour at current/most recent job

| HOURPDA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15622 | 61.41 |
| 2 No | 9663 | 37.98 |
| 7 Refused | 81 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 73 | 0.29 |

Frequency Missing = 1718

ASD.160_00.000: Paid sick leave at current/most recent job

| PDSICKA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13153 | 51.70 |
| 2 No | 11913 | 46.83 |
| 7 Refused | 66 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 307 | 1.21 |

Frequency Missing = 1718

ASD.170_00.000: Have more than one job

| ONEJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1339 | 8.56 |
| 2 No | 14287 | 91.30 |
| 7 Refused | 21 | 0.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.01 |

Frequency Missing = 11508

ASD.210_00.000: Work status: last week, past 12 months

| WRKLYR4 | Frequency | Percent |
|--|-----------|---------|
| 0 Had job last week | 15649 | 57.62 |
| 1 No job last week, had job past 12 months | 1875 | 6.90 |
| 2 No job last week, no job past 12 months | 7867 | 28.97 |
| 3 Never worked | 1702 | 6.27 |
| 7 Refused | 43 | 0.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 21 | 0.08 |

ASD.210_00.010: Job held in past 12 months was longest-held job

| MRECLONG | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| 1 Yes | 147 | 46.96 |
| 2 No | 166 | 53.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26844

ASD.210_00.030: Detailed industry classification (retired or 65+; worked in past 12 months; not longest-held job)

| INDSPY1 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 166 | 100.00 |

Frequency Missing = 26991

ASD.210_00.030: Simple industry classification (retired or 65+; worked in past 12 months; not longest-held job)

| INDSPY2 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 166 | 100.00 |

Frequency Missing = 26991

ASD.210_00.040: Detailed occupation classification (retired or 65+; worked in past 12 months; not longest-held job)

| OCCUPPY1 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 166 | 100.00 |

Frequency Missing = 26991

ASD.210_00.040: Simple occupation classification (retired or 65+; worked in past 12 months; not longest-held job)

| OCCUPPY2 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 166 | 100.00 |

Frequency Missing = 26991

2010 National Health Interview Survey (NHIS) 16
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.210_00.060: Class of worker (retired or 65+;
 worked in past 12 months; not longest-held job)

| WRKCATPY | Frequency | Percent |
|--|-----------|---------|
| 1 An employee of a PRIVATE company, business, or individual for wages, salary, or commission | 102 | 61.45 |
| 2 A FEDERAL government employee | 6 | 3.61 |
| 3 A STATE government employee | 10 | 6.02 |
| 4 A LOCAL government employee | 19 | 11.45 |
| 5 Self-employed in OWN business, professional practice or farm | 26 | 15.66 |
| 6 Working WITHOUT PAY in family-owned business or farm | 1 | 0.60 |
| 7 Refused | 1 | 0.60 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.60 |

Frequency Missing = 26991

RECODE: Number of years on the job (retired or 65+;
 worked in past 12 months; not longest-held job)

| YRSWRKPY | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 42 | 25.30 |
| 01-34 years | 122 | 73.49 |
| 35 35 or more years | 1 | 0.60 |
| 97 Refused | 1 | 0.60 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 26991

ASD.210_00.090: Detailed industry classification
 (current or most recent job not longest-held job)

| INDSLH1 | Frequency | Percent |
|---|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 6134 | 100.00 |

Frequency Missing = 21023

ASD.210_00.090: Simple industry classification (current
 or most recent job not longest-held job)

| INDSLH2 | Frequency | Percent |
|---|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 6134 | 100.00 |

Frequency Missing = 21023

ASD.210_00.100: Detailed occupation classification
 (current or most recent job not longest-held job)

| OCCUPLH1 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 6134 | 100.00 |

Frequency Missing = 21023

ASD.210_00.100: Simple occupation classification
 (current or most recent job not longest-held job)

| OCCUPLH2 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 6134 | 100.00 |

Frequency Missing = 21023

ASD.210_00.120: Class of worker (current
 or most recent job not longest-held job)

| WRKCATLH | Frequency | Percent |
|---|-----------|---------|
| <hr/> | | |
| 1 An employee of a PRIVATE company, business, or individual for wages, salary, or commission | 4951 | 80.71 |
| 2 A FEDERAL government employee | 323 | 5.27 |
| 3 A STATE government employee | 272 | 4.43 |
| 4 A LOCAL government employee | 257 | 4.19 |
| 5 Self-employed in OWN business, professional practice or farm | 270 | 4.40 |
| 6 Working WITHOUT PAY in family-owned business or farm | 7 | 0.11 |
| 7 Refused | 23 | 0.37 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 31 | 0.51 |

Frequency Missing = 21023

RECODE: Number of years on the job (current
 or most recent job not longest-held job)

| YRSWRKLH | Frequency | Percent |
|---------------------|-----------|---------|
| <hr/> | | |
| 00 Less than 1 year | 216 | 3.52 |
| 01-34 years | 5777 | 94.18 |
| 35 35 or more years | 59 | 0.96 |
| 97 Refused | 44 | 0.72 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 38 | 0.62 |

Frequency Missing = 21023

2010 National Health Interview Survey (NHIS) 18
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.210_00.140: Work arrangement

| WRKARRNG | Frequency | Percent |
|--|-----------|---------|
| 1 You [work/worked] as an independent contractor, independent consultant, or freelance worker | 1770 | 10.10 |
| 2 You [are/were] on-call, and [work/worked] only when called to work | 484 | 2.76 |
| 3 You [are/were] paid by a temporary agency | 205 | 1.17 |
| 4 You [work/worked] for a contractor who provides workers and services to others under contract | 314 | 1.79 |
| 5 You [are/were] a regular, permanent employee (standard work arrangement) | 14103 | 80.48 |
| 6 Other | 618 | 3.53 |
| 7 Refused | 22 | 0.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.05 |

Frequency Missing = 9633

ASD.210_00.150: Temporary job

| WRKTEMP | Frequency | Percent |
|--------------|-----------|---------|
| 1 Yes | 1326 | 7.57 |
| 2 No | 16161 | 92.22 |
| 7 Refused | 17 | 0.10 |
| 9 Don't know | 20 | 0.11 |

Frequency Missing = 9633

ASD.210_00.160: Work schedule

| WRKSCHED | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 A regular daytime schedule | 12525 | 71.47 |
| 2 A regular evening shift | 908 | 5.18 |
| 3 A regular night shift | 668 | 3.81 |
| 4 A rotating shift | 1711 | 9.76 |
| 5 Some other schedule | 1686 | 9.62 |
| 7 Refused | 22 | 0.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.02 |

Frequency Missing = 9633

2010 National Health Interview Survey (NHIS) 19
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.210_00.170: Worried about becoming unemployed

| WORUNEMP | Frequency | Percent |
|---------------------|-----------|---------|
| 1 Strongly agree | 2387 | 13.62 |
| 2 Agree | 3701 | 21.12 |
| 3 Disagree | 6440 | 36.75 |
| 4 Strongly disagree | 4913 | 28.04 |
| 7 Refused | 24 | 0.14 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 59 | 0.34 |

Frequency Missing = 9633

ASD.210_00.180: Compatibility of work and family responsibilities

| WORKWFAM | Frequency | Percent |
|---------------------|-----------|---------|
| 1 Strongly agree | 5775 | 32.95 |
| 2 Agree | 8706 | 49.68 |
| 3 Disagree | 2217 | 12.65 |
| 4 Strongly disagree | 726 | 4.14 |
| 7 Refused | 28 | 0.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 72 | 0.41 |

Frequency Missing = 9633

ASD.210_00.190: Experienced harassment, bullying on the job, past 12 months

| HARASSED | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1422 | 8.11 |
| 2 No | 16047 | 91.57 |
| 7 Refused | 34 | 0.19 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 21 | 0.12 |

Frequency Missing = 9633

ASD.210_00.200: Experienced regular skin contact with chemical substances on the job, past 12 months

| CHEMEXP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3446 | 19.66 |
| 2 No | 14042 | 80.13 |
| 7 Refused | 16 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 0.11 |

Frequency Missing = 9633

2010 National Health Interview Survey (NHIS) 20
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.210_00.210: Experienced regular exposure to tobacco
 smoke from other people at work, past 12 months

| SMOKEXP | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 2587 | 14.76 |
| 2 No | 14907 | 85.07 |
| 7 Refused | 15 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.09 |

Frequency Missing = 9633

ASD.210_00.220: Regularly worked outdoors twice a week or more, past 12 months

| WRKOUTDR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 4197 | 23.95 |
| 2 No | 13303 | 75.91 |
| 7 Refused | 10 | 0.06 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.08 |

Frequency Missing = 9633

ASD.210_00.230: Regularly exposed to vapors, gas,
 dust, or fumes at work twice a week or more

| VAPOREXP | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 4301 | 24.61 |
| 2 No | 13146 | 75.22 |
| 7 Refused | 7 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 22 | 0.13 |

Frequency Missing = 9681

ASD.210_00.239: Had injury/poisoning during the
 past 3 months while working at a paid job

| IPWHATR | Frequency | Percent |
|---------|-----------|---------|
| | | |
| 1 Yes | 105 | 100.00 |

Frequency Missing = 27052

2010 National Health Interview Survey (NHIS) 21
 Sample Adult Public Use File (samadult)
 ASD Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ASD.210_00.240: Filed workers' compensation
 form for on-the-job injury or poisoning

| INJWCCLM | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 1 Yes | 41 | 39.05 |
| 2 No | 63 | 60.00 |
| 3 No injuries/poisonings on the job | 1 | 0.95 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27052

ASD.210_00.250: Received workers' compensation
 benefits for on-the-job injury or poisoning

| INJWCBEN | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Yes | 22 | 53.66 |
| 2 No | 9 | 21.95 |
| 3 Claim(s) in process | 10 | 24.39 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27116

2010 National Health Interview Survey (NHIS) 22
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.010_00.000: Ever been told you have hypertension

| HYPEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8847 | 32.58 |
| 2 No | 18264 | 67.25 |
| 7 Refused | 14 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 32 | 0.12 |

ACN.020_00.000: Ever had hypertension on 2+ visits

| HYPDIFV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7593 | 85.83 |
| 2 No | 1235 | 13.96 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 19 | 0.21 |

Frequency Missing = 18310

ACN.031_01.000: Ever been told you had coronary heart disease

| CHDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1331 | 4.90 |
| 2 No | 25766 | 94.88 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 47 | 0.17 |

ACN.031_02.000: Ever been told you had angina pectoris

| ANGEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 616 | 2.27 |
| 2 No | 26489 | 97.54 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 40 | 0.15 |

ACN.031_03.000: Ever been told you had a heart attack

| MIEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 928 | 3.42 |
| 2 No | 26203 | 96.49 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.05 |

2010 National Health Interview Survey (NHIS) 23
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.031_04.000: Ever been told you had a heart condition/disease

| HRTEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2096 | 7.72 |
| 2 No | 25024 | 92.15 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.09 |

ACN.031_05.000: Ever been told you had a stroke

| STREV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 842 | 3.10 |
| 2 No | 26284 | 96.79 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 0.07 |

ACN.031_06.000: Ever been told you had emphysema

| EPHEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 530 | 1.95 |
| 2 No | 26599 | 97.95 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.06 |

ACN.080_00.000: Ever been told you had asthma

| AASMEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3350 | 12.34 |
| 2 No | 23787 | 87.59 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.04 |

ACN.085_00.000: Still have asthma

| AASSTILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2218 | 66.21 |
| 2 No | 1108 | 33.07 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 24 | 0.72 |

Frequency Missing = 23807

2010 National Health Interview Survey (NHIS) 24
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.090_00.000: Had an asthma episode/attack past 12 m

| AASMYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1158 | 34.57 |
| 2 No | 2188 | 65.31 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.12 |

Frequency Missing = 23807

ACN.100_00.000: Had visit to ER due to asthma past 12 m

| AASERYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 303 | 9.04 |
| 2 No | 3045 | 90.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.06 |

Frequency Missing = 23807

ACN.105_00.010: Age when first told had asthma

| AASAGE_P | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 1195 | 97.39 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 32 | 2.61 |

Frequency Missing = 25930

ACN.105_00.015: Less than 16 first told had asthma

| AASAGE16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Less than 16 | 26 | 81.25 |
| 2 16 or older | 6 | 18.75 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27125

ACN.105_00.020: Asthma better/worse/same

| AASSTAT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Better | 427 | 68.32 |
| 2 Worse | 68 | 10.88 |
| 3 About the same | 129 | 20.64 |
| 7 Refused | 1 | 0.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26532

ACN.105_00.030: Employed when asthma developed/worsened

| AASEMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 520 | 77.61 |
| 2 No | 148 | 22.09 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.30 |

Frequency Missing = 26487

ACN.105_00.040: Current/most recent job when asthma developed/worsened

| AASCJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 241 | 46.35 |
| 2 No | 279 | 53.65 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26637

ACN.105_00.045: Longest job held when asthma developed/worsened

| AASLHJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 107 | 64.85 |
| 2 No | 58 | 35.15 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26992

ACN.105_00.060: Detailed industry classification

| INDSTAS1 | Frequency | Percent |
|---|-----------|---------|
| <hr/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation. . | 172 | 100.00 |

Frequency Missing = 26985

ACN.105_00.060: Simple industry classification

| INDSTAS2 | Frequency | Percent |
|---|-----------|---------|
| <hr/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation. . | 172 | 100.00 |

Frequency Missing = 26985

ACN.105_00.070: Detailed occupation classification

| OCCUPAS1 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 172 | 100.00 |

Frequency Missing = 26985

ACN.105_00.070: Simple occupation classification

| OCCUPAS2 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 172 | 100.00 |

Frequency Missing = 26985

ACN.105_00.100: Ever told asthma work-related

| AASWKREL | Frequency | Percent |
|-------------------|-----------|---------|
| <hr/> | | |
| 1 Yes | 93 | 7.58 |
| 2 No | 1131 | 92.18 |
| 7 Refused | 1 | 0.08 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.16 |

Frequency Missing = 25930

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.105_00.110: Ever discuss if asthma work-related

| AASDWKRL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 79 | 6.97 |
| 2 No | 1053 | 92.86 |
| 7 Refused | 1 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.09 |

Frequency Missing = 26023

ACN.105_00.120: Ever filed workers' comp for asthma

| AASWCCLM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9 | 0.73 |
| 2 No | 1217 | 99.19 |
| 7 Refused | 1 | 0.08 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25930

ACN.105_00.130: Ever received workers' comp for asthma

| AASWC BEN | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Yes | 2 | 22.22 |
| 2 No | 7 | 77.78 |
| 3 Claim(s) in process | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27148

ACN.105_00.140: # Work days missed past 12 m

| AASWKDAY | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 925 | 75.39 |
| 001-366 1-366 days | 298 | 24.29 |
| 997 Refused | 3 | 0.24 |
| 998 Not ascertained | 0 | 0.00 |
| 999 Don't know | 1 | 0.08 |

Frequency Missing = 25930

2010 National Health Interview Survey (NHIS) 28
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.105_00.150: Change work activities past 12 m

| AASCHJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 34 | 2.77 |
| 2 No | 1192 | 97.15 |
| 7 Refused | 1 | 0.08 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25930

ACN.110_00.000: Ever been told you have an ulcer

| ULCEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1868 | 6.88 |
| 2 No | 25262 | 93.02 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 0.07 |

ACN.120_00.000: Had ulcer in past 12 m

| ULCYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 532 | 28.48 |
| 2 No | 1323 | 70.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.70 |

Frequency Missing = 25289

ACN.130_00.000: Ever told by a doctor you had cancer

| CANEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2333 | 8.59 |
| 2 No | 24804 | 91.34 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.140_01.000: What kind of cancer ... Bladder

| CNKIND1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 60 | 2.57 |
| 2 Not mentioned | 2256 | 96.70 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_02.000: What kind of cancer ... Blood

| CNKIND2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.51 |
| 2 Not mentioned | 2304 | 98.76 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_03.000: What kind of cancer ... Bone

| CNKIND3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 19 | 0.81 |
| 2 Not mentioned | 2297 | 98.46 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_04.000: What kind of cancer ... Brain

| CNKIND4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 16 | 0.69 |
| 2 Not mentioned | 2300 | 98.59 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.140_05.000: What kind of cancer ... Breast

| CNKIND5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 439 | 18.82 |
| 2 Not mentioned | 1877 | 80.45 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_06.000: What kind of cancer ... Cervix

| CNKIND6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 183 | 12.88 |
| 2 Not mentioned | 1226 | 86.28 |
| 7 Refused | 4 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.56 |

Frequency Missing = 25736

ACN.140_07.000: What kind of cancer ... Colon

| CNKIND7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 164 | 7.03 |
| 2 Not mentioned | 2152 | 92.24 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_08.000: What kind of cancer ... Esophagus

| CNKIND8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.51 |
| 2 Not mentioned | 2304 | 98.76 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_09.000: What kind of cancer ... Gallbladder

| CNKIND9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 0.13 |
| 2 Not mentioned | 2313 | 99.14 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_10.000: What kind of cancer ... Kidney

| CNKIND10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 46 | 1.97 |
| 2 Not mentioned | 2270 | 97.30 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_11.000: What kind of cancer ... larynx-windpipe

| CNKIND11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 5 | 0.21 |
| 2 Not mentioned | 2311 | 99.06 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_12.000: What kind of cancer ... Leukemia

| CNKIND12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 32 | 1.37 |
| 2 Not mentioned | 2284 | 97.90 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.140_13.000: What kind of cancer ... Liver

| CNKIND13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 19 | 0.81 |
| 2 Not mentioned | 2297 | 98.46 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_14.000: What kind of cancer ... Lung

| CNKIND14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 67 | 2.87 |
| 2 Not mentioned | 2249 | 96.40 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_15.000: What kind of cancer ... Lymphoma

| CNKIND15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 73 | 3.13 |
| 2 Not mentioned | 2243 | 96.14 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_16.000: What kind of cancer ... Melanoma

| CNKIND16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 171 | 7.33 |
| 2 Not mentioned | 2145 | 91.94 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.140_17.000: What kind of cancer ... mouth/tongue/lip

| CNKIND17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10 | 0.43 |
| 2 Not mentioned | 2306 | 98.84 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_18.000: What kind of cancer ... Ovary

| CNKIND18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 55 | 3.87 |
| 2 Not mentioned | 1354 | 95.29 |
| 7 Refused | 4 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.56 |

Frequency Missing = 25736

ACN.140_19.000: What kind of cancer ... Pancreas

| CNKIND19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 0.51 |
| 2 Not mentioned | 2304 | 98.76 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_20.000: What kind of cancer ... Prostate

| CNKIND20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 284 | 31.14 |
| 2 Not mentioned | 623 | 68.31 |
| 7 Refused | 2 | 0.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.33 |

Frequency Missing = 26245

2010 National Health Interview Survey (NHIS) 34
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.140_21.000: What kind of cancer ... Rectum

| CNKIND21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 11 | 0.47 |
| 2 Not mentioned | 2305 | 98.80 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_22.000: What kind of cancer ... skin (non-melanoma)

| CNKIND22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 440 | 18.86 |
| 2 Not mentioned | 1876 | 80.41 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_23.000: What kind of cancer ... skin (DK kind)

| CNKIND23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 164 | 7.03 |
| 2 Not mentioned | 2152 | 92.24 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_24.000: What kind of cancer ... soft tissue (muscle or fat)

| CNKIND24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 14 | 0.60 |
| 2 Not mentioned | 2302 | 98.67 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.140_25.000: What kind of cancer ... Stomach

| CNKIND25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 22 | 0.94 |
| 2 Not mentioned | 2294 | 98.33 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_26.000: What kind of cancer ... Testis

| CNKIND26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 24 | 2.63 |
| 2 Not mentioned | 883 | 96.82 |
| 7 Refused | 2 | 0.22 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.33 |

Frequency Missing = 26245

ACN.140_27.000: What kind of cancer ... throat - pharynx

| CNKIND27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 15 | 0.64 |
| 2 Not mentioned | 2301 | 98.63 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_28.000: What kind of cancer ... Thyroid

| CNKIND28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 60 | 2.57 |
| 2 Not mentioned | 2256 | 96.70 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.140_29.000: What kind of cancer ... Uterus

| CNKIND29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 110 | 7.74 |
| 2 Not mentioned | 1299 | 91.41 |
| 7 Refused | 4 | 0.28 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.56 |

Frequency Missing = 25736

ACN.140_30.000: What kind of cancer ... Other

| CNKIND30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 97 | 4.16 |
| 2 Not mentioned | 2219 | 95.11 |
| 7 Refused | 6 | 0.26 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.47 |

Frequency Missing = 24824

ACN.140_31.000: What kind of cancer ... more than 3 kinds

| CNKIND31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 17.95 |
| 2 Not mentioned | 32 | 82.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27118

ACN.150_01.000: Age first diagnosed w/bladder cancer

| CANAGE1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 55 | 91.67 |
| 85 85+ years | 4 | 6.67 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.67 |

Frequency Missing = 27097

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.150_02.000: Age first diagnosed w/blood cancer

| CANAGE2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 12 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27145

ACN.150_03.000: Age first diagnosed w/bone cancer

| CANAGE3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 19 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27138

ACN.150_04.000: Age first diagnosed w/brain cancer

| CANAGE4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 16 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27141

ACN.150_05.000: Age first diagnosed w/breast cancer

| CANAGE5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 427 | 97.27 |
| 85 85+ years | 8 | 1.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 0.91 |

Frequency Missing = 26718

ACN.150_06.000: Age first diagnosed w/cervical cancer

| CANAGE6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 182 | 99.45 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.55 |

Frequency Missing = 26974

ACN.150_07.000: Age first diagnosed w/colon cancer

| CANAGE7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 155 | 94.51 |
| 85 85+ years | 7 | 4.27 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.22 |

Frequency Missing = 26993

ACN.150_08.000: Age first diagnosed w/esophageal cancer

| CANAGE8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 12 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27145

ACN.150_09.000: Age first diagnosed w/gallbladder cancer

| CANAGE9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 3 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27154

2010 National Health Interview Survey (NHIS) 39
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.150_10.000: Age first diagnosed w/kidney cancer

| CANAGE10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 46 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27111

ACN.150_11.000: Age first diagnosed w/larynx-windpipe cancer

| CANAGE11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 5 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27152

ACN.150_12.000: Age first diagnosed w/leukemia

| CANAGE12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 32 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27125

ACN.150_13.000: Age first diagnosed w/liver cancer

| CANAGE13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 19 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27138

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

40

ACN.150_14.000: Age first diagnosed w/lung cancer

| CANAGE14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 66 | 98.51 |
| 85 85+ years | 1 | 1.49 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27090

ACN.150_15.000: Age first diagnosed w/lymphoma

| CANAGE15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 72 | 98.63 |
| 85 85+ years | 1 | 1.37 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27084

ACN.150_16.000: Age first diagnosed w/melanoma

| CANAGE16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 169 | 98.83 |
| 85 85+ years | 2 | 1.17 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 26986

ACN.150_17.000: Age first diagnosed w/mouth/tongue/lip cancer

| CANAGE17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 9 | 90.00 |
| 85 85+ years | 1 | 10.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27147

ACN.150_18.000: Age first diagnosed w/ovarian cancer

| CANAGE18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 53 | 96.36 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 3.64 |

Frequency Missing = 27102

ACN.150_19.000: Age first diagnosed w/pancreatic cancer

| CANAGE19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 12 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27145

ACN.150_20.000: Age first diagnosed w/prostate cancer

| CANAGE20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 281 | 98.94 |
| 85 85+ years | 2 | 0.70 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.35 |

Frequency Missing = 26873

ACN.150_21.000: Age first diagnosed w/rectal cancer

| CANAGE21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 11 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27146

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.150_22.000: Age first diagnosed w/skin (non-melanoma) cancer

| CANAGE22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 427 | 97.05 |
| 85 85+ years | 8 | 1.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 1.14 |

Frequency Missing = 26717

ACN.150_23.000: Age first diagnosed w/skin (DK kind) cancer

| CANAGE23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 157 | 95.73 |
| 85 85+ years | 5 | 3.05 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.22 |

Frequency Missing = 26993

ACN.150_24.000: Age first diagnosed w/soft tissue cancer

| CANAGE24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 14 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27143

ACN.150_25.000: Age first diagnosed w/stomach cancer

| CANAGE25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 21 | 95.45 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 4.55 |

Frequency Missing = 27135

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.150_26.000: Age first diagnosed w/testicular cancer

| CANAGE26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 24 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27133

ACN.150_27.000: Age first diagnosed w/throat/pharynx cancer

| CANAGE27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 15 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27142

ACN.150_28.000: Age first diagnosed w/thyroid cancer

| CANAGE28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 60 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27097

ACN.150_29.000: Age first diagnosed w/uterine cancer

| CANAGE29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 109 | 99.09 |
| 85 85+ years | 1 | 0.91 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27047

2010 National Health Interview Survey (NHIS) 44
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.150_30.000: Age first diagnosed w/other cancer

| CANAGE30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 89 | 91.75 |
| 85 85+ years | 4 | 4.12 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 4.12 |

Frequency Missing = 27060

ACN.160_00.000: Ever been told that you have diabetes

| DIBEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2772 | 10.21 |
| 2 No | 24009 | 88.41 |
| 3 Borderline | 360 | 1.33 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.02 |

ACN.165_00.000: Ever had prediabetes or other symptoms

| DIBPRE1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1106 | 4.54 |
| 2 No | 23251 | 95.35 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 0.07 |

Frequency Missing = 2772

ACN.170_00.000: Age first diagnosed w/diabetes

| DIBAGE | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 2696 | 97.26 |
| 85 85+ years | 20 | 0.72 |
| 97 Refused | 6 | 0.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 50 | 1.80 |

Frequency Missing = 24385

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

45

ACN.170_00.000: Years since first diagnosed w/diabetes

| DIFAGE2 | Frequency | Percent |
|--|-----------|---------|
| 00 Within past year | 109 | 3.93 |
| 01-84 1-84 years | 2592 | 93.51 |
| 85 85+ years | 0 | 0.00 |
| 96 1+ year(s) with diabetes and age is 85+ | 15 | 0.54 |
| 97 Refused | 6 | 0.22 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 50 | 1.80 |

Frequency Missing = 24385

ACN.180_00.000: NOW taking insulin

| INSLN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 801 | 20.65 |
| 2 No | 3076 | 79.32 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.03 |

Frequency Missing = 23279

ACN.190_00.000: NOW taking diabetic pills

| DIBPILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2139 | 55.16 |
| 2 No | 1736 | 44.77 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.08 |

Frequency Missing = 23279

ACN.192_00.010: Ever been told you had seizure disorder/epilepsy

| EPILEP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 480 | 1.77 |
| 2 No | 26659 | 98.17 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

2010 National Health Interview Survey (NHIS) 46
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.192_00.020: Now taking epilepsy meds

| EPILEP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 240 | 50.00 |
| 2 No | 239 | 49.79 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.21 |

Frequency Missing = 26677

ACN.192_00.030: # Seizures past 12 m

| EPILEP3 | Frequency | Percent |
|------------------------|-----------|---------|
| 0 None | 316 | 65.83 |
| 1 One | 37 | 7.71 |
| 2 Two or three | 47 | 9.79 |
| 3 Between four and ten | 32 | 6.67 |
| 4 More than 10 | 42 | 8.75 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 1.25 |

Frequency Missing = 26677

ACN.192_00.040: Seen neurologist/specialist past 12 m

| EPILEP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 168 | 35.00 |
| 2 No | 310 | 64.58 |
| 7 Refused | 1 | 0.21 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.21 |

Frequency Missing = 26677

ACN.192_00.050: Epilepsy interfered w/activities past 30 d

| EPILEP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Not at all | 352 | 73.33 |
| 2 Slightly | 48 | 10.00 |
| 3 Moderately | 30 | 6.25 |
| 4 Quite a bit | 22 | 4.58 |
| 5 Extremely | 25 | 5.21 |
| 7 Refused | 1 | 0.21 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.42 |

Frequency Missing = 26677

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.201_01.000: Told that you had hay fever, past 12 m

| AHAYFYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2022 | 7.45 |
| 2 No | 25113 | 92.47 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.05 |

ACN.201_02.000: Told that you had sinusitis, past 12 m

| SINYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3504 | 12.90 |
| 2 No | 23630 | 87.01 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.201_03.000: Told you had chronic bronchitis, 12 m

| CBRCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1214 | 4.47 |
| 2 No | 25925 | 95.46 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.201_04.000: Told you had weak/failing kidneys, 12 m

| KIDWKYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 545 | 2.01 |
| 2 No | 26588 | 97.90 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

ACN.201_05.000: Told you had liver condition, past 12 m

| LIVYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 422 | 1.55 |
| 2 No | 26712 | 98.36 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.06 |

2010 National Health Interview Survey (NHIS) 48
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.210_00.010: Dermatitis/skin condition past 12 m

| DRMYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2641 | 9.72 |
| 2 No | 24498 | 90.21 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.215_01.010: What body part affected...hands

| DRMBODY1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 663 | 25.10 |
| 2 Not mentioned | 1978 | 74.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 24516

ACN.215_02.010: What body part affected...arms

| DRMBODY2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 990 | 37.49 |
| 2 Not mentioned | 1651 | 62.51 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 24516

ACN.215_03.010: What body part affected...head/face/neck

| DRMBODY3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 944 | 35.74 |
| 2 Not mentioned | 1697 | 64.26 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 24516

ACN.215_04.010: What body part affected...other

| DRMBODY4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1314 | 49.75 |
| 2 Not mentioned | 1327 | 50.25 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 24516

ACN.217_00.010: Ever seen doctor/health prof for skin condition

| DRMTRET | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1266 | 76.17 |
| 2 No | 396 | 23.83 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25495

ACN.217_00.020: Ever been told skin condition work-related

| DRMWKREL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 98 | 7.74 |
| 2 No | 1165 | 92.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.24 |

Frequency Missing = 25891

ACN.220_00.020: Skin condition related to current/most recent job

| DRMCJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 81 | 82.65 |
| 2 No | 17 | 17.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27059

ACN.220_00.030: Skin condition related to longest-held job

| DRMLHJOB | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| 1 Yes | 14 | 87.50 |
| 2 No | 2 | 12.50 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27141

ACN.220_00.050: Detailed industry classification

| INDSDR1 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 3 | 100.00 |

Frequency Missing = 27154

ACN.220_00.050: Simple industry classification

| INDSDR2 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 3 | 100.00 |

Frequency Missing = 27154

ACN.220_00.060: Detailed occupation classification

| OCCUPDR1 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 3 | 100.00 |

Frequency Missing = 27154

ACN.220_00.060: Simple occupation classification

| OCCUPDR2 | Frequency | Percent |
|---|-----------|---------|
| <hr style="border-top: 1px dashed black;"/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 3 | 100.00 |

Frequency Missing = 27154

ACN.220_00.100: Ever filed workers' comp for skin condition

| DRMWCCLM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7 | 0.55 |
| 2 No | 1259 | 99.45 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25891

ACN.220_00.110: Ever receive workers' comp for skin condition

| DRMWCBEN | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Yes | 2 | 28.57 |
| 2 No | 5 | 71.43 |
| 3 Claim(s) in process | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27150

ACN.220_00.120: # Work days missed due to skin condition past 12 m

| DRMWKDAY | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 1393 | 83.81 |
| 001-366 1-366 days | 268 | 16.13 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 0 | 0.00 |
| 999 Don't know | 1 | 0.06 |

Frequency Missing = 25495

ACN.220_00.130: Change in work activities past 12 m

| DRMCHJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 16 | 0.96 |
| 2 No | 1646 | 99.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25495

ACN.250_00.000: Symptoms of joint pain/aching/stiffness past 30 d

| JNTSYMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9099 | 33.51 |
| 2 No | 18037 | 66.42 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.05 |

ACN.260_01.000: Which joint affected...shoulder-right

| JMTHP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2162 | 23.76 |
| 2 Not mentioned | 6918 | 76.03 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_02.000: Which joint affected...shoulder-left

| JMTHP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2037 | 22.39 |
| 2 Not mentioned | 7043 | 77.40 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_03.000: Which joint affected...elbow-right

| JMTHP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1193 | 13.11 |
| 2 Not mentioned | 7887 | 86.68 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

2010 National Health Interview Survey (NHIS) 53
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.260_04.000: Which joint affected...elbow-left

| JMTHP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1124 | 12.35 |
| 2 Not mentioned | 7956 | 87.44 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_05.000: Which joint affected...hip-right

| JMTHP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1732 | 19.04 |
| 2 Not mentioned | 7348 | 80.76 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_06.000: Which joint affected...hip-left

| JMTHP6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1628 | 17.89 |
| 2 Not mentioned | 7452 | 81.90 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_07.000: Which joint affected...wrist-right

| JMTHP7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1440 | 15.83 |
| 2 Not mentioned | 7640 | 83.97 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

2010 National Health Interview Survey (NHIS) 54
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.260_08.000: Which joint affected...wrist-left

| JMTHP8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1305 | 14.34 |
| 2 Not mentioned | 7775 | 85.45 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_09.000: Which joint affected...knee-right

| JMTHP9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4710 | 51.76 |
| 2 Not mentioned | 4370 | 48.03 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_10.000: Which joint affected...knee-left

| JMTHP10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4553 | 50.04 |
| 2 Not mentioned | 4527 | 49.75 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_11.000: Which joint affected...ankle-right

| JMTHP11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1519 | 16.69 |
| 2 Not mentioned | 7561 | 83.10 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_12.000: Which joint affected...ankle-left

| JMTHP12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1422 | 15.63 |
| 2 Not mentioned | 7658 | 84.16 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_13.000: Which joint affected...toes-right

| JMTHP13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 761 | 8.36 |
| 2 Not mentioned | 8319 | 91.43 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_14.000: Which joint affected...toes-left

| JMTHP14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 715 | 7.86 |
| 2 Not mentioned | 8365 | 91.93 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_15.000: Which joint affected...fingers/thumb-right

| JMTHP15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1943 | 21.35 |
| 2 Not mentioned | 7137 | 78.44 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_16.000: Which joint affected...fingers/thumb-left

| JMTHP16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1805 | 19.84 |
| 2 Not mentioned | 7275 | 79.95 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.260_17.000: Which joint affected...other joint not listed

| JMTHP17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 497 | 5.46 |
| 2 Not mentioned | 8583 | 94.33 |
| 7 Refused | 10 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 18058

ACN.270_00.000: Joint symptoms begin more than 3 months ago

| JNTCHR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8005 | 87.98 |
| 2 No | 1088 | 11.96 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.05 |

Frequency Missing = 18058

ACN.280_00.000: Ever seen doctor or health professional for joint symptoms

| JNTHP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6432 | 70.69 |
| 2 No | 2661 | 29.24 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.05 |

Frequency Missing = 18058

ACN.290_00.000: Ever been told you had arthritis

| ARTH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6436 | 23.70 |
| 2 No | 20683 | 76.16 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 30 | 0.11 |

ACN.295_00.000: Limited due to arthritis or joint symptoms

| ARTHLMT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3886 | 36.27 |
| 2 No | 6818 | 63.64 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.08 |

Frequency Missing = 16443

ACN.296_00.010: Ever been told you had carpal tunnel syndrome

| CTSEVER | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2213 | 8.15 |
| 2 No | 24914 | 91.74 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 22 | 0.08 |

ACN.296_00.020: Carpal tunnel synd past 12m

| CTSyr | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1015 | 45.87 |
| 2 No | 1193 | 53.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.23 |

Frequency Missing = 24944

2010 National Health Interview Survey (NHIS) 58
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.297_00.010: Age first diagnosed w/ carpal tunnel synd

| CTSAGE_P | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 553 | 98.57 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 8 | 1.43 |

Frequency Missing = 26596

ACN.297_00.015: Told carpal tunnel synd work-related

| CTSWKREL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 363 | 66.36 |
| 2 No | 177 | 32.36 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 1.28 |

Frequency Missing = 26610

ACN.297_00.030: Carpal tunnel synd related to current/most recent job

| CTSCJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 201 | 55.37 |
| 2 No | 160 | 44.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.55 |

Frequency Missing = 26794

ACN.297_00.040: Carpal tunnel synd related to longest-held job

| CTSLHJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 92 | 76.67 |
| 2 No | 28 | 23.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27037

ACN.297_00.060: Detailed industry classification

| INDSTCT1 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 68 | 100.00 |

Frequency Missing = 27089

ACN.297_00.060: Simple industry classification

| INDSTCT2 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 68 | 100.00 |

Frequency Missing = 27089

ACN.297_00.070: Detailed occupation classification

| OCCUPCT1 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 68 | 100.00 |

Frequency Missing = 27089

ACN.297_00.070: Simple occupation classification

| OCCUPCT2 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 68 | 100.00 |

Frequency Missing = 27089

ACN.297_00.100: Ever filed workers' comp for carpal tunnel synd

| CTSWCCLM | Frequency | Percent |
|-------------------|-----------|---------|
| <hr/> | | |
| 1 Yes | 62 | 11.33 |
| 2 No | 484 | 88.48 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.18 |

Frequency Missing = 26610

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.297_00.110: Ever receive workers' comp for carpal tunnel synd

| CTSWCBEN | Frequency | Percent |
|-----------------------|-----------|---------|
| 1 Yes | 33 | 53.23 |
| 2 No | 26 | 41.94 |
| 3 Claim(s) in process | 3 | 4.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27095

ACN.297_00.120: # Work days missed due to carpal tunnel synd past 12 m

| CTSWKDAY | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 437 | 79.89 |
| 001-366 1-366 days | 106 | 19.38 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 0 | 0.00 |
| 999 Don't know | 4 | 0.73 |

Frequency Missing = 26610

ACN.297_00.130: Change in work activities due to carpal tunnel synd past 12 m

| CTSCHJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 50 | 9.14 |
| 2 No | 497 | 90.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26610

ACN.300_00.000: Had neck pain, past 3 months

| PAINECK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4386 | 16.15 |
| 2 No | 22752 | 83.78 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.04 |

2010 National Health Interview Survey (NHIS) 61
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.310_00.000: Had low back pain, past 3 months

| PAINLB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7961 | 29.31 |
| 2 No | 19179 | 70.62 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.03 |

ACN.320_00.000: Pain spread down leg/below knees

| PAINLEG | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3009 | 37.80 |
| 2 No | 4937 | 62.01 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.19 |

Frequency Missing = 19196

ACN.331_01.000: Had pain in jaw/front of ear, past 3 months

| PAINFACE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1330 | 4.90 |
| 2 No | 25810 | 95.04 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.331_02.000: Had severe headache/migraine, past 3 m

| AMIGR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4452 | 16.39 |
| 2 No | 22690 | 83.55 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.03 |

ACN.350_00.000: Had a head/chest cold past 2 w

| ACOLD2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3030 | 11.16 |
| 2 No | 24111 | 88.78 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.05 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.360_00.000: Had stomach prob w/vomit/diarrhea, 2 w

| AINTIL2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1393 | 5.13 |
| 2 No | 25751 | 94.82 |
| 7 Refused | 4 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.03 |

ACN.370_00.000: Currently pregnant

| PREGNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 291 | 3.57 |
| 2 No | 7855 | 96.27 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.04 |
| 9 Don't know | 10 | 0.12 |

Frequency Missing = 18998

ACN.400_00.000: Now use a hearing aid

| HRAIDNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 785 | 2.89 |
| 2 No | 26367 | 97.09 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 1 | 0.00 |
| 9 Don't know | 1 | 0.00 |

ACN.410_00.000: Ever used a hearing aid if not now using

| HRAIDDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 200 | 0.76 |
| 2 No | 26167 | 99.23 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.00 |

Frequency Missing = 786

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.420_00.000: Hearing w/o hearing aid

| AHEARST1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 1 Excellent | 12392 | 45.63 |
| 2 Good | 10358 | 38.14 |
| 3 A little trouble hearing | 2773 | 10.21 |
| 4 Moderate trouble | 996 | 3.67 |
| 5 A lot of trouble | 551 | 2.03 |
| 6 Deaf | 71 | 0.26 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 9 | 0.03 |

ACN.430_00.000: Trouble seeing even w/glasses/lenses

| AVISION | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2768 | 10.19 |
| 2 No | 24374 | 89.75 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 10 | 0.04 |

ACN.440_00.000: Blind or unable to see at all

| ABLIND | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 119 | 4.30 |
| 2 No | 2646 | 95.59 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.11 |

Frequency Missing = 24389

ACN.451_00.000: Lost all upper & lower natural teeth

| LUPPRT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2346 | 8.64 |
| 2 No | 24798 | 91.31 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2 | 0.01 |

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Wednesday, May 25, 2011
Unweighted Frequencies

ACN.471_01.000: So sad nothing cheers you up, past 30 days

| SAD | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 335 | 1.23 |
| 2 MOST of the time | 694 | 2.56 |
| 3 SOME of the time | 2672 | 9.84 |
| 4 A LITTLE of the time | 3858 | 14.21 |
| 5 NONE of the time | 19426 | 71.53 |
| 7 Refused | 89 | 0.33 |
| 8 Not ascertained | 18 | 0.07 |
| 9 Don't know | 65 | 0.24 |

ACN.471_02.000: How often felt nervous, past 30 days

| NERVOUS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 500 | 1.84 |
| 2 MOST of the time | 801 | 2.95 |
| 3 SOME of the time | 3479 | 12.81 |
| 4 A LITTLE of the time | 5097 | 18.77 |
| 5 NONE of the time | 17111 | 63.01 |
| 7 Refused | 84 | 0.31 |
| 8 Not ascertained | 18 | 0.07 |
| 9 Don't know | 67 | 0.25 |

ACN.471_03.000: How often restless/fidgety, past 30 days

| RESTLESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 707 | 2.60 |
| 2 MOST of the time | 1031 | 3.80 |
| 3 SOME of the time | 3506 | 12.91 |
| 4 A LITTLE of the time | 4267 | 15.71 |
| 5 NONE of the time | 17474 | 64.34 |
| 7 Refused | 87 | 0.32 |
| 8 Not ascertained | 18 | 0.07 |
| 9 Don't know | 67 | 0.25 |

ACN.471_04.000: How often felt hopeless, past 30 days

| HOPELESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 265 | 0.98 |
| 2 MOST of the time | 422 | 1.55 |
| 3 SOME of the time | 1384 | 5.10 |
| 4 A LITTLE of the time | 1709 | 6.29 |
| 5 NONE of the time | 23195 | 85.41 |
| 7 Refused | 90 | 0.33 |
| 8 Not ascertained | 18 | 0.07 |
| 9 Don't know | 74 | 0.27 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ACN.471_05.000: How often felt everything was an effort, past 30 days

| EFFORT | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 823 | 3.03 |
| 2 MOST of the time | 1040 | 3.83 |
| 3 SOME of the time | 2625 | 9.67 |
| 4 A LITTLE of the time | 2976 | 10.96 |
| 5 NONE of the time | 19490 | 71.77 |
| 7 Refused | 91 | 0.34 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 93 | 0.34 |

ACN.471_06.000: How often felt worthless, past 30 days

| WORTHLS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 235 | 0.87 |
| 2 MOST of the time | 335 | 1.23 |
| 3 SOME of the time | 1044 | 3.84 |
| 4 A LITTLE of the time | 1313 | 4.83 |
| 5 NONE of the time | 24043 | 88.53 |
| 7 Refused | 91 | 0.34 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 77 | 0.28 |

ACN.530_00.000: Feelings interfered w/life, past 30 days

| MHAMTMO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 1169 | 12.78 |
| 2 Some | 1977 | 21.61 |
| 3 A little | 2522 | 27.57 |
| 4 Not at all | 3463 | 37.85 |
| 7 Refused | 5 | 0.05 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 11 | 0.12 |

Frequency Missing = 18008

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.040_00.000: Number of work loss days, past 12 months

| WKDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 10347 | 59.04 |
| 001-366 1-366 days | 7114 | 40.60 |
| 997 Refused | 8 | 0.05 |
| 998 Not ascertained | 12 | 0.07 |
| 999 Don't know | 43 | 0.25 |

Frequency Missing = 9633

AHS.050_00.000: Number of bed days, past 12 months

| BEDDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 17762 | 65.40 |
| 001-366 1-366 days | 9185 | 33.82 |
| 997 Refused | 16 | 0.06 |
| 998 Not ascertained | 30 | 0.11 |
| 999 Don't know | 164 | 0.60 |

AHS.060_00.000: Health better/worse/same, compared w/ 12 months ago

| AHSTATYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Better | 5083 | 18.72 |
| 2 Worse | 2482 | 9.14 |
| 3 About the same | 19537 | 71.94 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 33 | 0.12 |
| 9 Don't know | 15 | 0.06 |

AHS.070_00.000: Have health problem that requires special equipment

| SPECEQ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2176 | 8.01 |
| 2 No | 24939 | 91.83 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 34 | 0.13 |
| 9 Don't know | 1 | 0.00 |

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.091_01.000: How difficult to walk 1/4 mile without special equipment

| FLWALK | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 21471 | 79.06 |
| 1 Only a little difficult | 1469 | 5.41 |
| 2 Somewhat difficult | 1193 | 4.39 |
| 3 Very difficult | 895 | 3.30 |
| 4 Can't do at all | 1452 | 5.35 |
| 6 Do not do this activity | 602 | 2.22 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 62 | 0.23 |
| 9 Don't know | 8 | 0.03 |

AHS.091_02.000: How difficult to climb 10 steps without special equipment

| FLCLIMB | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 22805 | 83.97 |
| 1 Only a little difficult | 1251 | 4.61 |
| 2 Somewhat difficult | 985 | 3.63 |
| 3 Very difficult | 783 | 2.88 |
| 4 Can't do at all | 950 | 3.50 |
| 6 Do not do this activity | 308 | 1.13 |
| 7 Refused | 4 | 0.01 |
| 8 Not ascertained | 63 | 0.23 |
| 9 Don't know | 8 | 0.03 |

AHS.091_03.000: How difficult to stand 2 hours without special equipment

| FLSTAND | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20823 | 76.68 |
| 1 Only a little difficult | 1587 | 5.84 |
| 2 Somewhat difficult | 1260 | 4.64 |
| 3 Very difficult | 1067 | 3.93 |
| 4 Can't do at all | 1846 | 6.80 |
| 6 Do not do this activity | 486 | 1.79 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 63 | 0.23 |
| 9 Don't know | 19 | 0.07 |

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.091_04.000: How difficult to sit 2 hours without special equipment

| FLSIT | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 23625 | 86.99 |
| 1 Only a little difficult | 1284 | 4.73 |
| 2 Somewhat difficult | 1060 | 3.90 |
| 3 Very difficult | 587 | 2.16 |
| 4 Can't do at all | 397 | 1.46 |
| 6 Do not do this activity | 132 | 0.49 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 63 | 0.23 |
| 9 Don't know | 4 | 0.01 |

AHS.091_05.000: How difficult to stoop, bend or kneel without special equipment

| FLSTOOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 19702 | 72.55 |
| 1 Only a little difficult | 2352 | 8.66 |
| 2 Somewhat difficult | 2017 | 7.43 |
| 3 Very difficult | 1471 | 5.42 |
| 4 Can't do at all | 1301 | 4.79 |
| 6 Do not do this activity | 236 | 0.87 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 64 | 0.24 |
| 9 Don't know | 7 | 0.03 |

AHS.091_06.000: How difficult to reach over head without special equipment

| FLREACH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24301 | 89.48 |
| 1 Only a little difficult | 1012 | 3.73 |
| 2 Somewhat difficult | 863 | 3.18 |
| 3 Very difficult | 500 | 1.84 |
| 4 Can't do at all | 323 | 1.19 |
| 6 Do not do this activity | 81 | 0.30 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 66 | 0.24 |
| 9 Don't know | 4 | 0.01 |

AHS.141_01.000: How difficult to grasp small objects without special equipment

| FLGRASP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24517 | 90.28 |
| 1 Only a little difficult | 1085 | 4.00 |
| 2 Somewhat difficult | 888 | 3.27 |
| 3 Very difficult | 419 | 1.54 |
| 4 Can't do at all | 141 | 0.52 |
| 6 Do not do this activity | 29 | 0.11 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 67 | 0.25 |
| 9 Don't know | 4 | 0.01 |

AHS.141_02.000: How difficult to lift/carry 10 lbs without special equipment

| FLCARRY | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 23370 | 86.06 |
| 1 Only a little difficult | 1030 | 3.79 |
| 2 Somewhat difficult | 886 | 3.26 |
| 3 Very difficult | 591 | 2.18 |
| 4 Can't do at all | 894 | 3.29 |
| 6 Do not do this activity | 306 | 1.13 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 68 | 0.25 |
| 9 Don't know | 5 | 0.02 |

AHS.141_03.000: How difficult to push large objects without special equipment

| FLPUSH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 22005 | 81.03 |
| 1 Only a little difficult | 1257 | 4.63 |
| 2 Somewhat difficult | 988 | 3.64 |
| 3 Very difficult | 660 | 2.43 |
| 4 Can't do at all | 1378 | 5.07 |
| 6 Do not do this activity | 783 | 2.88 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 68 | 0.25 |
| 9 Don't know | 10 | 0.04 |

AHS.171_01.000: How difficult to go out to events without special equipment

| FLSHOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 23643 | 87.06 |
| 1 Only a little difficult | 867 | 3.19 |
| 2 Somewhat difficult | 873 | 3.21 |
| 3 Very difficult | 580 | 2.14 |
| 4 Can't do at all | 569 | 2.10 |
| 6 Do not do this activity | 542 | 2.00 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 69 | 0.25 |
| 9 Don't know | 7 | 0.03 |

AHS.171_02.000: How difficult to participate in social activities without special equipment

| FLSOCL | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 23850 | 87.82 |
| 1 Only a little difficult | 776 | 2.86 |
| 2 Somewhat difficult | 725 | 2.67 |
| 3 Very difficult | 447 | 1.65 |
| 4 Can't do at all | 439 | 1.62 |
| 6 Do not do this activity | 837 | 3.08 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 71 | 0.26 |
| 9 Don't know | 4 | 0.01 |

AHS.171_03.000: How difficult to relax at home without special equipment

| FLRELAX | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 25827 | 95.10 |
| 1 Only a little difficult | 548 | 2.02 |
| 2 Somewhat difficult | 410 | 1.51 |
| 3 Very difficult | 160 | 0.59 |
| 4 Can't do at all | 69 | 0.25 |
| 6 Do not do this activity | 56 | 0.21 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 72 | 0.27 |
| 9 Don't know | 6 | 0.02 |

AHS.171_00.000: Any functional limitation, all conditions

| FLA1AR | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Limited in any way | 10063 | 37.05 |
| 2 Not limited in any way | 17007 | 62.62 |
| 3 Unknown if limited | 87 | 0.32 |

AHS.200_01.000: Vision/problem seeing causes difficulty with activity

| AFLHCA1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 369 | 3.67 |
| 2 Not mentioned | 9565 | 95.05 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_02.000: Hearing problem causes difficulty with activity

| AFLHCA2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 172 | 1.71 |
| 2 Not mentioned | 9762 | 97.01 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_03.000: Arthritis/rheumatism causes difficulty with activity

| AFLHCA3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3312 | 32.91 |
| 2 Not mentioned | 6622 | 65.81 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_04.000: Back or neck problem causes difficulty with activity

| AFLHCA4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2720 | 27.03 |
| 2 Not mentioned | 7214 | 71.69 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

72

Wednesday, May 25, 2011

AHS.200_05.000: Fracture, bone/joint injury causes difficulty with activity

| AFLHCA5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1047 | 10.40 |
| 2 Not mentioned | 8887 | 88.31 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_06.000: Other injury causes difficulty with activity

| AFLHCA6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 365 | 3.63 |
| 2 Not mentioned | 9569 | 95.09 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_07.000: Heart problem causes difficulty with activity

| AFLHCA7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 560 | 5.56 |
| 2 Not mentioned | 9374 | 93.15 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_08.000: Stroke problem causes difficulty with activity

| AFLHCA8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 243 | 2.41 |
| 2 Not mentioned | 9691 | 96.30 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_09.000: Hypertension/high blood pressure causes difficulty with activity

| AFLHCA9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 595 | 5.91 |
| 2 Not mentioned | 9339 | 92.81 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_10.000: Diabetes causes difficulty with activity

| AFLHCA10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 512 | 5.09 |
| 2 Not mentioned | 9422 | 93.63 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_11.000: Lung/breathing problem (e.g., asthma and emphysema) causes difficulty with activity

| AFLHCA11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 645 | 6.41 |
| 2 Not mentioned | 9289 | 92.31 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_12.000: Cancer causes difficulty with activity

| AFLHCA12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 153 | 1.52 |
| 2 Not mentioned | 9781 | 97.20 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.200_13.000: Birth defect causes difficulty with activity

| AFLHCA13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 42 | 0.42 |
| 2 Not mentioned | 9892 | 98.30 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_14.000: Mental retardation causes difficulty with activity

| AFLHCA14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 42 | 0.42 |
| 2 Not mentioned | 9892 | 98.30 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_15.000: Other developmental problem (e.g., cerebral palsy) causes difficulty with activity

| AFLHCA15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 29 | 0.29 |
| 2 Not mentioned | 9905 | 98.43 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_16.000: Senility causes difficulty with activity

| AFLHCA16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 85 | 0.84 |
| 2 Not mentioned | 9849 | 97.87 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS) 75
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.200_17.000: Depression/anxiety/emotional
 problem causes difficulty with activity

| AFLHCA17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 858 | 8.53 |
| 2 Not mentioned | 9076 | 90.19 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_18.000: Weight problem causes difficulty with activity

| AFLHCA18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 563 | 5.59 |
| 2 Not mentioned | 9371 | 93.12 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Missing or amputated limb/finger/digit
 causes difficulty with activity

| AFLHC19_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 49 | 0.49 |
| 2 Not mentioned | 9885 | 98.23 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Musculoskeletal/connective tissue
 problem causes difficulty with activity

| AFLHC20_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1834 | 18.23 |
| 2 Not mentioned | 8100 | 80.49 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS) 76
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.200_00.000: Circulation problems (including blood clots) cause difficulty with activity

| AFLHC21_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 241 | 2.39 |
| 2 Not mentioned | 9693 | 96.32 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Endocrine/nutritional/metabolic problem causes difficulty with activity

| AFLHC22_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 87 | 0.86 |
| 2 Not mentioned | 9847 | 97.85 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Nervous system/sensory organ condition causes difficulty with activity

| AFLHC23_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 588 | 5.84 |
| 2 Not mentioned | 9346 | 92.87 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Digestive system problem causes difficulty with activity

| AFLHC24_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 128 | 1.27 |
| 2 Not mentioned | 9806 | 97.45 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Genitourinary system problem causes difficulty with activity

| AFLHC25_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 122 | 1.21 |
| 2 Not mentioned | 9812 | 97.51 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Skin/subcutaneous system problem causes difficulty with activity

| AFLHC26_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 0.06 |
| 2 Not mentioned | 9928 | 98.66 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Blood or blood-forming organ problem causes difficulty with activity

| AFLHC27_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 14 | 0.14 |
| 2 Not mentioned | 9920 | 98.58 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Benign tumor/cyst causes difficulty with activity

| AFLHC28_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 26 | 0.26 |
| 2 Not mentioned | 9908 | 98.46 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS) 78
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.200_00.000: Alcohol/drug/substance abuse
 problem causes difficulty with activity

| AFLHC29_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 0.02 |
| 2 Not mentioned | 9932 | 98.70 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Other mental problem/ADD/Bipolar/Schizophrenia
 causes difficulty with activity

| AFLHC30_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 36 | 0.36 |
| 2 Not mentioned | 9898 | 98.36 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Surgical after-effects/medical
 treatment causes difficulty with activity

| AFLHC31_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 61 | 0.61 |
| 2 Not mentioned | 9873 | 98.11 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: "Old age"/elderly/aging-related
 problem causes difficulty with activity

| AFLHC32_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 208 | 2.07 |
| 2 Not mentioned | 9726 | 96.65 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

Wednesday, May 25, 2011

AHS.200_00.000: Fatigue/tiredness/weakness causes difficulty with activity

| AFLHC33_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 114 | 1.13 |
| 2 Not mentioned | 9820 | 97.59 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_00.000: Pregnancy-related problem causes difficulty with activity

| AFLHC34_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 45 | 0.45 |
| 2 Not mentioned | 9889 | 98.27 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_90.000: Other impairment/problem (1) causes difficulty with activity

| AFLHCA90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 217 | 2.16 |
| 2 Not mentioned | 9717 | 96.56 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

AHS.200_91.000: Other impairment/problem (2) causes difficulty with activity

| AFLHCA91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 9934 | 98.72 |
| 7 Refused | 17 | 0.17 |
| 8 Not ascertained | 33 | 0.33 |
| 9 Don't know | 79 | 0.79 |

Frequency Missing = 17094

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.300_01.000: Duration of vision problem: Number of units

| ALTIME1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 341 | 92.41 |
| 95 95+ | 1 | 0.27 |
| 96 Since birth | 20 | 5.42 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 1.90 |

Frequency Missing = 26788

AHS.300_02.000: Duration of vision problem: Time unit

| ALUNIT1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.27 |
| 3 Month(s) | 15 | 4.07 |
| 4 Year(s) | 329 | 89.16 |
| 6 Since birth | 20 | 5.42 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.08 |

Frequency Missing = 26788

AHS.300_02.000: Duration (in years) of vision problem, recode 1

| ALDURA1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 12 | 3.25 |
| 01-84 years | 347 | 94.04 |
| 85 85+ years | 3 | 0.81 |
| 96 Unknown number of years | 3 | 0.81 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 1.08 |

Frequency Missing = 26788

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.300_02.000: Duration of vision problem, recode 2

| ALDURB1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 0.27 |
| 2 3-5 months | 2 | 0.54 |
| 3 6-12 months | 24 | 6.50 |
| 4 More than 1 year | 338 | 91.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 1.08 |

Frequency Missing = 26788

AHS.300_02.000: Vision problem condition status recode

| ALCHRC1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 364 | 98.64 |
| 2 Not chronic | 1 | 0.27 |
| 9 Unknown if chronic | 4 | 1.08 |

Frequency Missing = 26788

AHS.301_01.000: Duration of hearing problem: Number of units

| ALTIME2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 160 | 93.02 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 7 | 4.07 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.58 |
| 99 Don't know | 4 | 2.33 |

Frequency Missing = 26985

AHS.301_02.000: Duration of hearing problem: Time unit

| ALUNIT2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.58 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 3 | 1.74 |
| 4 Year(s) | 158 | 91.86 |
| 6 Since birth | 7 | 4.07 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.58 |
| 9 Don't know | 2 | 1.16 |

Frequency Missing = 26985

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.301_02.000: Duration (in years) of hearing problem, recode 1

| ALDURA2 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 2 | 1.16 |
| 01-84 years | 164 | 95.35 |
| 85 85+ years | 1 | 0.58 |
| 96 Unknown number of years | 2 | 1.16 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.58 |
| 99 Don't know | 2 | 1.16 |

Frequency Missing = 26985

AHS.301_02.000: Duration of hearing problem, recode 2

| ALDURB2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 0.58 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 7 | 4.07 |
| 4 More than 1 year | 161 | 93.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.58 |
| 9 Don't know | 2 | 1.16 |

Frequency Missing = 26985

AHS.301_02.000: Hearing problem condition status recode

| ALCHRC2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 168 | 97.67 |
| 2 Not chronic | 1 | 0.58 |
| 9 Unknown if chronic | 3 | 1.74 |

Frequency Missing = 26985

AHS.302_01.000: Duration of arthritis/rheumatism: Number of units

| ALTIME3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 3226 | 97.40 |
| 95 95+ | 1 | 0.03 |
| 96 Since birth | 13 | 0.39 |
| 97 Refused | 3 | 0.09 |
| 98 Not ascertained | 4 | 0.12 |
| 99 Don't know | 65 | 1.96 |

Frequency Missing = 23845

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.302_02.000: Duration of arthritis/rheumatism: Time unit

| ALUNIT3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 4 | 0.12 |
| 2 Week(s) | 5 | 0.15 |
| 3 Month(s) | 94 | 2.84 |
| 4 Year(s) | 3167 | 95.62 |
| 6 Since birth | 13 | 0.39 |
| 7 Refused | 3 | 0.09 |
| 8 Not ascertained | 4 | 0.12 |
| 9 Don't know | 22 | 0.66 |

Frequency Missing = 23845

AHS.302_02.000: Duration (in years) of arthritis/rheumatism, recode 1

| ALDURA3 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 89 | 2.69 |
| 01-84 years | 3151 | 95.14 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 43 | 1.30 |
| 97 Refused | 3 | 0.09 |
| 98 Not ascertained | 4 | 0.12 |
| 99 Don't know | 22 | 0.66 |

Frequency Missing = 23845

AHS.302_02.000: Duration of arthritis/rheumatism, recode 2

| ALDURB3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 15 | 0.45 |
| 2 3-5 months | 35 | 1.06 |
| 3 6-12 months | 201 | 6.07 |
| 4 More than 1 year | 3032 | 91.55 |
| 7 Refused | 3 | 0.09 |
| 8 Not ascertained | 4 | 0.12 |
| 9 Don't know | 22 | 0.66 |

Frequency Missing = 23845

AHS.302_02.000: Arthritis/rheumatism condition status recode

| ALCHRC3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 3312 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 23845

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.303_01.000: Duration of back or neck problem: Number of units

| ALTIME4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 2651 | 97.46 |
| 95 95+ | 1 | 0.04 |
| 96 Since birth | 36 | 1.32 |
| 97 Refused | 1 | 0.04 |
| 98 Not ascertained | 4 | 0.15 |
| 99 Don't know | 27 | 0.99 |

Frequency Missing = 24437

AHS.303_02.000: Duration of back or neck problem: Time unit

| ALUNIT4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 9 | 0.33 |
| 2 Week(s) | 28 | 1.03 |
| 3 Month(s) | 200 | 7.35 |
| 4 Year(s) | 2432 | 89.41 |
| 6 Since birth | 36 | 1.32 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 4 | 0.15 |
| 9 Don't know | 10 | 0.37 |

Frequency Missing = 24437

AHS.303_02.000: Duration (in years) of back or neck problem, recode 1

| ALDURA4 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 206 | 7.57 |
| 01-84 years | 2480 | 91.18 |
| 85 85+ years | 2 | 0.07 |
| 96 Unknown number of years | 17 | 0.63 |
| 97 Refused | 1 | 0.04 |
| 98 Not ascertained | 4 | 0.15 |
| 99 Don't know | 10 | 0.37 |

Frequency Missing = 24437

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.303_02.000: Duration of back or neck problem, recode 2

| ALDURB4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 78 | 2.87 |
| 2 3-5 months | 58 | 2.13 |
| 3 6-12 months | 195 | 7.17 |
| 4 More than 1 year | 2374 | 87.28 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 4 | 0.15 |
| 9 Don't know | 10 | 0.37 |

Frequency Missing = 24437

AHS.303_02.000: Back or neck problem condition status recode

| ALCHRC4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 2627 | 96.58 |
| 2 Not chronic | 78 | 2.87 |
| 9 Unknown if chronic | 15 | 0.55 |

Frequency Missing = 24437

AHS.304_01.000: Duration of fracture, bone/joint injury: Number of units

| ALTIME5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1033 | 98.66 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 5 | 0.48 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 0.86 |

Frequency Missing = 26110

AHS.304_02.000: Duration of fracture, bone/joint injury: Time unit

| ALUNIT5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 11 | 1.05 |
| 2 Week(s) | 29 | 2.77 |
| 3 Month(s) | 200 | 19.10 |
| 4 Year(s) | 800 | 76.41 |
| 6 Since birth | 5 | 0.48 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.19 |

Frequency Missing = 26110

AHS.304_02.000: Duration (in years) of fracture, bone/joint injury, recode 1

| ALDURA5 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 209 | 19.96 |
| 01-84 years | 829 | 79.18 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 7 | 0.67 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 0.19 |

Frequency Missing = 26110

AHS.304_02.000: Duration of fracture, bone/joint injury, recode 2

| ALDURB5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 75 | 7.16 |
| 2 3-5 months | 58 | 5.54 |
| 3 6-12 months | 141 | 13.47 |
| 4 More than 1 year | 771 | 73.64 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.19 |

Frequency Missing = 26110

AHS.304_02.000: Fracture, bone/joint injury condition status recode

| ALCHRC5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 970 | 92.65 |
| 2 Not chronic | 75 | 7.16 |
| 9 Unknown if chronic | 2 | 0.19 |

Frequency Missing = 26110

AHS.305_01.000: Duration of other injury: Number of units

| ALTIME6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 355 | 97.26 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 0.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.27 |
| 99 Don't know | 6 | 1.64 |

Frequency Missing = 26792

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.305_02.000: Duration of other injury: Time unit

| ALUNIT6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 6 | 1.64 |
| 2 Week(s) | 10 | 2.74 |
| 3 Month(s) | 64 | 17.53 |
| 4 Year(s) | 278 | 76.16 |
| 6 Since birth | 3 | 0.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.27 |
| 9 Don't know | 3 | 0.82 |

Frequency Missing = 26792

AHS.305_02.000: Duration (in years) of other injury, recode 1

| ALDURA6 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 69 | 18.90 |
| 01-84 years | 289 | 79.18 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 0.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.27 |
| 99 Don't know | 3 | 0.82 |

Frequency Missing = 26792

AHS.305_02.000: Duration of other injury, recode 2

| ALDURB6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 27 | 7.40 |
| 2 3-5 months | 20 | 5.48 |
| 3 6-12 months | 42 | 11.51 |
| 4 More than 1 year | 272 | 74.52 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.27 |
| 9 Don't know | 3 | 0.82 |

Frequency Missing = 26792

AHS.305_02.000: Other injury condition status recode

| ALCHRC6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 334 | 91.51 |
| 2 Not chronic | 27 | 7.40 |
| 9 Unknown if chronic | 4 | 1.10 |

Frequency Missing = 26792

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.306_01.000: Duration of heart problem: Number of units

| ALTIME7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 534 | 95.36 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 14 | 2.50 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.18 |
| 99 Don't know | 11 | 1.96 |

Frequency Missing = 26597

AHS.306_02.000: Duration of heart problem: Time unit

| ALUNIT7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.18 |
| 2 Week(s) | 1 | 0.18 |
| 3 Month(s) | 34 | 6.07 |
| 4 Year(s) | 507 | 90.54 |
| 6 Since birth | 14 | 2.50 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.18 |
| 9 Don't know | 2 | 0.36 |

Frequency Missing = 26597

AHS.306_02.000: Duration (in years) of heart problem, recode 1

| ALDURA7 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 30 | 5.36 |
| 01-84 years | 517 | 92.32 |
| 85 85+ years | 1 | 0.18 |
| 96 Unknown number of years | 9 | 1.61 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.18 |
| 99 Don't know | 2 | 0.36 |

Frequency Missing = 26597

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.306_02.000: Duration of heart problem, recode 2

| ALDURB7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 9 | 1.61 |
| 2 3-5 months | 9 | 1.61 |
| 3 6-12 months | 46 | 8.21 |
| 4 More than 1 year | 493 | 88.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.18 |
| 9 Don't know | 2 | 0.36 |

Frequency Missing = 26597

AHS.306_02.000: Heart problem condition status recode

| ALCHRC7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 560 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26597

AHS.307_01.000: Duration of stroke problem: Number of units

| ALTIME8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 238 | 97.94 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 2.06 |

Frequency Missing = 26914

AHS.307_02.000: Duration of stroke problem: Time unit

| ALUNIT8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 4 | 1.65 |
| 3 Month(s) | 24 | 9.88 |
| 4 Year(s) | 215 | 88.48 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26914

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.307_02.000: Duration (in years) of stroke problem, recode 1

| ALDURA8 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 22 | 9.05 |
| 01-84 years | 215 | 88.48 |
| 85 85+ years | 1 | 0.41 |
| 96 Unknown number of years | 5 | 2.06 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 26914

AHS.307_02.000: Duration of stroke problem, recode 2

| ALDURB8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 2.47 |
| 2 3-5 months | 7 | 2.88 |
| 3 6-12 months | 23 | 9.47 |
| 4 More than 1 year | 207 | 85.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26914

AHS.307_02.000: Stroke problem condition status recode

| ALCHRC8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 243 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26914

AHS.308_01.000: Duration of hypertension/high blood pressure: Number of units

| ALTIME9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 573 | 96.30 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 5 | 0.84 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 16 | 2.69 |

Frequency Missing = 26562

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

91

AHS.308_02.000: Duration of hypertension/high blood pressure: Time unit

| ALUNIT9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.34 |
| 2 Week(s) | 2 | 0.34 |
| 3 Month(s) | 12 | 2.02 |
| 4 Year(s) | 569 | 95.63 |
| 6 Since birth | 5 | 0.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 4 | 0.67 |

Frequency Missing = 26562

AHS.308_02.000: Duration (in years) of hypertension/high blood pressure, recode 1

| ALDURA9 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 14 | 2.35 |
| 01-84 years | 564 | 94.79 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 12 | 2.02 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 4 | 0.67 |

Frequency Missing = 26562

AHS.308_02.000: Duration of hypertension/high blood, pressure recode 2

| ALDURB9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 4 | 0.67 |
| 2 3-5 months | 5 | 0.84 |
| 3 6-12 months | 25 | 4.20 |
| 4 More than 1 year | 556 | 93.45 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 4 | 0.67 |

Frequency Missing = 26562

AHS.308_02.000: Hypertension/high blood pressure condition status recode

| ALCHRC9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 595 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26562

2010 National Health Interview Survey (NHIS) 92
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.309_01.000: Duration of diabetes: Number of units

| ALTIME10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 500 | 97.66 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 0.20 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.20 |
| 99 Don't know | 10 | 1.95 |

Frequency Missing = 26645

AHS.309_02.000: Duration of diabetes: Time unit

| ALUNIT10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 4 | 0.78 |
| 3 Month(s) | 17 | 3.32 |
| 4 Year(s) | 487 | 95.12 |
| 6 Since birth | 1 | 0.20 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.20 |
| 9 Don't know | 2 | 0.39 |

Frequency Missing = 26645

AHS.309_02.000: Duration (in years) of diabetes, recode 1

| ALDURA10 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 19 | 3.71 |
| 01-84 years | 482 | 94.14 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 8 | 1.56 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.20 |
| 99 Don't know | 2 | 0.39 |

Frequency Missing = 26645

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

93

AHS.309_02.000: Duration of diabetes, recode 2

| ALDURB10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 10 | 1.95 |
| 2 3-5 months | 4 | 0.78 |
| 3 6-12 months | 23 | 4.49 |
| 4 More than 1 year | 472 | 92.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.20 |
| 9 Don't know | 2 | 0.39 |

Frequency Missing = 26645

AHS.309_02.000: Diabetes condition status recode

| ALCHRC10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 512 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26645

AHS.310_01.000: Duration of lung/breathing problem
 (e.g., asthma and emphysema): Number of units

| ALTIME11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 592 | 91.78 |
| 95 95+ | 1 | 0.16 |
| 96 Since birth | 36 | 5.58 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.16 |
| 99 Don't know | 15 | 2.33 |

Frequency Missing = 26512

AHS.310_02.000: Duration of lung/breathing problem:
 (e.g., asthma and emphysema) Time unit

| ALUNIT11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.16 |
| 3 Month(s) | 36 | 5.58 |
| 4 Year(s) | 567 | 87.91 |
| 6 Since birth | 36 | 5.58 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.16 |
| 9 Don't know | 4 | 0.62 |

Frequency Missing = 26512

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.310_02.000: Duration (in years) of lung/breathing problem (e.g., asthma and emphysema), recode 1

| ALDURA11 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 28 | 4.34 |
| 01-84 years | 601 | 93.18 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 11 | 1.71 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.16 |
| 99 Don't know | 4 | 0.62 |

Frequency Missing = 26512

AHS.310_02.000: Duration of lung/breathing problem (e.g., asthma and emphysema), recode 2

| ALDURB11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 0.93 |
| 2 3-5 months | 11 | 1.71 |
| 3 6-12 months | 34 | 5.27 |
| 4 More than 1 year | 589 | 91.32 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.16 |
| 9 Don't know | 4 | 0.62 |

Frequency Missing = 26512

AHS.310_02.000: Lung/breathing problem (e.g., asthma and emphysema) condition status recode

| ALCHRC11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 634 | 98.29 |
| 2 Not chronic | 6 | 0.93 |
| 9 Unknown if chronic | 5 | 0.78 |

Frequency Missing = 26512

AHS.311_01.000: Duration of cancer: Number of units

| ALTIME12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 149 | 97.39 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 2.61 |

Frequency Missing = 27004

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Wednesday, May 25, 2011

Unweighted Frequencies

95

AHS.311_02.000: Duration of cancer: Time unit

| ALUNIT12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 3 | 1.96 |
| 3 Month(s) | 27 | 17.65 |
| 4 Year(s) | 121 | 79.08 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.31 |

Frequency Missing = 27004

AHS.311_02.000: Duration (in years) of cancer, recode 1

| ALDURA12 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 22 | 14.38 |
| 01-84 years | 127 | 83.01 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 1.31 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.31 |

Frequency Missing = 27004

AHS.311_02.000: Duration of cancer, recode 2

| ALDURB12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 3.92 |
| 2 3-5 months | 5 | 3.27 |
| 3 6-12 months | 25 | 16.34 |
| 4 More than 1 year | 115 | 75.16 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.31 |

Frequency Missing = 27004

AHS.311_02.000: Cancer condition status recode

| ALCHRC12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 153 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27004

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.312_01.000: Duration of birth defect: Number of units

| ALTIME13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 0 | 0.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 42 | 100.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.312_02.000: Duration of birth defect: Time unit

| ALUNIT13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 0 | 0.00 |
| 6 Since birth | 42 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.312_02.000: Duration (in years) of birth defect, recode 1

| ALDURA13 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 42 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27115

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.312_02.000: Duration of birth defect, recode 2

| ALDURB13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 42 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.312_02.000: Birth defect condition status recode

| ALCHRC13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 42 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27115

AHS.313_01.000: Duration of mental retardation: Number of units

| ALTIME14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 26 | 61.90 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 16 | 38.10 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.313_02.000: Duration of mental retardation: Time unit

| ALUNIT14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 1 | 2.38 |
| 4 Year(s) | 25 | 59.52 |
| 6 Since birth | 16 | 38.10 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27115

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.313_02.000: Duration (in years) of mental retardation, recode 1

| ALDURA14 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 2.38 |
| 01-84 years | 41 | 97.62 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.313_02.000: Duration of mental retardation, recode 2

| ALDURB14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 2.38 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 1 | 2.38 |
| 4 More than 1 year | 40 | 95.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27115

AHS.313_02.000: Mental retardation condition status recode

| ALCHRC14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 42 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27115

AHS.314_01.000: Duration of other developmental problem (e.g., cerebral palsy): Number of units

| ALTIME15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 16 | 55.17 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 12 | 41.38 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 3.45 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27128

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.314_02.000: Duration of other developmental problem (e.g., cerebral palsy): Time unit

| ALUNIT15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 16 | 55.17 |
| 6 Since birth | 12 | 41.38 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 3.45 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27128

AHS.314_02.000: Duration (in years) of other developmental problem (e.g., cerebral palsy), recode 1

| ALDURA15 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 28 | 96.55 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 3.45 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27128

AHS.314_02.000: Duration of other developmental problem (e.g., cerebral palsy), recode 2

| ALDURB15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 1 | 3.45 |
| 4 More than 1 year | 27 | 93.10 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 3.45 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27128

2010 National Health Interview Survey (NHIS) 100
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.314_02.000: Other developmental problem (e.g., cerebral palsy) condition status recode

| ALCHRC15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 29 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27128

AHS.315_01.000: Duration of senility: Number of units

| ALTIME16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 81 | 95.29 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 4.71 |

Frequency Missing = 27072

AHS.315_02.000: Duration of senility: Time unit

| ALUNIT16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 4 | 4.71 |
| 4 Year(s) | 80 | 94.12 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.18 |

Frequency Missing = 27072

AHS.315_02.000: Duration (in years) of senility, recode 1

| ALDURA16 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 3.53 |
| 01-84 years | 78 | 91.76 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 3.53 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.18 |

Frequency Missing = 27072

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Wednesday, May 25, 2011

Unweighted Frequencies

101

AHS.315_02.000: Duration of senility, recode 2

| ALDURB16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 11 | 12.94 |
| 4 More than 1 year | 73 | 85.88 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.18 |

Frequency Missing = 27072

AHS.315_02.000: Senility condition status recode

| ALCHRC16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 85 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27072

AHS.316_01.000: Duration of depression/anxiety/emotional problem: Number of units

| ALTIME17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 764 | 89.04 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 70 | 8.16 |
| 97 Refused | 1 | 0.12 |
| 98 Not ascertained | 3 | 0.35 |
| 99 Don't know | 20 | 2.33 |

Frequency Missing = 26299

AHS.316_02.000: Duration of depression/anxiety/emotional problem: Time unit

| ALUNIT17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.23 |
| 2 Week(s) | 2 | 0.23 |
| 3 Month(s) | 47 | 5.48 |
| 4 Year(s) | 724 | 84.38 |
| 6 Since birth | 70 | 8.16 |
| 7 Refused | 1 | 0.12 |
| 8 Not ascertained | 3 | 0.35 |
| 9 Don't know | 9 | 1.05 |

Frequency Missing = 26299

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

102

AHS.316_02.000: Duration (in years) of depression/anxiety/emotional problem, recode 1

| ALDURA17 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 37 | 4.31 |
| 01-84 years | 797 | 92.89 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 11 | 1.28 |
| 97 Refused | 1 | 0.12 |
| 98 Not ascertained | 3 | 0.35 |
| 99 Don't know | 9 | 1.05 |

Frequency Missing = 26299

AHS.316_02.000: Duration of depression/anxiety/emotional problem, recode 2

| ALDURB17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 0.82 |
| 2 3-5 months | 18 | 2.10 |
| 3 6-12 months | 60 | 6.99 |
| 4 More than 1 year | 760 | 88.58 |
| 7 Refused | 1 | 0.12 |
| 8 Not ascertained | 3 | 0.35 |
| 9 Don't know | 9 | 1.05 |

Frequency Missing = 26299

AHS.316_02.000: Depression/anxiety/emotional problem condition status recode

| ALCHRC17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 838 | 97.67 |
| 2 Not chronic | 7 | 0.82 |
| 9 Unknown if chronic | 13 | 1.52 |

Frequency Missing = 26299

AHS.317_01.000: Duration of weight problem: Number of units

| ALTIME18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 497 | 88.28 |
| 95 95+ | 1 | 0.18 |
| 96 Since birth | 48 | 8.53 |
| 97 Refused | 1 | 0.18 |
| 98 Not ascertained | 1 | 0.18 |
| 99 Don't know | 15 | 2.66 |

Frequency Missing = 26594

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Wednesday, May 25, 2011

Unweighted Frequencies

103

AHS.317_02.000: Duration of weight problem: Time unit

| ALUNIT18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.36 |
| 2 Week(s) | 1 | 0.18 |
| 3 Month(s) | 16 | 2.84 |
| 4 Year(s) | 488 | 86.68 |
| 6 Since birth | 48 | 8.53 |
| 7 Refused | 1 | 0.18 |
| 8 Not ascertained | 1 | 0.18 |
| 9 Don't know | 6 | 1.07 |

Frequency Missing = 26594

AHS.317_02.000: Duration (in years) of weight problem, recode 1

| ALDURA18 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 15 | 2.66 |
| 01-84 years | 531 | 94.32 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 9 | 1.60 |
| 97 Refused | 1 | 0.18 |
| 98 Not ascertained | 1 | 0.18 |
| 99 Don't know | 6 | 1.07 |

Frequency Missing = 26594

AHS.317_02.000: Duration of weight problem, recode 2

| ALDURB18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 2 | 0.36 |
| 2 3-5 months | 3 | 0.53 |
| 3 6-12 months | 37 | 6.57 |
| 4 More than 1 year | 513 | 91.12 |
| 7 Refused | 1 | 0.18 |
| 8 Not ascertained | 1 | 0.18 |
| 9 Don't know | 6 | 1.07 |

Frequency Missing = 26594

AHS.317_02.000: Weight problem condition status recode

| ALCHRC18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 553 | 98.22 |
| 2 Not chronic | 2 | 0.36 |
| 9 Unknown if chronic | 8 | 1.42 |

Frequency Missing = 26594

2010 National Health Interview Survey (NHIS)
 104
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.318_01.000 RECOD: Duration of missing limbs (fingers, toes, or digits); amputation: Number of units

| ALTIME19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 48 | 97.96 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 1 | 2.04 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27108

AHS.318_02.000 RECOD: Duration of missing limbs (fingers, toes, or digits); amputation: Time unit

| ALUNIT19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 7 | 14.29 |
| 4 Year(s) | 41 | 83.67 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 1 | 2.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27108

AHS.318_02.000: Duration (in years) of missing limbs (fingers, toes, or digits); amputation, recode 1

| ALDURA19 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 4 | 8.16 |
| 01-84 years | 44 | 89.80 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 1 | 2.04 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27108

2010 National Health Interview Survey (NHIS) 105
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.318_02.000: Duration of missing limbs (fingers, toes, or digits); amputation, recode 2

| ALDURB19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 2.04 |
| 2 3-5 months | 1 | 2.04 |
| 3 6-12 months | 4 | 8.16 |
| 4 More than 1 year | 42 | 85.71 |
| 7 Refused | 1 | 2.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27108

AHS.318_02.000: Missing limbs (fingers, toes, or digits); amputation condition status recode

| ALCHRC19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 49 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27108

AHS.319_01.000 RECOD: Duration of musculoskeletal/connective tissue problem: Number of units

| ALTIME20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1781 | 97.11 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 24 | 1.31 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 3 | 0.16 |
| 99 Don't know | 26 | 1.42 |

Frequency Missing = 25323

2010 National Health Interview Survey (NHIS) 106
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.319_02.000 RECOD: Duration of musculoskeletal/connective tissue problem: Time unit

| ALUNIT20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 6 | 0.33 |
| 2 Week(s) | 33 | 1.80 |
| 3 Month(s) | 205 | 11.18 |
| 4 Year(s) | 1549 | 84.46 |
| 6 Since birth | 24 | 1.31 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.16 |
| 9 Don't know | 14 | 0.76 |

Frequency Missing = 25323

AHS.319_02.000: Duration (in years) of musculoskeletal/connective tissue problem, recode 1

| ALDURA20 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 217 | 11.83 |
| 01-84 years | 1587 | 86.53 |
| 85 85+ years | 1 | 0.05 |
| 96 Unknown number of years | 12 | 0.65 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 3 | 0.16 |
| 99 Don't know | 14 | 0.76 |

Frequency Missing = 25323

AHS.319_02.000: Duration of musculoskeletal/connective tissue problem, recode 2

| ALDURB20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 84 | 4.58 |
| 2 3-5 months | 51 | 2.78 |
| 3 6-12 months | 204 | 11.12 |
| 4 More than 1 year | 1478 | 80.59 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.16 |
| 9 Don't know | 14 | 0.76 |

Frequency Missing = 25323

2010 National Health Interview Survey (NHIS) 107
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.319_02.000: Musculoskeletal/connective
 tissue problem condition status recode

| ALCHRC20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 1733 | 94.49 |
| 2 Not chronic | 84 | 4.58 |
| 9 Unknown if chronic | 17 | 0.93 |

Frequency Missing = 25323

AHS.320_01.000 RECOD: Duration of circulation problems
 (including blood clots): Number of units

| ALTIME21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 235 | 97.51 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 1.24 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.24 |

Frequency Missing = 26916

AHS.320_02.000 RECOD: Duration of circulation
 problems (including blood clots): Time unit

| ALUNIT21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 13 | 5.39 |
| 4 Year(s) | 225 | 93.36 |
| 6 Since birth | 3 | 1.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26916

2010 National Health Interview Survey (NHIS) 108
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.320_02.000: Duration (in years) of circulation
 problems (including blood clots), recode 1

| ALDURA21 | Frequency | Percent |
|----------------------------|-----------|---------|
| ----- | | |
| 00 Less than 1 year | 9 | 3.73 |
| 01-84 years | 229 | 95.02 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 1.24 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 26916

AHS.320_02.000: Duration of circulation problems
 (including blood clots), recode 2

| ALDURB21 | Frequency | Percent |
|----------------------|-----------|---------|
| ----- | | |
| 1 Less than 3 months | 1 | 0.41 |
| 2 3-5 months | 3 | 1.24 |
| 3 6-12 months | 20 | 8.30 |
| 4 More than 1 year | 217 | 90.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26916

AHS.320_02.000: Circulation problems (including
 blood clots) condition status recode

| ALCHRC21 | Frequency | Percent |
|----------------------|-----------|---------|
| ----- | | |
| 1 Chronic | 240 | 99.59 |
| 2 Not chronic | 1 | 0.41 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26916

2010 National Health Interview Survey (NHIS)
 109
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.321_01.000 RECOD: Duration of endocrine/nutritional/metabolic
 problem: Number of units

| ALTIME22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 83 | 95.40 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 1.15 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 1.15 |
| 99 Don't know | 2 | 2.30 |

Frequency Missing = 27070

AHS.321_02.000 RECOD: Duration of endocrine/nutritional/metabolic
 problem: Time unit

| ALUNIT22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 1.15 |
| 3 Month(s) | 11 | 12.64 |
| 4 Year(s) | 73 | 83.91 |
| 6 Since birth | 1 | 1.15 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 1.15 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27070

AHS.321_02.000: Duration (in years) of endocrine/nutritional/metabolic
 problem, recode 1

| ALDURA22 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 10 | 11.49 |
| 01-84 years | 74 | 85.06 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 2.30 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 1.15 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27070

AHS.321_02.000: Duration of endocrine/nutritional/metabolic problem, recode 2

| ALDURB22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 3.45 |
| 2 3-5 months | 2 | 2.30 |
| 3 6-12 months | 8 | 9.20 |
| 4 More than 1 year | 73 | 83.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 1.15 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27070

AHS.321_02.000: Endocrine/nutritional/metabolic problem condition status recode

| ALCHRC22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 83 | 95.40 |
| 2 Not chronic | 3 | 3.45 |
| 9 Unknown if chronic | 1 | 1.15 |

Frequency Missing = 27070

AHS.322_01.000 RECOD: Duration of nervous system/sensory organ condition: Number of units

| ALTIME23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 558 | 94.90 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 21 | 3.57 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 8 | 1.36 |

Frequency Missing = 26569

AHS.322_02.000 RECOD: Duration of nervous system/sensory organ condition: Time unit

| ALUNIT23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.17 |
| 2 Week(s) | 2 | 0.34 |
| 3 Month(s) | 24 | 4.08 |
| 4 Year(s) | 537 | 91.33 |
| 6 Since birth | 21 | 3.57 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 2 | 0.34 |

Frequency Missing = 26569

2010 National Health Interview Survey (NHIS) 111
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.322_02.000: Duration (in years) of nervous system/sensory organ condition , recode 1

| ALDURA23 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 22 | 3.74 |
| 01-84 years | 556 | 94.56 |
| 85 85+ years | 1 | 0.17 |
| 96 Unknown number of years | 6 | 1.02 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 2 | 0.34 |

Frequency Missing = 26569

AHS.322_02.000: Duration of nervous system/sensory organ condition, recode 2

| ALDURB23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 1.19 |
| 2 3-5 months | 3 | 0.51 |
| 3 6-12 months | 37 | 6.29 |
| 4 More than 1 year | 538 | 91.50 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.17 |
| 9 Don't know | 2 | 0.34 |

Frequency Missing = 26569

AHS.322_02.000: Nervous system/sensory organ condition status recode

| ALCHRC23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 578 | 98.30 |
| 2 Not chronic | 7 | 1.19 |
| 9 Unknown if chronic | 3 | 0.51 |

Frequency Missing = 26569

AHS.323_01.000 RECOD: Duration of digestive system problems: Number of units

| ALTIME24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 124 | 96.88 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 0.78 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 2.34 |

Frequency Missing = 27029

AHS.323_02.000 RECOD: Duration of digestive system problems: Time unit

| ALUNIT24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.78 |
| 3 Month(s) | 16 | 12.50 |
| 4 Year(s) | 109 | 85.16 |
| 6 Since birth | 1 | 0.78 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.78 |

Frequency Missing = 27029

AHS.323_02.000: Duration (in years) of digestive system problems, recode 1

| ALDURA24 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 16 | 12.50 |
| 01-84 years | 109 | 85.16 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 1.56 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.78 |

Frequency Missing = 27029

AHS.323_02.000: Duration of digestive system problems, recode 2

| ALDURB24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 2.34 |
| 2 3-5 months | 5 | 3.91 |
| 3 6-12 months | 20 | 15.63 |
| 4 More than 1 year | 99 | 77.34 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.78 |

Frequency Missing = 27029

AHS.323_02.000: Digestive system problems condition status recode

| ALCHRC24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 124 | 96.88 |
| 2 Not chronic | 3 | 2.34 |
| 9 Unknown if chronic | 1 | 0.78 |

Frequency Missing = 27029

AHS.324_01.000 RECOD: Duration of genitourinary system problem: Number of units

| ALTIME25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 118 | 96.72 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 2 | 1.64 |
| 97 Refused | 1 | 0.82 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.82 |

Frequency Missing = 27035

AHS.324_02.000 RECOD: Duration of genitourinary system problem: Time unit

| ALUNIT25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.82 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 12 | 9.84 |
| 4 Year(s) | 106 | 86.89 |
| 6 Since birth | 2 | 1.64 |
| 7 Refused | 1 | 0.82 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27035

AHS.324_02.000: Duration (in years) of genitourinary system problem, recode 1

| ALDURA25 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 10 | 8.20 |
| 01-84 years | 110 | 90.16 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.82 |
| 97 Refused | 1 | 0.82 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27035

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

114

AHS.324_02.000: Duration of genitourinary system problem, recode 2

| ALDURB25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 2 | 1.64 |
| 2 3-5 months | 3 | 2.46 |
| 3 6-12 months | 16 | 13.11 |
| 4 More than 1 year | 100 | 81.97 |
| 7 Refused | 1 | 0.82 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27035

AHS.324_02.000: Genitourinary system problem condition status recode

| ALCHRC25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 119 | 97.54 |
| 2 Not chronic | 2 | 1.64 |
| 9 Unknown if chronic | 1 | 0.82 |

Frequency Missing = 27035

AHS.325_01.000 RECOD: Duration of skin/subcutaneous system problems: Number of units

| ALTIME26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 6 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27151

AHS.325_02.000 RECOD: Duration of skin/subcutaneous system problems: Time unit

| ALUNIT26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 6 | 100.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27151

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

115

AHS.325_02.000: Duration (in years) of skin/subcutaneous system problems, recode 1

| ALDURA26 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 6 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27151

AHS.325_02.000: Duration of skin/subcutaneous system problems, recode 2

| ALDURB26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 6 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27151

AHS.325_02.000: Skin/subcutaneous system problems condition status recode

| ALCHRC26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 6 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27151

AHS.326_01.000 RECOD: Duration of blood or blood-forming organ problem: Number of units

| ALTIME27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 12 | 85.71 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 2 | 14.29 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27143

AHS.326_02.000 RECOD: Duration of blood or
 blood-forming organ problem: Time unit

| ALUNIT27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 2 | 14.29 |
| 4 Year(s) | 10 | 71.43 |
| 6 Since birth | 2 | 14.29 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27143

AHS.326_02.000: Duration (in years) of blood
 or blood-forming organ problem, recode 1

| ALDURA27 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 7.14 |
| 01-84 years | 13 | 92.86 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27143

AHS.326_02.000: Duration of blood or blood-forming organ problem, recode 2

| ALDURB27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 7.14 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 2 | 14.29 |
| 4 More than 1 year | 11 | 78.57 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27143

AHS.326_02.000: Blood or blood-forming organ problem condition status recode

| ALCHRC27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 13 | 92.86 |
| 2 Not chronic | 1 | 7.14 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27143

AHS.327_01.000 RECOD: Duration of benign tumor/cyst: Number of units

| ALTIME28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 26 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27131

AHS.327_02.000 RECOD: Duration of benign tumor/cyst: Time unit

| ALUNIT28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 3.85 |
| 3 Month(s) | 2 | 7.69 |
| 4 Year(s) | 23 | 88.46 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27131

AHS.327_02.000: Duration (in years) of benign tumor/cyst, recode 1

| ALDURA28 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 11.54 |
| 01-84 years | 23 | 88.46 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27131

AHS.327_02.000: Duration of benign tumor/cyst, recode 2

| ALDURB28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 3.85 |
| 2 3-5 months | 2 | 7.69 |
| 3 6-12 months | 1 | 3.85 |
| 4 More than 1 year | 22 | 84.62 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27131

AHS.327_02.000: Benign tumor/cyst condition status recode

| ALCHRC28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 25 | 96.15 |
| 2 Not chronic | 1 | 3.85 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27131

AHS.328_01.000 RECOD: Duration of alcohol /drug/substance abuse problem: Number of units

| ALTIME29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1 | 50.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 50.00 |

Frequency Missing = 27155

AHS.328_02.000 RECOD: Duration of alcohol/drug/substance abuse problem: Time unit

| ALUNIT29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 1 | 50.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 50.00 |

Frequency Missing = 27155

2010 National Health Interview Survey (NHIS) 119
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.328_02.000: Duration (in years) of alcohol/drug/substance abuse problem, recode 1

| ALDURA29 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 1 | 50.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 50.00 |

Frequency Missing = 27155

AHS.328_02.000: Duration of alcohol/drug/substance abuse problem, recode 2

| ALDURB29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 1 | 50.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 50.00 |

Frequency Missing = 27155

AHS.328_02.000: Alcohol /drug/substance abuse problem condition status recode

| ALCHRC29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 1 | 50.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 1 | 50.00 |

Frequency Missing = 27155

AHS.329_01.000 RECOD: Duration of other mental problem/ADD/Bipolar/Schizophrenia: Number of units

| ALTIME30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 28 | 77.78 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 7 | 19.44 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 2.78 |

Frequency Missing = 27121

AHS.329_02.000 RECOD: Duration of other mental problem/ADD/Bipolar/Schizophrenia: Time unit

| ALUNIT30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 29 | 80.56 |
| 6 Since birth | 7 | 19.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27121

AHS.329_02.000: Duration (in years) of other mental problem/ADD/Bipolar/Schizophrenia, recode 1

| ALDURA30 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 35 | 97.22 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 2.78 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27121

AHS.329_02.000: Duration of other mental problem/ADD/Bipolar/Schizophrenia, recode 2

| ALDURB30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 36 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27121

2010 National Health Interview Survey (NHIS) 121
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.329_02.000: Other mental problem/ADD/Bipolar/Schizophrenia
 condition status recode

| ALCHRC30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 36 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27121

AHS.330_01.000 RECOD: Duration of surgical after-effects/medical
 treatment problems: Number of units

| ALTIME31 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 61 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27096

AHS.330_02.000 RECOD: Duration of surgical after-effects/medical
 treatment problems: Time unit

| ALUNIT31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 4.92 |
| 2 Week(s) | 4 | 6.56 |
| 3 Month(s) | 16 | 26.23 |
| 4 Year(s) | 38 | 62.30 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27096

2010 National Health Interview Survey (NHIS) 122
Sample Adult Public Use File (samadult)
AHS Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHS.330_02.000: Duration (in years) of surgical after-effects/medical treatment problems, recode 1

| ALDURA31 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 22 | 36.07 |
| 01-84 years | 39 | 63.93 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27096

AHS.330_02.000: Duration of surgical after-effects/medical treatment problems, recode 2

| ALDURB31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 12 | 19.67 |
| 2 3-5 months | 6 | 9.84 |
| 3 6-12 months | 12 | 19.67 |
| 4 More than 1 year | 31 | 50.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27096

AHS.330_02.000: Surgical after-effects/medical treatment problems condition status recode

| ALCHRC31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 49 | 80.33 |
| 2 Not chronic | 12 | 19.67 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27096

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Wednesday, May 25, 2011

Unweighted Frequencies

123

AHS.331_01.000 RECOD: Duration of "old age"/elderly/aging-related

problems: Number of units

| ALTIME32 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 171 | 82.21 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 1.44 |
| 97 Refused | 8 | 3.85 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 26 | 12.50 |

Frequency Missing = 26949

AHS.331_02.000 RECOD: Duration of "old age"/elderly/aging-related

problems: Time unit

| ALUNIT32 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 4 | 1.92 |
| 4 Year(s) | 175 | 84.13 |
| 6 Since birth | 3 | 1.44 |
| 7 Refused | 8 | 3.85 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 8.65 |

Frequency Missing = 26949

AHS.331_02.000: Duration (in years) of "old age"/elderly/aging-related

problems, recode 1

| ALDURA32 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 4 | 1.92 |
| 01-84 years | 167 | 80.29 |
| 85 85+ years | 3 | 1.44 |
| 96 Unknown number of years | 8 | 3.85 |
| 97 Refused | 8 | 3.85 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 18 | 8.65 |

Frequency Missing = 26949

AHS.331_02.000: Duration of "old age"/elderly/aging-related problems, recode 2

| ALDURB32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 1 | 0.48 |
| 3 6-12 months | 18 | 8.65 |
| 4 More than 1 year | 163 | 78.37 |
| 7 Refused | 8 | 3.85 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 8.65 |

Frequency Missing = 26949

AHS.331_02.000: "Old age"/elderly/aging-related problems condition status recode

| ALCHRC32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 208 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 26949

AHS.332_01.000 RECOD: Duration of fatigue/tiredness/weakness problem: Number of units

| ALTIME33 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 97 | 85.09 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 2 | 1.75 |
| 97 Refused | 1 | 0.88 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 14 | 12.28 |

Frequency Missing = 27043

AHS.332_02.000 RECOD: Duration of fatigue/tiredness/weakness problem: Time unit

| ALUNIT33 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.88 |
| 2 Week(s) | 2 | 1.75 |
| 3 Month(s) | 8 | 7.02 |
| 4 Year(s) | 93 | 81.58 |
| 6 Since birth | 2 | 1.75 |
| 7 Refused | 1 | 0.88 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 6.14 |

Frequency Missing = 27043

AHS.332_02.000: Duration (in years) of fatigue/tiredness/weakness problem, recode 1

| ALDURA33 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 11 | 9.65 |
| 01-84 years | 88 | 77.19 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 7 | 6.14 |
| 97 Refused | 1 | 0.88 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 6.14 |

Frequency Missing = 27043

AHS.332_02.000: Duration of fatigue/tiredness/weakness problem, recode 2

| ALDURB33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 8 | 7.02 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 18 | 15.79 |
| 4 More than 1 year | 80 | 70.18 |
| 7 Refused | 1 | 0.88 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 6.14 |

Frequency Missing = 27043

AHS.332_02.000: Fatigue/tiredness/weakness problem condition status recode

| ALCHRC33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 98 | 85.96 |
| 2 Not chronic | 8 | 7.02 |
| 9 Unknown if chronic | 8 | 7.02 |

Frequency Missing = 27043

AHS.333_01.000 RECOD: Duration of pregnancy-related problem: Number of units

| ALTIME34 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 45 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27112

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

126

AHS.333_02.000 RECOD: Duration of pregnancy-related problem: Time unit

| ALUNIT34 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 3 | 6.67 |
| 3 Month(s) | 42 | 93.33 |
| 4 Year(s) | 0 | 0.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27112

AHS.333_02.000: Duration (in years) of pregnancy-related problem, recode 1

| ALDURA34 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 45 | 100.00 |
| 01-84 years | 0 | 0.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27112

AHS.333_02.000: Duration of pregnancy-related problem, recode 2

| ALDURB34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 15.56 |
| 2 3-5 months | 10 | 22.22 |
| 3 6-12 months | 28 | 62.22 |
| 4 More than 1 year | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27112

AHS.333_02.000: Pregnancy-related condition status recode

| ALCHRC34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 0 | 0.00 |
| 2 Not chronic | 45 | 100.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27112

2010 National Health Interview Survey (NHIS) 127
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.335_01.000: Duration of other impairment/problem N.E.C. (1): Number of units

| ALTIME90 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 185 | 85.25 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 14 | 6.45 |
| 97 Refused | 1 | 0.46 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 17 | 7.83 |

Frequency Missing = 26940

AHS.335_02.000: Duration of other impairment/problem N.E.C. (1): Time unit

| ALUNIT90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.46 |
| 2 Week(s) | 1 | 0.46 |
| 3 Month(s) | 24 | 11.06 |
| 4 Year(s) | 165 | 76.04 |
| 6 Since birth | 14 | 6.45 |
| 7 Refused | 1 | 0.46 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 5.07 |

Frequency Missing = 26940

AHS.335_02.000: Duration (in years) of other
 impairment/problem N.E.C. (1), recode 1

| ALDURA90 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 23 | 10.60 |
| 01-84 years | 176 | 81.11 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 6 | 2.76 |
| 97 Refused | 1 | 0.46 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 11 | 5.07 |

Frequency Missing = 26940

AHS.335_02.000: Duration of other impairment/problem N.E.C. (1), recode 2

| ALDURB90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 9 | 4.15 |
| 2 3-5 months | 9 | 4.15 |
| 3 6-12 months | 21 | 9.68 |
| 4 More than 1 year | 166 | 76.50 |
| 7 Refused | 1 | 0.46 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 5.07 |

Frequency Missing = 26940

AHS.335_02.000: Other impairment/problem N.E.C. (1) condition status recode

| ALCHRC90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 196 | 90.32 |
| 2 Not chronic | 9 | 4.15 |
| 9 Unknown if chronic | 12 | 5.53 |

Frequency Missing = 26940

AHS.336_01.000: Duration of other impairment/problem N.E.C. (2): Number of units

| ALTIME91 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 0 | . |
| 95 95+ | 0 | . |
| 96 Since birth | 0 | . |
| 97 Refused | 0 | . |
| 98 Not ascertained | 0 | . |
| 99 Don't know | 0 | . |

Frequency Missing = 27157

AHS.336_02.000: Duration of other impairment/problem N.E.C. (2): Time unit

| ALUNIT91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | . |
| 2 Week(s) | 0 | . |
| 3 Month(s) | 0 | . |
| 4 Year(s) | 0 | . |
| 6 Since birth | 0 | . |
| 7 Refused | 0 | . |
| 8 Not ascertained | 0 | . |
| 9 Don't know | 0 | . |

Frequency Missing = 27157

AHS.336_02.000: Duration (in years) of other
 impairment/ problem N.E.C. (2), recode 1

| ALDURA91 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | . |
| 01-84 years | 0 | . |
| 85 85+ years | 0 | . |
| 96 Unknown number of years | 0 | . |
| 97 Refused | 0 | . |
| 98 Not ascertained | 0 | . |
| 99 Don't know | 0 | . |

Frequency Missing = 27157

AHS.336_02.000: Duration of other impairment/problem N.E.C. (2), recode 2

| ALDURB91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | . |
| 2 3-5 months | 0 | . |
| 3 6-12 months | 0 | . |
| 4 More than 1 year | 0 | . |
| 7 Refused | 0 | . |
| 8 Not ascertained | 0 | . |
| 9 Don't know | 0 | . |

Frequency Missing = 27157

AHS.336_02.000: Other impairment/problem N.E.C. (2) condition status recode

| ALCHRC91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 0 | . |
| 2 Not chronic | 0 | . |
| 9 Unknown if chronic | 0 | . |

Frequency Missing = 27157

AHS.336_02.000: Chronic condition recode
 for individual with functional limitation

| ALCNDRT | Frequency |
|---|-----------|
| 1 At least one condition causing functional limitation is chronic | 9586 |
| 2 No condition causing functional limitation | 281 |
| 9 Unknown if any condition causing functional limitation is chronic | 196 |

AHS.336_02.000: Chronic condition recode
 for individual with functional limitation

| ALCNDRT | Percent |
|---|---------|
| 1 At least one condition causing functional limitation is chronic | 95.26 |
| 2 No condition causing functional limitation | 2.79 |

2010 National Health Interview Survey (NHIS) 130
 Sample Adult Public Use File (samadult)
 AHS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHS.336_02.000: Chronic condition recode
 for individual with functional limitation

| ALCNDRT | Percent |
|---|---------|
| <hr/> | |
| 9 Unknown if any condition causing functional limitation is chronic | 1.95 |

Frequency Missing = 17094

AHS.336_02.000: Overall functional limitation recode by condition status

| ALCHRONR | Frequency | Percent |
|---|-----------|---------|
| <hr/> | | |
| 0 Not limited in any way (including unknown if limited) | 17094 | 62.95 |
| 1 Limited; caused by at least one chronic condition | 9586 | 35.30 |
| 2 Limited; not caused by chronic condition | 281 | 1.03 |
| 3 Limited; unknown if condition is chronic | 196 | 0.72 |

2010 National Health Interview Survey (NHIS) 131
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.010_00.000: Ever smoked 100 cigarettes

| SMKEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10889 | 40.10 |
| 2 No | 16083 | 59.22 |
| 7 Refused | 31 | 0.11 |
| 8 Not ascertained | 132 | 0.49 |
| 9 Don't know | 22 | 0.08 |

AHB.020_00.000: Age first smoked fairly regularly

| SMKREG | Frequency | Percent |
|---------------------------|-----------|---------|
| 06-84 6 - 84 years | 10536 | 96.76 |
| 85 85 years or older | 0 | 0.00 |
| 96 Never smoked regularly | 224 | 2.06 |
| 97 Refused | 10 | 0.09 |
| 98 Not ascertained | 3 | 0.03 |
| 99 Don't know | 116 | 1.07 |

Frequency Missing = 16268

AHB.030_00.000: Smoke freq: everyday/some days/not at all

| SMKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day | 3981 | 36.56 |
| 2 Some days | 1166 | 10.71 |
| 3 Not at all | 5737 | 52.69 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16268

AHB.030_00.000: Smoking Status: Recode

| SMKSTAT2 | Frequency | Percent |
|----------------------------------|-----------|---------|
| 1 Current every day smoker | 3981 | 14.66 |
| 2 Current some day smoker | 1166 | 4.29 |
| 3 Former smoker | 5737 | 21.13 |
| 4 Never smoker | 16083 | 59.22 |
| 5 Smoker, current status unknown | 5 | 0.02 |
| 9 Unknown if ever smoked | 185 | 0.68 |

AHB.040_01.000: Time since quit: # of units

| SMKQTNO | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1 - 94 | 5684 | 99.08 |
| 95 95+ | 2 | 0.03 |
| 97 Refused | 3 | 0.05 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 48 | 0.84 |

Frequency Missing = 21420

AHB.040_02.000: Time since quit: time period

| SMKQTTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 29 | 0.51 |
| 2 Week(s) | 57 | 0.99 |
| 3 Month(s) | 446 | 7.77 |
| 4 Year(s) | 5154 | 89.84 |
| 7 Refused | 3 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 48 | 0.84 |

Frequency Missing = 21420

AHB.040_02.000: Time since quit smoking (in years)

| SMKQTY | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 429 | 7.48 |
| 01-69 1-69 years | 5255 | 91.60 |
| 70 70+ years | 2 | 0.03 |
| 97 Refused | 3 | 0.05 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 48 | 0.84 |

Frequency Missing = 21420

AHB.050_00.000: Number cigs per day (daily smokers)

| CIGSDA1 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 3960 | 99.47 |
| 95 95+ cigarettes | 2 | 0.05 |
| 97 Refused | 6 | 0.15 |
| 98 Not ascertained | 1 | 0.03 |
| 99 Don't know | 12 | 0.30 |

Frequency Missing = 23176

2010 National Health Interview Survey (NHIS) 133
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.060_00.000: Number days smoked in past 30 days

| CIGDAMO | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 39 | 3.34 |
| 01-30 1-30 days | 1110 | 95.20 |
| 97 Refused | 4 | 0.34 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 13 | 1.11 |

Frequency Missing = 25991

AHB.070_00.000: Number cigs per day (some day smokers)

| CIGSDA2 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 1118 | 99.20 |
| 95 95+ cigarettes | 0 | 0.00 |
| 97 Refused | 3 | 0.27 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 6 | 0.53 |

Frequency Missing = 26030

AHB.070_00.000: Number of cigarettes a day (all current smokers)

| CIGSDAY | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 5078 | 99.41 |
| 95 95+ cigarettes | 2 | 0.04 |
| 97 Refused | 9 | 0.18 |
| 98 Not ascertained | 1 | 0.02 |
| 99 Don't know | 18 | 0.35 |

Frequency Missing = 22049

AHB.080_00.000: Tried quit smoking 1+ days, past 12 m

| CIGQTYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2431 | 47.23 |
| 2 No | 2711 | 52.67 |
| 7 Refused | 2 | 0.04 |
| 8 Not ascertained | 1 | 0.02 |
| 9 Don't know | 2 | 0.04 |

Frequency Missing = 22010

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

134

AHB.090_01.000: Freq vigorous activity: # of units

| VIGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 15109 | 55.64 |
| 001-995 1-995 time(s) | 11096 | 40.86 |
| 996 Unable to do this type activity | 628 | 2.31 |
| 997 Refused | 25 | 0.09 |
| 998 Not ascertained | 253 | 0.93 |
| 999 Don't know | 46 | 0.17 |

AHB.090_02.000: Freq vigorous activity: Time units

| VIGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 15109 | 55.64 |
| 1 Per day | 1543 | 5.68 |
| 2 Per week | 8591 | 31.63 |
| 3 Per month | 787 | 2.90 |
| 4 Per year | 174 | 0.64 |
| 6 Unable to do this activity | 628 | 2.31 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 254 | 0.94 |
| 9 Don't know | 46 | 0.17 |

AHB.090_02.000: Freq vigorous activity (times per wk)

| VIGFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 700 | 2.58 |
| 01-28 1-28 times per week | 10395 | 38.28 |
| 95 Never | 15109 | 55.64 |
| 96 Unable to do vigorous activity | 628 | 2.31 |
| 97 Refused | 25 | 0.09 |
| 98 Not ascertained | 254 | 0.94 |
| 99 Don't know | 46 | 0.17 |

AHB.100_01.000: Duration vigorous activity: # units

| VIGLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 11051 | 99.60 |
| 997 Refused | 1 | 0.01 |
| 998 Not ascertained | 14 | 0.13 |
| 999 Don't know | 29 | 0.26 |

Frequency Missing = 16062

2010 National Health Interview Survey (NHIS) 135
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.100_02.000: Duration vigorous activity: Time unit

| VIGLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 7150 | 64.44 |
| 2 Hours | 3901 | 35.16 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 14 | 0.13 |
| 9 Don't know | 29 | 0.26 |

Frequency Missing = 16062

AHB.100_02.000: Duration vigorous activity (in minutes)

| VIGMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 11051 | 99.60 |
| 997 Refused | 1 | 0.01 |
| 998 Not ascertained | 14 | 0.13 |
| 999 Don't know | 29 | 0.26 |

Frequency Missing = 16062

AHB.110_01.000: Freq moderate activity: # of units

| MODNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 11501 | 42.35 |
| 001-995 1-995 time(s) | 14715 | 54.18 |
| 996 Unable to do this type activity | 454 | 1.67 |
| 997 Refused | 25 | 0.09 |
| 998 Not ascertained | 333 | 1.23 |
| 999 Don't know | 129 | 0.48 |

AHB.110_02.000: Freq moderate activity: Time units

| MODTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 11501 | 42.35 |
| 1 Per day | 3580 | 13.18 |
| 2 Per week | 10326 | 38.02 |
| 3 Per month | 681 | 2.51 |
| 4 Per year | 128 | 0.47 |
| 6 Unable to do this activity | 454 | 1.67 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 333 | 1.23 |
| 9 Don't know | 129 | 0.48 |

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHB Variables Wednesday, May 25, 2011
Unweighted Frequencies

136

AHB.110_02.000: Freq light/moderate activity (times per wk)

| MODFREQW | Frequency | Percent |
|--|-----------|---------|
| 00 Less than once per week | 498 | 1.83 |
| 01-28 1-28 times per week | 14217 | 52.35 |
| 95 Never | 11501 | 42.35 |
| 96 Unable to do light or moderate activity | 454 | 1.67 |
| 97 Refused | 25 | 0.09 |
| 98 Not ascertained | 333 | 1.23 |
| 99 Don't know | 129 | 0.48 |

AHB.120_01.000: Duration moderate activity: # of units

| MODLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 14594 | 99.18 |
| 997 Refused | 1 | 0.01 |
| 998 Not ascertained | 15 | 0.10 |
| 999 Don't know | 105 | 0.71 |

Frequency Missing = 12442

AHB.120_02.000: Duration moderate activity: Time unit

| MODLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 10785 | 73.29 |
| 2 Hours | 3809 | 25.89 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 15 | 0.10 |
| 9 Don't know | 105 | 0.71 |

Frequency Missing = 12442

AHB.120_02.000: Duration light/moderate activity (in minutes)

| MODMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 14594 | 99.18 |
| 997 Refused | 1 | 0.01 |
| 998 Not ascertained | 15 | 0.10 |
| 999 Don't know | 105 | 0.71 |

Frequency Missing = 12442

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHB Variables Wednesday, May 25, 2011
Unweighted Frequencies

AHB.130_01.000: Strength activity freq: # of units

| STRNGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 19053 | 70.16 |
| 001-995 1-995 time(s) | 7351 | 27.07 |
| 996 Unable to do this type activity | 466 | 1.72 |
| 997 Refused | 29 | 0.11 |
| 998 Not ascertained | 215 | 0.79 |
| 999 Don't know | 43 | 0.16 |

AHB.130_02.000: Strength activity freq: Time units

| STRNGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 19053 | 70.16 |
| 1 Per day | 973 | 3.58 |
| 2 Per week | 5843 | 21.52 |
| 3 Per month | 449 | 1.65 |
| 4 Per year | 86 | 0.32 |
| 6 Unable to do this activity | 466 | 1.72 |
| 7 Refused | 29 | 0.11 |
| 8 Not ascertained | 215 | 0.79 |
| 9 Don't know | 43 | 0.16 |

AHB.130_02.000: Freq strength activity (times per wk)

| STRFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 388 | 1.43 |
| 01-28 1-28 times per week | 6963 | 25.64 |
| 95 Never | 19053 | 70.16 |
| 96 Unable to do strength activity | 466 | 1.72 |
| 97 Refused | 29 | 0.11 |
| 98 Not ascertained | 215 | 0.79 |
| 99 Don't know | 43 | 0.16 |

AHB.140_00.000: Ever had 12+ drinks in any one year

| ALC1YR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 16420 | 60.46 |
| 2 No | 10456 | 38.50 |
| 7 Refused | 51 | 0.19 |
| 8 Not ascertained | 209 | 0.77 |
| 9 Don't know | 21 | 0.08 |

AHB.150_00.000: Had 12+ drinks in ENTIRE LIFE

| ALCLIFE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4457 | 41.51 |
| 2 No | 6002 | 55.90 |
| 7 Refused | 44 | 0.41 |
| 8 Not ascertained | 212 | 1.97 |
| 9 Don't know | 22 | 0.20 |

Frequency Missing = 16420

AHB.160_01.000: Freq drank alcohol pst yr: # of units

| ALC12MNO | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never | 4099 | 19.63 |
| 001-365 1-365 days | 16593 | 79.48 |
| 997 Refused | 45 | 0.22 |
| 998 Not ascertained | 6 | 0.03 |
| 999 Don't know | 134 | 0.64 |

Frequency Missing = 6280

AHB.160_02.000: Freq drank alcohol pst yr: Time unit

| ALC12MTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 4099 | 19.63 |
| 1 Week | 7099 | 34.00 |
| 2 Month | 4363 | 20.90 |
| 3 Year | 5131 | 24.58 |
| 7 Refused | 45 | 0.22 |
| 8 Not ascertained | 6 | 0.03 |
| 9 Don't know | 134 | 0.64 |

Frequency Missing = 6280

AHB.160_02.000: Freq drank alcohol: Days per week

| ALC12MWK | Frequency | Percent |
|-------------------------------|-----------|---------|
| 00 Less than one day per week | 8282 | 39.67 |
| 01-07 1-7 days per week | 8311 | 39.81 |
| 95 Did not drink in past year | 4099 | 19.63 |
| 97 Refused | 45 | 0.22 |
| 98 Not ascertained | 6 | 0.03 |
| 99 Don't know | 134 | 0.64 |

Frequency Missing = 6280

2010 National Health Interview Survey (NHIS) 139
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.160_02.000: Freq drank alcohol: Days in past year

| ALC12MYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 4099 | 19.63 |
| 001-365 1-365 days | 16593 | 79.48 |
| 997 Refused | 45 | 0.22 |
| 998 Not ascertained | 6 | 0.03 |
| 999 Don't know | 134 | 0.64 |

Frequency Missing = 6280

AHB.170_00.000: Average # drinks on days drank

| ALCAMT | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 drinks | 16497 | 99.42 |
| 95 95+ drinks | 3 | 0.02 |
| 97 Refused | 4 | 0.02 |
| 98 Not ascertained | 2 | 0.01 |
| 99 Don't know | 87 | 0.52 |

Frequency Missing = 10564

AHB.170_00.000: Alcohol drinking status: Recode

| ALCSTAT | Frequency | Percent |
|---|-----------|---------|
| 01 Lifetime abstainer | 6002 | 22.10 |
| 02 Former infrequent | 2437 | 8.97 |
| 03 Former regular | 1653 | 6.09 |
| 04 Former, unknown frequency | 9 | 0.03 |
| 05 Current infrequent | 3634 | 13.38 |
| 06 Current light | 7770 | 28.61 |
| 07 Current moderate | 3762 | 13.85 |
| 08 Current heavier | 1334 | 4.91 |
| 09 Current drinker, frequency/level unknown | 93 | 0.34 |
| 10 Drinking status unknown | 463 | 1.70 |

AHB.180_01.000: Days 5+ drinks, past yr: # days

| ALC5UPNO | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 10656 | 64.22 |
| 001-365 1-365 days | 5707 | 34.39 |
| 997 Refused | 15 | 0.09 |
| 998 Not ascertained | 4 | 0.02 |
| 999 Don't know | 211 | 1.27 |

Frequency Missing = 10564

2010 National Health Interview Survey (NHIS) 140
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.180_02.000: Days 5+ drinks, past yr: Time unit

| ALC5UPTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 10656 | 64.22 |
| 1 Per week | 611 | 3.68 |
| 2 Per month | 479 | 2.89 |
| 3 Per year | 4616 | 27.82 |
| 7 Refused | 15 | 0.09 |
| 8 Not ascertained | 5 | 0.03 |
| 9 Don't know | 211 | 1.27 |

Frequency Missing = 10564

AHB.180_02.000: Number of days had 5+ drinks past year

| ALC5UPYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 10656 | 64.22 |
| 001-365 1-365 days | 5707 | 34.39 |
| 997 Refused | 15 | 0.09 |
| 998 Not ascertained | 4 | 0.02 |
| 999 Don't know | 211 | 1.27 |

Frequency Missing = 10564

AHB.190_04.000: Total height in inches

| AHEIGHT | Frequency | Percent |
|--------------------|-----------|---------|
| 59-76 59-76 inches | 25121 | 92.50 |
| 96 Not available | 1653 | 6.09 |
| 97 Refused | 34 | 0.13 |
| 98 Not ascertained | 275 | 1.01 |
| 99 Don't know | 74 | 0.27 |

AHB.200_02.000: Weight without shoes (pounds)

| AWEIGHTP | Frequency | Percent |
|------------------------|-----------|---------|
| 100-299 100-299 pounds | 24629 | 90.69 |
| 996 Not available | 1653 | 6.09 |
| 997 Refused | 370 | 1.36 |
| 998 Not ascertained | 254 | 0.94 |
| 999 Don't know | 251 | 0.92 |

2010 National Health Interview Survey (NHIS) 141
 Sample Adult Public Use File (samadult)
 AHB Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AHB.200_02.000: Body Mass Index (BMI)

| BMI | Frequency | Percent |
|-----------------------|-----------|---------|
| 0001-9994 00.01-99.94 | 26171 | 96.37 |
| 9995 99.95+ | 0 | 0.00 |
| 9999 Unknown | 986 | 3.63 |

AHB.210_00.000: Hours of sleep

| SLEEP | Frequency | Percent |
|--------------------|-----------|---------|
| 01-24 1-24 hours | 26775 | 98.59 |
| 97 Refused | 21 | 0.08 |
| 98 Not ascertained | 256 | 0.94 |
| 99 Don't know | 105 | 0.39 |

AAU.020_00.000: Place USUALLY go when sick

| AUSUALPL | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes | 21922 | 80.72 |
| 2 There is NO place | 4585 | 16.88 |
| 3 There is MORE THAN ONE place | 347 | 1.28 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 290 | 1.07 |
| 9 Don't know | 4 | 0.01 |

AAU.030_00.000: Place to go when sick (most often)

| APLKIND | Frequency | Percent |
|--------------------------------------|-----------|---------|
| 1 Clinic or health center | 4840 | 21.73 |
| 2 Doctor's office or HMO | 16224 | 72.85 |
| 3 Hospital emergency room | 314 | 1.41 |
| 4 Hospital outpatient department | 378 | 1.70 |
| 5 Some other place | 261 | 1.17 |
| 6 Doesn't go to one place most often | 241 | 1.08 |
| 7 Refused | 1 | 0.00 |
| 8 Not ascertained | 5 | 0.02 |
| 9 Don't know | 5 | 0.02 |

Frequency Missing = 4888

AAU.035_00.000: USUALLY go there for routine/preventive care

| AHCPLROU | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 20751 | 94.25 |
| 2 No | 1251 | 5.68 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 5 | 0.02 |
| 9 Don't know | 10 | 0.05 |

Frequency Missing = 5140

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AAU Variables Wednesday, May 25, 2011

Unweighted Frequencies

143

AAU.037_00.000: Place USUALLY go for routine/preventive care

| AHCPLKND | Frequency | Percent |
|--|-----------|---------|
| 0 Doesn't get preventive care anywhere | 3125 | 48.78 |
| 1 Clinic or health center | 833 | 13.00 |
| 2 Doctor's office or HMO | 1340 | 20.92 |
| 3 Hospital emergency room | 143 | 2.23 |
| 4 Hospital outpatient department | 84 | 1.31 |
| 5 Some other place | 127 | 1.98 |
| 6 Doesn't go to one place most often | 423 | 6.60 |
| 7 Refused | 11 | 0.17 |
| 8 Not ascertained | 302 | 4.71 |
| 9 Don't know | 18 | 0.28 |

Frequency Missing = 20751

AAU.040_00.000: Change health care place, past 12 m

| AHCCHGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1845 | 8.29 |
| 2 No | 20401 | 91.61 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 14 | 0.06 |
| 9 Don't know | 6 | 0.03 |

Frequency Missing = 4888

AAU.050_00.000: Change related to health insurance

| AHCCHGHI | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 538 | 29.16 |
| 2 No | 1304 | 70.68 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.16 |

Frequency Missing = 25312

AAU.061_01.000: Couldn't get through on phone, past 12 m

| AHCDLYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 683 | 2.52 |
| 2 No | 26127 | 96.21 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 320 | 1.18 |
| 9 Don't know | 15 | 0.06 |

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AAU Variables Wednesday, May 25, 2011

Unweighted Frequencies

144

AAU.061_02.000: Couldn't get appt soon enough, past 12 m

| AHCDLYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1650 | 6.08 |
| 2 No | 25156 | 92.63 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 321 | 1.18 |
| 9 Don't know | 18 | 0.07 |

AAU.061_03.000: Wait too long in dr's office, past 12 m

| AHCDLYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1411 | 5.20 |
| 2 No | 25396 | 93.52 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 321 | 1.18 |
| 9 Don't know | 17 | 0.06 |

AAU.061_04.000: Not open when you could go, past 12 m

| AHCDLYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 872 | 3.21 |
| 2 No | 25933 | 95.49 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 322 | 1.19 |
| 9 Don't know | 18 | 0.07 |

AAU.061_05.000: No transportation, past 12 m

| AHCDLYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 697 | 2.57 |
| 2 No | 26116 | 96.17 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 322 | 1.19 |
| 9 Don't know | 11 | 0.04 |

AAU.111_01.000: Couldn't afford prescription medicine, past 12 m

| AHCAFYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2905 | 10.70 |
| 2 No | 23905 | 88.03 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 332 | 1.22 |
| 9 Don't know | 7 | 0.03 |

AAU.111_02.000: Couldn't afford mental health care/counseling, past 12 m

| AHCAFYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 792 | 2.92 |
| 2 No | 26008 | 95.77 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 338 | 1.24 |
| 9 Don't know | 8 | 0.03 |

AAU.111_03.000: Couldn't afford dental care, past 12 m

| AHCAFYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4438 | 16.34 |
| 2 No | 22366 | 82.36 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 339 | 1.25 |
| 9 Don't know | 5 | 0.02 |

AAU.111_04.000: Couldn't afford eyeglasses, past 12 m

| AHCAFYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2580 | 9.50 |
| 2 No | 24221 | 89.19 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 340 | 1.25 |
| 9 Don't know | 8 | 0.03 |

AAU.135_00.000: Time since last saw a dentist

| ADNLONG2 | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 240 | 0.88 |
| 1 6 months or less | 10986 | 40.45 |
| 2 More than 6 mos, but not more than 1 yr ago | 4541 | 16.72 |
| 3 More than 1 yr, but not more than 2 yrs ago | 3620 | 13.33 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 3487 | 12.84 |
| 5 More than 5 years ago | 3851 | 14.18 |
| 7 Refused | 21 | 0.08 |
| 8 Not ascertained | 347 | 1.28 |
| 9 Don't know | 64 | 0.24 |

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables Wednesday, May 25, 2011
Unweighted Frequencies

146

AAU.141_01.000: Seen/talked to mental health professional, past 12 m

| AHCSYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2103 | 7.74 |
| 2 No | 24669 | 90.84 |
| 7 Refused | 16 | 0.06 |
| 8 Not ascertained | 363 | 1.34 |
| 9 Don't know | 6 | 0.02 |

AAU.141_02.000: Seen/talked to eye doctor, past 12 m

| AHCSYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10167 | 37.44 |
| 2 No | 16603 | 61.14 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 369 | 1.36 |
| 9 Don't know | 9 | 0.03 |

AAU.141_03.000: Seen/talked to foot doctor, past 12 m

| AHCSYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2073 | 7.63 |
| 2 No | 24700 | 90.95 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 371 | 1.37 |
| 9 Don't know | 3 | 0.01 |

AAU.141_04.000: Seen/talked to a chiropractor, past 12 m

| AHCSYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2351 | 8.66 |
| 2 No | 24421 | 89.93 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 372 | 1.37 |
| 9 Don't know | 3 | 0.01 |

AAU.141_05.000: Seen/talked to therapist (PT/OT/etc.), past 12 m

| AHCSYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2397 | 8.83 |
| 2 No | 24373 | 89.75 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 374 | 1.38 |
| 9 Don't know | 3 | 0.01 |

2010 National Health Interview Survey (NHIS) 147
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AAU.141_06.000: Seen/talked to a NP/PA/midwife, past 12 m

| AHCSYR6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4891 | 18.01 |
| 2 No | 21841 | 80.42 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 374 | 1.38 |
| 9 Don't know | 42 | 0.15 |

AAU.200_00.000: Seen/talked to OB/GYN, past 12 m

| AHCSYR7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5936 | 39.13 |
| 2 No | 8999 | 59.32 |
| 7 Refused | 10 | 0.07 |
| 8 Not ascertained | 211 | 1.39 |
| 9 Don't know | 15 | 0.10 |

Frequency Missing = 11986

AAU.211_01.000: Seen/talked to a medical specialist, past 12 m

| AHCSYR8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7235 | 26.64 |
| 2 No | 19522 | 71.89 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 376 | 1.38 |
| 9 Don't know | 12 | 0.04 |

AAU.211_02.000: Seen/talked to a general doctor, past 12 m

| AHCSYR9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 17853 | 65.74 |
| 2 No | 8903 | 32.78 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 377 | 1.39 |
| 9 Don't know | 14 | 0.05 |

AAU.230_00.000: Doctor treats both kids and adults

| AHCSYR10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8960 | 50.19 |
| 2 No | 7289 | 40.83 |
| 7 Refused | 3 | 0.02 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 1600 | 8.96 |

Frequency Missing = 9304

AAU.240_00.000: # times in ER/ED, past 12 m

| AHERNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 20854 | 76.79 |
| 01 1 | 3702 | 13.63 |
| 02 2-3 | 1583 | 5.83 |
| 03 4-5 | 342 | 1.26 |
| 04 6-7 | 112 | 0.41 |
| 05 8-9 | 41 | 0.15 |
| 06 10-12 | 65 | 0.24 |
| 07 13-15 | 12 | 0.04 |
| 08 16 or more | 32 | 0.12 |
| 97 Refused | 9 | 0.03 |
| 98 Not ascertained | 387 | 1.43 |
| 99 Don't know | 18 | 0.07 |

AAU.250_00.000: Received home care from health professional, past 12 m

| AHCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 797 | 2.93 |
| 2 No | 25960 | 95.59 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 390 | 1.44 |
| 9 Don't know | 3 | 0.01 |

AAU.260_00.000: # months of home care, past 12 m

| AHCHMOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 months | 786 | 98.62 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.13 |
| 99 Don't know | 10 | 1.25 |

Frequency Missing = 26360

2010 National Health Interview Survey (NHIS) 149
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AAU.270_00.000: Total number of home visits

| AHCHNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 1 | 69 | 8.66 |
| 02 2-3 | 88 | 11.04 |
| 03 4-5 | 68 | 8.53 |
| 04 6-7 | 68 | 8.53 |
| 05 8-9 | 63 | 7.90 |
| 06 10-12 | 93 | 11.67 |
| 07 13-15 | 26 | 3.26 |
| 08 16 or more | 307 | 38.52 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.13 |
| 99 Don't know | 14 | 1.76 |

Frequency Missing = 26360

AAU.280_00.000: Total number of office visits, past 12 m

| AHCNOYR2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 5366 | 19.76 |
| 01 1 | 4124 | 15.19 |
| 02 2-3 | 6790 | 25.00 |
| 03 4-5 | 3787 | 13.94 |
| 04 6-7 | 1873 | 6.90 |
| 05 8-9 | 942 | 3.47 |
| 06 10-12 | 1548 | 5.70 |
| 07 13-15 | 595 | 2.19 |
| 08 16 or more | 1619 | 5.96 |
| 97 Refused | 14 | 0.05 |
| 98 Not ascertained | 409 | 1.51 |
| 99 Don't know | 90 | 0.33 |

AAU.290_00.000: Surgery/surgical procedure, past 12 m

| ASRGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3506 | 12.91 |
| 2 No | 23222 | 85.51 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 415 | 1.53 |
| 9 Don't know | 4 | 0.01 |

2010 National Health Interview Survey (NHIS) 150
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AAU.300_00.000: # of surgeries, past 12 m

| ASRGNOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 times | 3503 | 99.91 |
| 95 95+ times | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 0.09 |

Frequency Missing = 23651

AAU.305_00.000: Time since last seen/talked to health professional

| AMDLONGR | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 323 | 1.19 |
| 1 6 months or less | 17909 | 65.95 |
| 2 More than 6 mos, but not more than 1 yr ago | 3941 | 14.51 |
| 3 More than 1 yr, but not more than 2 yrs ago | 2116 | 7.79 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 1513 | 5.57 |
| 5 More than 5 years ago | 874 | 3.22 |
| 7 Refused | 16 | 0.06 |
| 8 Not ascertained | 426 | 1.57 |
| 9 Don't know | 39 | 0.14 |

AAU.306_00.010: Had an H1N1 flu vaccination since October 2009

| AH1N1_1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3092 | 18.74 |
| 2 No | 13065 | 79.20 |
| 7 Refused | 13 | 0.08 |
| 8 Not ascertained | 259 | 1.57 |
| 9 Don't know | 68 | 0.41 |

Frequency Missing = 10660

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AAU Variables Wednesday, May 25, 2011

Unweighted Frequencies

151

AAU.306_00.030: Month received H1N1 flu vaccine

| AH1N1_3M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 451 | 14.59 |
| 02 February | 188 | 6.08 |
| 03 March | 67 | 2.17 |
| 04 April | 27 | 0.87 |
| 05 May | 9 | 0.29 |
| 06 June | 6 | 0.19 |
| 07 July | 0 | 0.00 |
| 08 August | 0 | 0.00 |
| 09 September | 2 | 0.06 |
| 10 October | 887 | 28.69 |
| 11 November | 868 | 28.07 |
| 12 December | 428 | 13.84 |
| 97 Refused | 4 | 0.13 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 155 | 5.01 |

Frequency Missing = 24065

AAU.306_00.040: Year received H1N1 flu vaccine

| AH1N1_4Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 3032 | 98.06 |
| 9997 Refused | 4 | 0.13 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 56 | 1.81 |

Frequency Missing = 24065

AAU.306_00.050: Shot or vaccine sprayed in the nose

| AH1N1_5 | Frequency | Percent |
|---|-----------|---------|
| 1 Flu shot | 2865 | 92.66 |
| 2 Flu nasal spray (spray, mist or drop in nose) | 219 | 7.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.06 |
| 9 Don't know | 6 | 0.19 |

Frequency Missing = 24065

AAU.310_00.000: Seasonal flu shot past 12 m

| SHTFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5590 | 33.88 |
| 2 No | 10569 | 64.07 |
| 7 Refused | 13 | 0.08 |
| 8 Not ascertained | 262 | 1.59 |
| 9 Don't know | 63 | 0.38 |

Frequency Missing = 10660

AAU.312_01.000: Month of most recent seasonal flu shot

| ASHFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 236 | 4.22 |
| 02 February | 116 | 2.08 |
| 03 March | 47 | 0.84 |
| 04 April | 30 | 0.54 |
| 05 May | 17 | 0.30 |
| 06 June | 18 | 0.32 |
| 07 July | 17 | 0.30 |
| 08 August | 61 | 1.09 |
| 09 September | 545 | 9.75 |
| 10 October | 2517 | 45.03 |
| 11 November | 1346 | 24.08 |
| 12 December | 393 | 7.03 |
| 97 Refused | 2 | 0.04 |
| 98 Not ascertained | 2 | 0.04 |
| 99 Don't know | 243 | 4.35 |

Frequency Missing = 21567

AAU.312_02.000: Year of most recent seasonal flu shot

| ASHFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 5570 | 99.64 |
| 9997 Refused | 2 | 0.04 |
| 9998 Not ascertained | 2 | 0.04 |
| 9999 Don't know | 16 | 0.29 |

Frequency Missing = 21567

2010 National Health Interview Survey (NHIS) 153
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AAU.315_00.000: Seasonal flu nasal spray past 12 m

| SPRFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 108 | 0.65 |
| 2 No | 16086 | 97.51 |
| 7 Refused | 12 | 0.07 |
| 8 Not ascertained | 265 | 1.61 |
| 9 Don't know | 26 | 0.16 |

Frequency Missing = 10660

AAU.318_01.000: Month of most recent seasonal flu nasal spray vaccine

| ASPFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 10 | 9.26 |
| 02 February | 6 | 5.56 |
| 03 March | 2 | 1.85 |
| 04 April | 1 | 0.93 |
| 05 May | 2 | 1.85 |
| 06 June | 1 | 0.93 |
| 07 July | 0 | 0.00 |
| 08 August | 1 | 0.93 |
| 09 September | 8 | 7.41 |
| 10 October | 30 | 27.78 |
| 11 November | 27 | 25.00 |
| 12 December | 13 | 12.04 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 6.48 |

Frequency Missing = 27049

AAU.318_02.000: Year of most recent seasonal flu nasal spray vaccine

| ASPFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 107 | 99.07 |
| 9997 Refused | 1 | 0.93 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 0 | 0.00 |

Frequency Missing = 27049

AAU.310_00.000: Flu shot past 12 m

| SHTFLU2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3753 | 35.21 |
| 2 No | 6681 | 62.67 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 201 | 1.89 |
| 9 Don't know | 21 | 0.20 |

Frequency Missing = 16497

AAU.312_01.000: Month of most recent flu shot

| ASHFLUM2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 92 | 2.45 |
| 02 February | 64 | 1.71 |
| 03 March | 39 | 1.04 |
| 04 April | 30 | 0.80 |
| 05 May | 19 | 0.51 |
| 06 June | 26 | 0.69 |
| 07 July | 20 | 0.53 |
| 08 August | 57 | 1.52 |
| 09 September | 611 | 16.28 |
| 10 October | 1722 | 45.88 |
| 11 November | 752 | 20.04 |
| 12 December | 159 | 4.24 |
| 97 Refused | 2 | 0.05 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 160 | 4.26 |

Frequency Missing = 23404

AAU.312_02.000: Year of most recent flu shot

| ASHFLUY2 | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 3743 | 99.73 |
| 9997 Refused | 2 | 0.05 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 8 | 0.21 |

Frequency Missing = 23404

AAU.315_00.000: Flu spray past 12 m

| SPRFLU2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 108 | 1.01 |
| 2 No | 10334 | 96.94 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 203 | 1.90 |
| 9 Don't know | 12 | 0.11 |

Frequency Missing = 16497

AAU.318_01.000: Month of most recent flu spray

| ASPFLUM2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 6 | 5.56 |
| 02 February | 8 | 7.41 |
| 03 March | 5 | 4.63 |
| 04 April | 1 | 0.93 |
| 05 May | 0 | 0.00 |
| 06 June | 1 | 0.93 |
| 07 July | 1 | 0.93 |
| 08 August | 6 | 5.56 |
| 09 September | 9 | 8.33 |
| 10 October | 32 | 29.63 |
| 11 November | 30 | 27.78 |
| 12 December | 5 | 4.63 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 3.70 |

Frequency Missing = 27049

AAU.318_02.000: Year of most recent flu spray

| ASPFLUY2 | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 107 | 99.07 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 1 | 0.93 |

Frequency Missing = 27049

Sample Adult Public Use File (samadult)

AAU Variables

Wednesday, May 25, 2011

Unweighted Frequencies

AAU.320_00.000: Pneumonia shot (EVER)

| SHTPNUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5392 | 19.85 |
| 2 No | 20586 | 75.80 |
| 7 Refused | 18 | 0.07 |
| 8 Not ascertained | 477 | 1.76 |
| 9 Don't know | 684 | 2.52 |

AAU.330_00.000: Ever had chickenpox

| APOX | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 20302 | 74.76 |
| 2 No | 5248 | 19.32 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 483 | 1.78 |
| 9 Don't know | 1111 | 4.09 |

AAU.340_00.000: Chickenpox, past 12 m

| APOX12MO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 63 | 0.31 |
| 2 No | 20236 | 99.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.01 |

Frequency Missing = 6855

AAU.350_00.000: Ever had hepatitis

| AHEP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 877 | 3.23 |
| 2 No | 25707 | 94.66 |
| 7 Refused | 16 | 0.06 |
| 8 Not ascertained | 488 | 1.80 |
| 9 Don't know | 69 | 0.25 |

2010 National Health Interview Survey (NHIS) 157
 Sample Adult Public Use File (samadult)
 AAU Variables Wednesday, May 25, 2011
 Unweighted Frequencies

AAU.360_00.000: Ever lived w/ someone w/ hepatitis

| AHEPLIV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1106 | 4.21 |
| 2 No | 24555 | 93.44 |
| 7 Refused | 18 | 0.07 |
| 8 Not ascertained | 488 | 1.86 |
| 9 Don't know | 113 | 0.43 |

Frequency Missing = 877

AAU.370_00.000: Hepatitis B vaccine (EVER)

| SHTHEPB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7731 | 28.47 |
| 2 No | 17431 | 64.19 |
| 7 Refused | 18 | 0.07 |
| 8 Not ascertained | 493 | 1.82 |
| 9 Don't know | 1484 | 5.46 |

AAU.380_00.000: # doses of hepatitis B vaccine received

| SHEPDOS | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 Received at least 3 doses | 6048 | 78.23 |
| 2 Received less than 3 doses | 1052 | 13.61 |
| 7 Refused | 2 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 629 | 8.14 |

Frequency Missing = 19426

AAU.390_00.010: Hepatitis A vaccine (EVER)

| SHTHEPA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3183 | 11.72 |
| 2 No | 21582 | 79.47 |
| 7 Refused | 18 | 0.07 |
| 8 Not ascertained | 501 | 1.84 |
| 9 Don't know | 1873 | 6.90 |

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AAU Variables Wednesday, May 25, 2011

Unweighted Frequencies

158

AAU.400_00.010: # shots of hepatitis A vaccine received

| SHEPANUM | Frequency | Percent |
|-----------------------|-----------|---------|
| 01-95 shots | 2064 | 64.84 |
| 96 Received all shots | 378 | 11.88 |
| 97 Refused | 1 | 0.03 |
| 98 Not ascertained | 1 | 0.03 |
| 99 Don't know | 739 | 23.22 |

Frequency Missing = 23974

AAU.410_00.010: Ever had the Zoster or Shingles vaccine?

| SHINGLES | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1107 | 9.12 |
| 2 No | 10648 | 87.73 |
| 7 Refused | 12 | 0.10 |
| 8 Not ascertained | 267 | 2.20 |
| 9 Don't know | 103 | 0.85 |

Frequency Missing = 15020

AAU.420_00.010: Tetanus shot in the past 10 years?

| SHTTD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15231 | 56.08 |
| 2 No | 10434 | 38.42 |
| 7 Refused | 20 | 0.07 |
| 8 Not ascertained | 512 | 1.89 |
| 9 Don't know | 960 | 3.54 |

AAU.430_00.010: Tetanus shot given in 2005 or later?

| SHTTD05 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8553 | 56.16 |
| 2 No | 5846 | 38.38 |
| 7 Refused | 2 | 0.01 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 829 | 5.44 |

Frequency Missing = 11926

2010 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables Wednesday, May 25, 2011
Unweighted Frequencies

159

AAU.440_00.010: Vaccine included pertussis/whooping cough

| SHTTDAP | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes-included pertussis | 1193 | 16.52 |
| 2 No-did not include pertussis | 1047 | 14.50 |
| 3 Doctor did not say | 4285 | 59.34 |
| 7 Refused | 2 | 0.03 |
| 8 Not ascertained | 2 | 0.03 |
| 9 Don't know | 692 | 9.58 |

Frequency Missing = 19936

AAU.450_00.010: Ever told you had any kind of chronic/long-term liver condition

| LIVEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 356 | 1.31 |
| 2 No | 26237 | 96.61 |
| 7 Refused | 15 | 0.06 |
| 8 Not ascertained | 520 | 1.91 |
| 9 Don't know | 29 | 0.11 |

AAU.460_00.010: Ever traveled outside USA since 1995 (Excluding Europe, Japan, Australia, New Zealand, and Canada)

| TRAVEL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8763 | 32.27 |
| 2 No | 17826 | 65.64 |
| 7 Refused | 19 | 0.07 |
| 8 Not ascertained | 528 | 1.94 |
| 9 Don't know | 21 | 0.08 |

AAU.465_00.010: Work or volunteer in a health care setting

| WRKHLTH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2081 | 7.66 |
| 2 No | 24529 | 90.32 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 531 | 1.96 |
| 9 Don't know | 3 | 0.01 |

AAU.470_00.010: Direct contact with patients

| WRKDIR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1282 | 61.60 |
| 2 No | 798 | 38.35 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25076

2010 National Health Interview Survey (NHIS) 161
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ADS.010_00.000: Donated blood since March 1985

| BLDGV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6764 | 24.91 |
| 2 No | 19729 | 72.65 |
| 7 Refused | 19 | 0.07 |
| 8 Not ascertained | 553 | 2.04 |
| 9 Don't know | 92 | 0.34 |

ADS.020_00.000: Donated blood past 12 months

| BLDG12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1407 | 20.80 |
| 2 No | 5344 | 79.01 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.04 |
| 9 Don't know | 10 | 0.15 |

Frequency Missing = 20393

ADS.040_00.000: Ever been tested for HIV

| HIVTST | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10967 | 40.38 |
| 2 No | 15033 | 55.36 |
| 7 Refused | 46 | 0.17 |
| 8 Not ascertained | 573 | 2.11 |
| 9 Don't know | 538 | 1.98 |

ADS.050_00.000: Reason why you have not been tested for HIV/AIDS

| WHYTST_R | Frequency | Percent |
|--|-----------|---------|
| 01 It's unlikely you've been exposed to HIV | 11134 | 74.06 |
| 02 You were afraid to find out if you were HIV positive (that you had HIV) | 59 | 0.39 |
| 03 You didn't want to think about HIV or about being HIV positive | 66 | 0.44 |
| 04 You were worried your name would be reported to the government if you tested positive | 3 | 0.02 |
| 05 You didn't know where to get tested | 58 | 0.39 |
| 06 You don't like needles | 66 | 0.44 |
| 07 You were afraid of losing job, insurance, housing, friends, family, if people knew you were positive for AIDS infection | 8 | 0.05 |
| 08 Some other reason | 157 | 1.04 |
| 09 No particular reason | 3405 | 22.65 |
| 97 Refused | 16 | 0.11 |
| 98 Not ascertained | 8 | 0.05 |
| 99 Don't know | 53 | 0.35 |

Frequency Missing = 12124

2010 National Health Interview Survey (NHIS) 162
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ADS.060_01.000: Month of last test for HIV

| TST12M_M | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January | 546 | 4.98 |
| 02 February | 467 | 4.26 |
| 03 March | 553 | 5.04 |
| 04 April | 445 | 4.06 |
| 05 May | 404 | 3.68 |
| 06 June | 612 | 5.58 |
| 07 July | 445 | 4.06 |
| 08 August | 409 | 3.73 |
| 09 September | 418 | 3.81 |
| 10 October | 437 | 3.98 |
| 11 November | 387 | 3.53 |
| 12 December | 302 | 2.75 |
| 96 Time period format | 3230 | 29.45 |
| 97 Refused | 34 | 0.31 |
| 98 Not ascertained | 1 | 0.01 |
| 99 Don't know | 2277 | 20.76 |

Frequency Missing = 16190

ADS.060_02.000: Year of last test for HIV

| TST12M_Y | Frequency | Percent |
|-------------------------|-----------|---------|
| 1985-2010 | 7209 | 65.73 |
| 9996 Time period format | 3230 | 29.45 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 66 | 0.60 |
| 9999 Don't know | 462 | 4.21 |

Frequency Missing = 16190

ADS.061_00.000: Time period of most recent HIV test

| TIMETST | Frequency | Percent |
|--|-----------|---------|
| 1 6 months or less | 68 | 1.82 |
| 2 More than 6 months but not more than 1 year ago | 178 | 4.78 |
| 3 More than 1 year, but not more than 2 years ago | 364 | 9.77 |
| 4 More than 2 years, but not more than 5 years ago | 928 | 24.90 |
| 5 More than 5 years ago | 2118 | 56.83 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.19 |
| 9 Don't know | 64 | 1.72 |

Frequency Missing = 23430

2010 National Health Interview Survey (NHIS) 163
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ADS.065_00.000: Main reason for last HIV test

| REATST_C | Frequency | Percent |
|---|-----------|---------|
| 01 Someone suggested you should be tested | 588 | 5.36 |
| 02 You might have been exposed through sex or drug use | 522 | 4.76 |
| 03 You might have been exposed through your work or at work | 350 | 3.19 |
| 04 You just wanted to find out if you were infected or not | 1307 | 11.92 |
| 05 For part of a routine medical check-up, or for hospitalization or surgical procedure | 3272 | 29.83 |
| 06 You were sick or had a medical problem | 288 | 2.63 |
| 07 You were pregnant or delivered a baby | 1625 | 14.82 |
| 08 For health or life insurance coverage | 474 | 4.32 |
| 09 For military induction, separation, or military service | 308 | 2.81 |
| 10 For immigration | 379 | 3.46 |
| 11 For marriage license or to get married | 374 | 3.41 |
| 12 You were concerned you could give HIV to someone | 31 | 0.28 |
| 13 You wanted medical care or new treatments if you tested positive | 12 | 0.11 |
| 14 Some other reason | 597 | 5.44 |
| 15 No particular reason | 778 | 7.09 |
| 97 Refused | 28 | 0.26 |
| 98 Not ascertained | 9 | 0.08 |
| 99 Don't know | 25 | 0.23 |

Frequency Missing = 16190

ADS.066_00.000: Who suggested you should be tested

| REASWHOR | Frequency | Percent |
|---|-----------|---------|
| 1 Doctor, nurse or other health care professional | 312 | 53.06 |
| 2 Sex partner | 92 | 15.65 |
| 3 Someone at health department | 21 | 3.57 |
| 4 Family member or friend | 104 | 17.69 |
| 5 Other | 55 | 9.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.68 |

Frequency Missing = 26569

2010 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

164

ADS.070_00.000: Location of last HIV test

| LASTST_C | Frequency | Percent |
|--|-----------|---------|
| 01 Private doctor/HMO | 5600 | 51.06 |
| 02 AIDS clinic/counseling/testing site | 594 | 5.42 |
| 03 Hospital, emergency room, outpatient clinic | 1834 | 16.72 |
| 04 Other type of clinic | 902 | 8.22 |
| 05 Public health department | 749 | 6.83 |
| 06 At home | 275 | 2.51 |
| 07 Drug treatment facility | 23 | 0.21 |
| 08 Military induction or military service site | 346 | 3.15 |
| 09 Immigration site | 110 | 1.00 |
| 10 In a correctional facility (jail or prison) | 88 | 0.80 |
| 11 Other location | 343 | 3.13 |
| 97 Refused | 12 | 0.11 |
| 98 Not ascertained | 13 | 0.12 |
| 99 Don't know | 78 | 0.71 |

Frequency Missing = 16190

ADS.072_00.000: Type of clinic for last HIV test

| CLNTYP_C | Frequency | Percent |
|--|-----------|---------|
| 01 Family planning clinic | 195 | 21.62 |
| 02 Prenatal clinic | 42 | 4.66 |
| 03 Tuberculosis clinic | 0 | 0.00 |
| 04 STD clinic | 12 | 1.33 |
| 05 Community health clinic | 407 | 45.12 |
| 06 Clinic run by employer or insurance company | 50 | 5.54 |
| 07 Other | 173 | 19.18 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 23 | 2.55 |

Frequency Missing = 26255

ADS.074_00.000: Who administered the test

| WHOADM | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Nurse or health worker | 243 | 88.36 |
| 2 Self-sampling kit | 30 | 10.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.73 |

Frequency Missing = 26882

2010 National Health Interview Survey (NHIS) 165
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ADS.080_00.000: Gave your first and last names

| GIVNAM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9945 | 90.68 |
| 2 No | 734 | 6.69 |
| 7 Refused | 7 | 0.06 |
| 8 Not ascertained | 13 | 0.12 |
| 9 Don't know | 268 | 2.44 |

Frequency Missing = 16190

ADS.110_00.000: HIV test in the next 12 months

| EXTST12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2806 | 10.33 |
| 2 No | 23356 | 86.00 |
| 7 Refused | 35 | 0.13 |
| 8 Not ascertained | 603 | 2.22 |
| 9 Don't know | 357 | 1.31 |

ADS.140_00.001: Chances of getting AIDS virus

| CHNSADSP | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 High/Already have HIV/AIDS | 183 | 0.67 |
| 2 Medium | 369 | 1.36 |
| 3 Low | 5497 | 20.24 |
| 4 None | 20250 | 74.57 |
| 7 Refused | 47 | 0.17 |
| 8 Not ascertained | 609 | 2.24 |
| 9 Don't know | 202 | 0.74 |

ADS.150_00.000: Are any of these statements true

| STMTRU | Frequency | Percent |
|---|-----------|---------|
| 1 Yes, at least one statement is true | 945 | 3.48 |
| 2 No, none of these statements are true | 25263 | 93.03 |
| 7 Refused | 200 | 0.74 |
| 8 Not ascertained | 634 | 2.33 |
| 9 Don't know | 115 | 0.42 |

2010 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

ADS Variables Wednesday, May 25, 2011

Unweighted Frequencies

166

ADS.160_00.000: Had STD other than HIV/AIDS, past 5 yrs

| STD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 578 | 3.85 |
| 2 No | 14018 | 93.33 |
| 7 Refused | 68 | 0.45 |
| 8 Not ascertained | 335 | 2.23 |
| 9 Don't know | 21 | 0.14 |

Frequency Missing = 12137

ADS.170_00.000: Saw a doctor or other health professional

| STDDOC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 532 | 92.04 |
| 2 No | 46 | 7.96 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26579

ADS.180_00.000: Place where checked

| STDWHER | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Private doctor | 307 | 57.71 |
| 2 Family planning clinic | 75 | 14.10 |
| 3 STD clinic | 31 | 5.83 |
| 4 Emergency room | 23 | 4.32 |
| 5 Health department | 58 | 10.90 |
| 6 Some other place | 35 | 6.58 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.56 |

Frequency Missing = 26625

ADS.200_00.000: Ever heard of tuberculosis

| TBHRD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 23316 | 85.86 |
| 2 No | 3094 | 11.39 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 671 | 2.47 |
| 9 Don't know | 54 | 0.20 |

2010 National Health Interview Survey (NHIS) 167
 Sample Adult Public Use File (samadult)
 ADS Variables Wednesday, May 25, 2011
 Unweighted Frequencies

ADS.210_00.000: Ever personally known anyone who had TB

| TBKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4633 | 19.87 |
| 2 No | 18556 | 79.58 |
| 7 Refused | 6 | 0.03 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 119 | 0.51 |

Frequency Missing = 3841

ADS.220_00.000: How much do you know about TB

| TB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 2685 | 11.52 |
| 2 Some | 5551 | 23.81 |
| 3 A little | 9991 | 42.85 |
| 4 Nothing | 5028 | 21.56 |
| 7 Refused | 6 | 0.03 |
| 8 Not ascertained | 7 | 0.03 |
| 9 Don't know | 48 | 0.21 |

Frequency Missing = 3841

ADS.230_01.000: Breathing air around person sick with TB

| TBSPRD1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12790 | 70.17 |
| 2 Not mentioned | 3128 | 17.16 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.230_02.000: Sharing eating/drinking utensils

| TBSPRD2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 5364 | 29.43 |
| 2 Not mentioned | 10554 | 57.90 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.230_03.000: Through semen/vaginal secretions (sex)

| TBSPRD3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1861 | 10.21 |
| 2 Not mentioned | 14057 | 77.12 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.230_04.000: From smoking

| TBSPRD4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 855 | 4.69 |
| 2 Not mentioned | 15063 | 82.64 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.230_05.000: From mosquito or other insect bites

| TBSPRD5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1211 | 6.64 |
| 2 Not mentioned | 14707 | 80.69 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.230_06.000: Other

| TBSPRD6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 973 | 5.34 |
| 2 Not mentioned | 14945 | 81.99 |
| 7 Refused | 11 | 0.06 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 2296 | 12.60 |

Frequency Missing = 8930

ADS.240_00.000: Can TB be cured

| TBCURED | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8631 | 47.35 |
| 2 No | 6932 | 38.03 |
| 7 Refused | 3 | 0.02 |
| 8 Not ascertained | 5 | 0.03 |
| 9 Don't know | 2656 | 14.57 |

Frequency Missing = 8930

ADS.250_00.000: Chances of getting TB

| TBCHANC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 High | 251 | 1.08 |
| 2 Medium | 1049 | 4.51 |
| 3 Low | 8800 | 37.84 |
| 4 None | 12204 | 52.48 |
| 5 Already have TB | 105 | 0.45 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 10 | 0.04 |
| 9 Don't know | 828 | 3.56 |

Frequency Missing = 3902

ADS.260_00.000: Ashamed if you/family diagnosed with TB

| TBSHAME | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 691 | 2.97 |
| 2 No | 22217 | 95.54 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 12 | 0.05 |
| 9 Don't know | 328 | 1.41 |

Frequency Missing = 3902

ADS.270_00.000: Spent 24+ hrs living in street, shelter, jail/prison

| HOMELESS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1809 | 6.66 |
| 2 No | 24610 | 90.62 |
| 7 Refused | 28 | 0.10 |
| 8 Not ascertained | 692 | 2.55 |
| 9 Don't know | 18 | 0.07 |